

# Introducing Git and GitHub

// FLATIRON SCHOOL




# Learning Objectives

(You Will Be Able To)


- **Fork** a repository on GitHub
- **Clone** a repository from GitHub
- **Add** updates to track for a commit
- **Commit** changes (with meaningful messages)
- **Push** local changes to a remote repository
- **Pull** remote changes to your local repository

# Look Familiar?



# Enter: Version Control

## TRACK PROJECT HISTORY



# Important Distinction!



**git**



**github**  
SOCIAL CODING

# Create a personal access token on Github!

**Profile:** Dropdown menu

↳ **Settings:** Go to left side

↳ **Developer Settings**



↳ **Personal access tokens**

↳ **Tokens (classic)**

↳ **Generate new token (classic)**

↳ Check **Repo** box

↳ Set expiration date (end of program)




# Fork a Repository

**Forking** creates your own personal copy over on your own personal GitHub.

- On a fork, you can freely experiment with changes without affecting the original repository you copied from.
- This is the best way to use someone else's repository as a starting point for your own projects!
- If you like, you can later submit those changes to the original repository in order to collaborate.

Let's fork the [cohort repository](#) where you will access lecture material going forward!




# Clone a Repository

**Cloning** makes a copy of an existing online repository on your local machine.

```
git clone [URL]
```

The difference between forking and cloning is that cloning moves from cloud to local, as opposed to forking which moves code from someone else's remote repository to your own remote repository - all in the cloud.

**Let's now clone down the cohort repository we forked previously!**





# Make Local Changes

This isn't a git command - just make local changes to the jupyter notebook, or add a new file to the repository so we can see what it looks like to keep track of changes.




# Check Your Status

You made some changes, but what does that look like from Git's point of view? In other words, where are we in the process, on our local drive?

```
git status
```

Git differentiates between staged and unstaged files (as well as tracked and untracked files).

- **Red** represents unstaged files
- **Green** represents staged files




**There are more steps in Git than you think you need...**



# Add Your Changes

**Adding** files tells Git which changes you'd like to stage, to eventually be committed to your local repository.

```
git add [FILE]
```



# Commit Your Changes


**Committing** tells Git that these changes shouldn't just be tracked, they're actually ready to be a part of your local repository.

```
git commit -m "[MEANINGFUL  
MESSAGE]"
```

Commit messages should be written in the present tense, and should finish the sentence:

"If I apply these changes, they should..."

- "Add spell check feature"
- "Fix super awful bug written by David"
- "Update gifs in README.md"



# Don't let this be you! Informative messages only!

	COMMENT	DATE
○	CREATED MAIN LOOP & TIMING CONTROL	14 HOURS AGO
○	ENABLED CONFIG FILE PARSING	9 HOURS AGO
○	MISC BUGFIXES	5 HOURS AGO
○	CODE ADDITIONS/EDITS	4 HOURS AGO
○	MORE CODE	4 HOURS AGO
○	HERE HAVE CODE	4 HOURS AGO
○	AAAAAAAAAA	3 HOURS AGO
○	ADKFJSLKDFJSDKLFJ	3 HOURS AGO
○	MY HANDS ARE TYPING WORDS	2 HOURS AGO
○	HAAAAAAAAAANDS	2 HOURS AGO

AS A PROJECT DRAGS ON, MY GIT COMMIT MESSAGES GET LESS AND LESS INFORMATIVE.


# Push Your Changes

**Pushing** uploads your local repository to a remote repository (say, your GitHub)

```
git push [REMOTE LOCATION] [BRANCH]
```

(ex: `git push origin main` )

This is when you connect your local work to your remote repository - it also acts as you backing up your work to the cloud!



# Programmer Protocol

In case of fire



1. git commit




2. git push



3. leave building



# A Bigger Picture



# Pull Other Changes

**Pulling** brings remote changes down to your local workspace.

```
git pull [REMOTE LOCATION] [BRANCH]
```


**OR**

```
git fetch [REMOTE LOCATION]  
[BRANCH]
```

```
↳ git merge [REMOTE/CURRENT]
```

- Use -m message flag

If there are changes in the remote repository to which you're trying to push changes, you'll need to pull the changes down to your local machine before pushing your work back up.



# Progress So Far

## What have we covered?

- Starting from an existing repository
- Forking workflow
- Pushing changes

## What haven't we covered?

- Creating your own repo from scratch
- Branching workflow
- Merging changes

# Additional Resources

- This [blog post](#) is a nicely laid out walkthrough of git
- Git has a whole open-source [book](#) on how to use git
- Atlassian has their own version of GitHub, but their [tutorial](#) on Git is solid
- Stumbled into a merge conflict? Learn how to resolve it in this [blog post](#)
- [Git and GitHub For Poets](#) YouTube series



*Any Questions?*

