

Seele's First-5-Venue UE Checklist — Validation Report

Date: 2026-05-22

Branch: `anti-gravity-fel` (commit 9519541)

Master Blueprint: `/home/ubuntu/designs/fel_master_architecture_blueprint_design.md`

Repository: `/home/ubuntu/github_repos/Final-Evolution-Lab/`

Executive Summary

#	Check	Result	Details
1	Mode ID Registry Match	 WARNING	3 registries diverge — 19 (ModeManager) vs 17 (Swift) vs 16 (ue_mode_maps)
2	Venue to Cooked Path Mapping	 FAIL	3 staging maps missing from MapsTo-Cook; surfing map path ambiguous
3	Session Event Contracts	 WARNING	2 production modes (<code>who_scene_it</code> , <code>mario_party_fever</code>) lack standard session receipt flow
4	Production / Staging Status	 FAIL	Blueprint says 14 Prod / 5 Staging, but ModeManager JSON has <code>who_scene_it</code> + <code>mario_party_fever</code> as “production” without matching infrastructure
5	Preview Mode Classification	 WARNING	No explicit staging gate mechanism found — only JSON <code>status</code> field
6	Known Gaps Verification	 PASS	<code>who_scene_it</code> , <code>court_carnival</code> (not in repo — blueprint references as known gap), <code>market_browse</code> confirmed incomplete
7	iOS Cooked Payload Completeness	 WARNING	11 maps listed but path format diverges between blueprint and actual Default-Game.ini
8	Smoke Test Criteria	 WARNING	Blueprint defines comprehensive matrix; repo has only ad-

#	Check	Result	Details
			hoc checklist in SHIP-PING.md

Overall Verdict: ❌ **NOT READY** — 2 failures and 5 warnings require resolution before the first-5-venue scope can ship.

Preliminary Finding: No Explicit “Seele’s First-5-Venue” Checklist Found

Search performed across:

- All `.md` files (30 found)
- `UnrealIntegration/Source/FinalEvolutionLab/` (C++ headers and source)
- `Config/` directory
- `docs/` directory
- `infra/` documentation
- All comments and README files
- grep for: `seele` , `first.5.venue` , `venue.checklist` , `UE.validation` , `smoke.test` , `acceptance`

Result: No document titled or referencing “Seele’s first-5-venue checklist” exists in the repository. The closest artifacts are:

1. `docs/UE57_External_Project_Checklist.md` — general UE 5.7 integration checklist (not venue-scoped)
2. `Config/FEL_IOS_CAPABILITIES_CHECKLIST.txt` — iOS capability checklist (platform, not venue)
3. `infra/SHIPPING.md` — shipping and smoke test notes (procedure, not venue acceptance)

Implication: The first-5-venue checklist must be **constructed** from the blueprint’s venue registry and validated against the repository’s actual state. This report serves as that constructed validation.

Inferred First-5-Venue Scope

Based on the blueprint’s venue registry (§3.3) and the 11 MapsToCook entries, the **first 5 venues** (by production priority and map availability) are:

#	Venue	Map Token	Modes Hosted	Status
1	Venice Beach Court	VeniceBeach	basketball_h2h, basketball_dunk, basketball_3v3	Production
2	Zen Dojo	Dojo	karate_h2h, karate_endless	Production
3	Baseball Park	BaseballPark	baseball	Production
4	Gridiron Stadium	Gridiron	football	Production
5	Soccer Stadium	SoccerStadium	soccer	Production

These 5 venues cover **8 production modes** and all have maps in MapsToCook.

Check 1: Mode ID Registry Match — WARNING

Source Registry Comparison

Registry Source	Modes Declared	File
Master Blueprint (§2)	19 (14 prod + 5 staging)	<code>fel_master_architecture_blueprint_design.md</code>
<code>FEL_ModeManager.production.json</code>	19 entries (but <code>total_modes: 17</code>)	<code>backend/FEL_ModeManager.production.json</code>
Swift <code>GameModeId</code> enum	16 cases	<code>FinalEvolutionLab/Models/GameMode.swift</code>
<code>ue_mode_maps.json</code>	16 mappings	<code>backend/ue_mode_maps.json</code>
<code>FEL_VenueRegistry.production.json</code>	12 entries (11 real + 1 placeholder)	<code>UnrealStarter/.../FEL_VenueRegistry.production.json</code>
EmergentPlayMap INI section	18 entries (includes <code>karate</code> alias)	<code>infra/ue5_config/Default-Game.ini</code>

First-5-Venue Mode IDs — Line-by-Line

mode_id	Blueprint	ModeM-anager JSON	Swift Enum	ue_mode_maps	VenueRegistry	EmergentPlay-Map
basket-ball_h2h	✓	✓	✓ basket-ball-HeadTo-Head	✓	✓	✓
basket-ball_dunk	✓	✓	✓ basket-ballDunk-Contest	✓	✓	✓
basket-ball_3v3	✓	✓	✓ basket-ball3v3	✓	✓	✓
kar-ate_h2h	✓	✓	✓ karate (raw-Value= kar-ate_h2h)	✓	⚠ Listed as karate	✓
kar-ate_endless	✓	✓	✓ kar-ateEnd-less	✓	✗ Missing	✓
baseball	✓	✓	✓	✓	✓	✓
football	✓	✓	✓	✓	✓	✓
soccer	✓	✓	✓	✓	✓	✓

Discrepancies in First-5-Venue Scope

Issue	Severity	Detail
<code>karate_endless</code> missing from VenueRegistry	Medium	VenueRegistry lists only <code>karate</code> (maps to <code>karate_h2h</code>); <code>karate_endless</code> shares the Dojo venue but has no VenueRegistry entry
<code>karate</code> vs <code>karate_h2h</code> naming	Low	VenueRegistry uses <code>karate</code> , Swift uses <code>karate</code> with raw-Value <code>karate_h2h</code> , EmergentPlayMap has both <code>karate_h2h</code> and <code>karate</code> alias — functional but inconsistent
ModeManager <code>total_modes:</code> 17 vs 19 entries	High	Metadata header is stale — declares 17 but contains 19 mode entries

Global Mode ID Gaps (Beyond First-5-Venue)

mode_id	Missing From
<code>who_scene_it</code>	Swift enum, ue_mode_maps.json, VenueRegistry, EmergentPlayMap (not in INI)
<code>mario_party_fever</code>	Swift enum, ue_mode_maps.json, VenueRegistry, EmergentPlayMap (not in INI)
<code>market_browse</code>	Swift enum, VenueRegistry

Check 2: Venue to Cooked Path Mapping — FAIL

MapsToCook Path Comparison

The blueprint (§10.1) documents paths as `/Game/FEL/Maps/{token}`, but the **actual** `DefaultGame.ini` uses `/Game/FEL/Venues/{token}/{token}` :

Venue	Blueprint Path	Actual Default-Game.ini Path	Match?
BaseballPark	/Game/FEL/Maps/Base-ballPark	/Game/FEL/Venues/BaseballPark/Base-ballPark	✗ Different prefix
Dojo	/Game/FEL/Maps/Dojo	/Game/FEL/Venues/Dojo/Dojo	✗ Different prefix
Gridiron	/Game/FEL/Maps/Gridiron	/Game/FEL/Venues/Gridiron/Gridiron	✗ Different prefix
Links	/Game/FEL/Maps/Links	/Game/FEL/Venues/Links/Links	✗ Different prefix
Luma_Venice_Shop	/Game/FEL/Maps/Luma_Venice_Shop	/Game/FEL/Venues/Luma_Venice_Shop/Luma_Venice_Shop	✗ Different prefix
NeuroArena	/Game/FEL/Maps/NeuroArena	/Game/FEL/Venues/NeuroArena/NeuroArena	✗ Different prefix
SandCourt	/Game/FEL/Maps/SandCourt	/Game/FEL/Venues/SandCourt/SandCourt	✗ Different prefix
SoccerStadium	/Game/FEL/Maps/SoccerStadium	/Game/FEL/Venues/SoccerStadium/SoccerStadium	✗ Different prefix
TennisCourt	/Game/FEL/Maps/TennisCourt	/Game/FEL/Venues/TennisCourt/TennisCourt	✗ Different prefix
TrainingFloor	/Game/FEL/Maps/TrainingFloor	/Game/FEL/Venues/TrainingFloor/TrainingFloor	✗ Different prefix
VeniceBeach	/Game/FEL/Maps/VeniceBeach	/Game/FEL/Venues/VeniceBeach/VeniceBeach	✗ Different prefix

Critical Finding: The blueprint documents the path prefix as /Game/FEL/Maps/ but the actual INI file uses /Game/FEL/Venues/{Name}/{Name} . The EmergentPlayMap section in the same INI also uses the / Venues/ prefix. **The blueprint must be corrected to match the actual paths.**

First-5-Venue Map Coverage

Venue	In MapsToCook?	EmergentPlayMap entries?	ue_mode_maps.json?
Venice Beach Court	✓ (VeniceBeach)	✓ (3 basketball modes)	✓ (Venice_Beach_Court)
Zen Dojo	✓ (Dojo)	✓ (karate_h2h, karate_endless, karate alias)	✓ (Zen_Dojo)
Baseball Park	✓ (BaseballPark)	✓	✓ (Baseball_Park)
Gridiron Stadium	✓ (Gridiron)	✓	✓ (Gridiron_Stadium)
Soccer Stadium	✓ (SoccerStadium)	✓	✓ (Soccer_Stadium)

First-5-venue coverage: PASS — All 5 venues have entries in MapsToCook, EmergentPlayMap, and ue_mode_maps.json.

Map Token Naming Inconsistency

Layer	Venice Beach	Zen Dojo	Baseball
Blueprint Venue Registry	Venice_Beach_Court	Zen_Dojo	Baseball_Park
ue_mode_maps.json	Venice_Beach_Court	Zen_Dojo	Baseball_Park
MapsToCook	VeniceBeach	Dojo	BaseballPark
EmergentPlayMap	VeniceBeach/Venice-Beach	Dojo/Dojo	BaseballPark/BaseballPark
VenueRegistry JSON	venice_beach_court	dojo_arena	stadium_diamond

Multiple naming conventions in play across layers. While the deep link subsystem resolves tokens, this fragmentation risks routing errors.

Staging Maps NOT in MapsToCook (Confirmed)

Map	Mode	In MapsToCook	EmergentPlayMap Fallback
Skate_Park	skateboarding	✗	⚠ Routes to Venice-Beach (fallback, not correct map)
Mountain_Slope	snowboarding	✗	⚠ Routes to Venice-Beach (fallback, not correct map)
Sovereign_Shop	market_browse	✗	✅ Routes to Luma_Venice_Shop
Venice_Beach_Surf	surfing	✗ (separate entry)	⚠ Routes to Venice-Beach (shared?)

Note: `skateboarding` and `snowboarding` have EmergentPlayMap entries pointing to VeniceBeach/ VeniceBeach, **NOT** their dedicated maps (`Skate_Park` , `Mountain_Slope`). This is a misrouting problem — the EmergentPlayMap should either not list them (staging) or point to the correct map.

Check 3: Session Event Contracts — ⚠ WARNING

Backend Session Receipt (POST /api/games/session)

The backend `server.py` line 501-508 implements a **generic** session receipt handler:

```
@api_router.post("/games/session")
async def create_game_session(data, user):
    s = {"id": ..., "user_id": ..., "mode_id": data.get("mode_id"),
        "score": data.get("score",0), "duration_seconds":
data.get("duration_seconds",0), ...}
    await db.game_sessions.insert_one(s)
    xp = max(10, s["score"]//5)
    await db.users.update_one({"user_id": user.user_id}, {"$inc": {"xp": xp}})
    await db.activity_feed.insert_one({...})
```

First-5-Venue Session Contract Validation

mode_id	Session Receipt	XP Award	Activity Feed	Shard Award	PRQ Delta
basket-ball_h2h	✓ Generic handler	✓ <code>max(10, score/5)</code>	✓	✗ Not in backend	✗ Not in backend
basket-ball_dunk	✓ Generic handler	✓	✓	✗ Not in backend	✗ Not in backend
basket-ball_3v3	✓ Generic handler	✓	✓	✗ Not in backend	✗ Not in backend
karate_h2h	✓ Generic handler	✓	✓	✗ Not in backend	✗ Not in backend
kar-ate_endless	✓ Generic handler	✓	✓	✗ Not in backend	✗ Not in backend
baseball	✓ Generic handler	✓	✓	✗ Not in backend	✗ Not in backend
football	✓ Generic handler	✓	✓	✗ Not in backend	✗ Not in backend
soccer	✓ Generic handler	✓	✓	✗ Not in backend	✗ Not in backend

Missing from backend:

- **Shard economy transactions** — The blueprint (§7) defines win/draw/loss shard rewards but the backend `create_game_session` endpoint does NOT award shards
- **PRQ delta** — The blueprint (§5.3) defines `PRQ.modeReward()` but the backend does NOT compute or apply PRQ deltas
- **Score validation** — No server-side cap on XP (blueprint §13.3 flags this as P2 tech debt)

Modes Without Standard Session Flow

mode_id	Issue
who_scene_it	Has dedicated endpoints (<code>/games/who-scene-it</code>) but no session receipt integration — quiz results don't post to <code>/games/session</code>
mario_party_fever	Has dedicated endpoints (<code>/games/mario-party</code>) with custom <code>party_sessions</code> collection — no standard session receipt

Check 4: Production / Staging Status — ❌ FAIL

Blueprint vs Repository Status Comparison

mode_id	Blueprint Status	ModeManager JSON Status	Swift Enum Present?	Effective Status
basketball_h2h	Production (#1)	production	✓	✓ Production
basketball_dunk	Production (#2)	production	✓	✓ Production
basketball_3v3	Production (#3)	production	✓	✓ Production
karate_h2h	Production (#4)	production	✓	✓ Production
karate_endless	Production (#5)	production	✓	✓ Production
baseball	Production (#6)	production	✓	✓ Production
football	Production (#7)	production	✓	✓ Production
soccer	Production (#8)	production	✓	✓ Production
golf	Production (#9)	production	✓	✓ Production
tennis	Production (#10)	production	✓	✓ Production
volleyball	Production (#11)	production	✓	✓ Production
surfing	Production (#12)	production	✓	✓ Production
who_scene_it	Production (#13)	production	❌ Missing	⚠️ Broken — prod in JSON but no Swift enum
mario_party_fever	Production (#14)	production	❌ Missing	⚠️ Broken — prod in JSON but no Swift enum
skateboarding	Staging (#15)	staging	✓	✓ Staging
snowboarding	Staging (#16)	staging	✓	✓ Staging
gymnastics	Staging (#17)	staging	✓	✓ Staging
brain_brawl	Staging (#18)	staging	✓	✓ Staging
market_browse	Staging (#19)	staging	❌ Missing	⚠️ Broken — staging but not in Swift

Status Count Discrepancy

Source	Production Count	Staging Count	Total
Blueprint header	14	5	19
Blueprint §2 notes	“12 production, 5 staging, 2 late additions”	—	19
ModeManager JSON	14 (status: production)	5 (status: staging)	19
ModeManager metadata	production_modes: 12	—	total_modes: 17

Blueprint internal inconsistency: The Goals section says “12 production, 5 staging, 2 late additions” but §2.1 lists 14 production modes. The “2 late additions” (who_scene_it , mario_party_fever) are counted as production in the table but called out as additions.

Check 5: Preview Mode Classification — WARNING

Staging Gate Mechanism

Gate Mechanism	Exists?	Location
ModeManager JSON <code>status</code> field	✓	<code>backend/FEL_ModeManager.production.json</code>
MapsToCook exclusion	✓	Staging maps not in <code>Default-Game.ini</code> <code>+MapsToCook</code>
Swift enum exclusion	Partial	<code>who_scene_it</code> , <code>mario_party_fever</code> , <code>market_browse</code> not in enum
Backend feature flag	✗	No server-side staging gate in <code>server.py</code>
EmergentPlayMap INI exclusion	✗	<code>skateboarding</code> and <code>snowboarding</code> ARE listed in EmergentPlayMap (with wrong fallback maps)
<code>ue_mode_maps.json</code> exclusion	Partial	<code>who_scene_it</code> , <code>mario_party_fever</code> , <code>market_browse</code> missing
CI enforcement	Not verified	Blueprint mentions CI mode count threshold but no script found

Risk: Staging Modes Accidentally Accessible

- `skateboarding` and `snowboarding` are in EmergentPlayMap pointing to `VeniceBeach` — a deep link `finalevolution://launch?mode=skateboarding` would **launch the wrong map** (VeniceBeach instead of Skate_Park)
- `market_browse` is in EmergentPlayMap pointing to `Luma_Venice_Shop` which IS in MapsToCook — could accidentally launch
- No runtime staging check** in the deep link subsystem or backend launch endpoint

Check 6: Known Gaps Verification — PASS

Gap Status

Gap	Blueprint Status	Repository Status	Confirmed?
<code>who_scene_it</code>	Production (blueprint §2.1 #13) — but flagged incomplete in PRQ weights	 Missing from Swift enum, ue_mode_maps, VenueRegistry	 Gap confirmed — marked prod in JSON but infrastructure incomplete
<code>court_carnival</code>	Referenced in task context as known gap	 Not found anywhere in repository — not in any registry, config, or code	 Gap confirmed — does not exist yet
<code>market_browse</code>	Staging (blueprint §2.2 #19)	 Missing from Swift enum; present in ModeManager JSON as staging	 Gap confirmed — staging, infrastructure incomplete

Additional Gaps Found

mode_id	Issue
<code>mario_party_fever</code>	Same incompleteness pattern as <code>who_scene_it</code> — prod in ModeManager but missing from Swift/ue_mode_maps/VenueRegistry
<code>gymnastics</code>	In Swift enum and ue_mode_maps but map NOT in MapsToCook — staging mode with partial infra

Check 7: iOS Cooked Payload Completeness — WARNING

MapsToCook — 11 Maps in DefaultGame.ini (Actual)

1. /Game/FEL/Venues/BaseballPark/BaseballPark
2. /Game/FEL/Venues/Dojo/Dojo
3. /Game/FEL/Venues/Gridiron/Gridiron
4. /Game/FEL/Venues/Links/Links
5. /Game/FEL/Venues/Luma_Venice_Shop/Luma_Venice_Shop
6. /Game/FEL/Venues/NeuroArena/NeuroArena
7. /Game/FEL/Venues/SandCourt/SandCourt
8. /Game/FEL/Venues/SoccerStadium/SoccerStadium
9. /Game/FEL/Venues/TennisCourt/TennisCourt
10. /Game/FEL/Venues/TrainingFloor/TrainingFloor
11. /Game/FEL/Venues/VeniceBeach/VeniceBeach

Blueprint vs Actual Path Format

Blueprint (§10.1)	Actual INI	Discrepancy
/Game/FEL/Maps/BaseballPark	/Game/FEL/Venues/Baseball-Park/BaseballPark	Prefix /Maps/ → /Venues/{Name}/

All 11 maps have this discrepancy. The blueprint must be updated.

Production Mode → Map Coverage

Production Mode	Required Map	In MapsToCook?
basketball_h2h/dunk/3v3	VeniceBeach	✓
karate_h2h/endless	Dojo	✓
baseball	BaseballPark	✓
football	Gridiron	✓
soccer	SoccerStadium	✓
golf	Links	✓
tennis	TennisCourt	✓
volleyball	SandCourt	✓
surfing	VeniceBeach (shared)	✓ (via VeniceBeach)
who_scene_it	NeuroArena	✓
mario_party_fever	VeniceBeach	✓

Note: Surfing’s dedicated map (`Venice_Beach_Surf` in blueprint) is NOT in MapsToCook as a separate entry. The EmergentPlayMap routes surfing to `VeniceBeach/VeniceBeach` . This may be intentional (shared venue) or a gap.

Descriptor Safety Chain

Check	Status
<code>fel_ue5_ios_shipping_package.sh</code> exists	✔ (referenced in infra/SHIPPING.md)
<code>infra/fix_ios_descriptor_path.sh</code> diagnostic	Referenced in blueprint but not verified in repo
<code>cookeddata/</code> or <code>.pak</code> verification step	✔ Documented in SHIPPING.md
Non-iCloud project path warning	✔ Documented

Check 8: Smoke Test Criteria — ⚠ WARNING

Blueprint Acceptance Matrix (§12.1) — 10 Universal Tests per Mode

The blueprint defines a comprehensive 10-point acceptance test per production mode. **No equivalent checklist exists in the repository.**

Repository Smoke Test Coverage

Source	Tests Defined	Scope
Blueprint §12.1	10 universal + mode-specific	All 14 production modes
Blueprint §12.3	8-step staging promotion gate	All 5 staging modes
<code>infra/SHIPPING.md</code>	8-step release day checklist	Generic (not per-mode)
<code>docs/UE57_External_Project_Checklist.md</code>	2-step verification	WebSocket + iOS bridge only
<code>backend/tests/</code>	Python unit tests	Backend API only

First-5-Venue Smoke Test Requirements (Derived from Blueprint)

For each of the 8 modes across the first 5 venues:

Test	bas- ket- ball_h2 h	bas- ket- ball_du nk	bas- ket- ball_3v 3	kar- ate_h2 h	kar- ate_en dless	base- ball	foot- ball	soccer
Deep link launch	Re-quired	Re-quired	Re-quired	Re-quired	Re-quired	Re-quired	Re-quired	Re-quired
Map-Loaded event (10s)	Re-quired	Re-quired	Re-quired	Re-quired	Re-quired	Re-quired	Re-quired	Re-quired
Session receipt POST	Re-quired	Re-quired	Re-quired	Re-quired	Re-quired	Re-quired	Re-quired	Re-quired
XP award	Re-quired	Re-quired	Re-quired	Re-quired	Re-quired	Re-quired	Re-quired	Re-quired
Shard reward	✗ Not implemented	✗	✗	✗	✗	✗	✗	✗
PRQ delta	✗ Not implemented	✗	✗	✗	✗	✗	✗	✗
Activity feed	Re-quired	Re-quired	Re-quired	Re-quired	Re-quired	Re-quired	Re-quired	Re-quired
Browser fallback	Re-quired	Re-quired	Re-quired	Re-quired	Re-quired	Re-quired	Re-quired	Re-quired
E3DS travel	Re-quired	Re-quired	Re-quired	Re-quired	Re-quired	Re-quired	Re-quired	Re-quired
Multi-player sync	Re-quired (real-time)	Re-quired	Re-quired	Re-quired	Re-quired	N/A (turn-Based)	N/A	Re-quired

Action Items

P0 — Must Fix Before Ship

#	Action	Owner	Files Affected
1	Fix ModeManager metadata — Update <code>total_modes: 17</code> → <code>19</code> and <code>production_modes: 12</code> → <code>14</code>	Backend	<code>backend/ FEL_ModeManager.production.json</code>
2	Add missing Swift enum cases — Add <code>whoSceneIt</code> , <code>marioPartyFever</code> , <code>marketBrowse</code> to <code>GameModeId</code>	iOS	<code>FinalEvolutionLab/ Models/ GameMode.swift</code>
3	Add missing ue_mode_maps entries — Add <code>who_scene_it</code> , <code>mario_party_fever</code> , <code>market_browse</code>	Backend	<code>backend/ ue_mode_maps.json</code>
4	Fix EmergentPlay-Map staging fallbacks — Remove or correct <code>skateboarding</code> and <code>snowboarding</code> entries that falsely route to <code>VeniceBeach</code>	Infra	<code>infra/ue5_config/DefaultGame.ini</code>
5	Update blueprint MapsToCook paths — Change <code>/Game/FEL/Maps/</code> to <code>/Game/FEL/Venues/{Name}/</code> to match actual INI	Docs	Blueprint design doc

P1 — Required for Quality

#	Action	Owner	Files Affected
6	Add <code>karate_endless</code> to VenueRegistry	Config	<code>FEL_VenueRegistry.pr</code> <code>oduction.json</code>
7	Implement backend shard re-wards in <code>create_game_session</code>	Backend	<code>backend/server.py</code>
8	Implement backend PRQ delta in <code>create_game_session</code>	Backend	<code>backend/server.py</code>
9	Add staging gate runtime check — Prevent deep link launch of staging modes	UE/Backend	Deep link subsystem or backend launch endpoint
10	Create per-venue smoke test script — Automated acceptance tests for first-5-venue scope	QA	New: <code>scripts/smoke_test_first5.sh</code> or equivalent
11	Integrate <code>who_scene_it</code> and <code>mario_party_fever</code> session receipts with standard <code>/games/session</code> endpoint	Backend	<code>backend/server.py</code>

P2 — Tech Debt

#	Action	Owner
12	Standardize venue naming convention across all registries	All
13	Clarify surfing map (dedicated Venice_Beach_Surf vs shared VeniceBeach)	UE
14	Add XP cap per session (blueprint §13.3)	Backend
15	Resolve blueprint internal inconsistency: “12 production” in Goals vs 14 in registry	Docs
16	Add <code>court_carnival</code> placeholder to mode registry if planned	Product

Confirmed Gaps That Should Remain Flagged

Gap	Reason	Expected Resolution
<code>who_scene_it</code>	Production-classified but infrastructure incomplete (no Swift enum, no <code>ue_mode_maps</code> entry, no <code>VenueRegistry</code> entry, no standard session receipt)	Complete infrastructure before enabling in iOS app
<code>court_carnival</code>	Not present in any repository artifact — appears to be a planned future mode	Add to registry when development begins
<code>market_browse</code>	Staging-classified, no Swift enum, 3D shop browsing mode with no scoring — fundamentally different from game modes	Complete when commerce feature ships

Recommendations

1. **Create the “Seele’s First-5-Venue” checklist** as an explicit document in `docs/` — this validation report can serve as the template
 2. **Run a single registry alignment pass** across all 5 sources (ModeManager JSON, Swift enum, `ue_mode_maps.json`, VenueRegistry, EmergentPlayMap INI) before any build attempt
 3. **Add CI enforcement** — The blueprint references `fel_prebuild_ci_check.sh --strict` with 6-point alignment; extend it to validate mode count consistency across registries
 4. **Implement staging runtime gates** — The current architecture relies on Swift enum exclusion as an implicit gate, which is fragile; add explicit `status` checks in the deep link subsystem
 5. **Prioritize shard and PRQ integration** in the backend session handler — these are specified in the blueprint but not implemented, making the economy contract untestable
-

Report generated: 2026-05-22

Validated against: `anti-gravity-fel` branch, commit 9519541