# OSD2025 Quarto demo with jupyter notebook

# Eline Van Geert and Lisa Koßmann

2025-04-30

### Add a heading in your document

This is a sentence with some **bold text**, *italic text*, **code**, and a link.



Figure 1: The Quarto logo

See Figure 1 for the Quarto logo.

Equation 1 gives the formula for the population mean:

$$\mu = \frac{\sum x}{N} \tag{1}$$

Section shows how to add R or Python code chunks.

The palmerpenguins package was developed by Horst, Hill, and Gorman (2020). We will create a document using Quarto (Allaire et al. 2025) and R (R Core Team 2024) or Python (Van Rossum and Drake 2009).

This sentence ends with a footnote.<sup>1</sup>

# Add R/Python code chunks

#### Add R code

R code can be included but will not be evaluated when using a jupyter engine.

<sup>&</sup>lt;sup>1</sup>This is an example footnote.

# Add Python code




Figure 2: Scatterplot of flipper and bill lengths in Python

# Add inline code

The palmerpenguins package contains data for {python} penguins.shape[0] penguins.

# Add tables

Table 1 and Table 2 show different table options in Quarto.

# Markdown

```
| fruit | price |
|-----|
| apple | 2.05 |
| pear | 1.37 |
```

```
| orange | 3.09 |
: Fruit prices {#tbl-md .striped .hover}
```

Table 1: Fruit prices

fruit	price
apple pear	$2.05 \\ 1.37$
orange	3.09

#### R

R code can be included but will not be evaluated when using a jupyter engine.

```
#| label: tbl-r
#| tbl-cap: "Summary statistics for flipper and bill lengths"

penguins %>%
  group_by(species) %>%
  summarise(
    `Mean bill length` = mean(bill_length_mm, na.rm = T),
    `Min bill length` = min(bill_length_mm, na.rm = T),
    `Max bill length` = max(bill_length_mm, na.rm = T),
    `Mean flipper length` = mean(flipper_length_mm, na.rm = T),
    `Min flipper length` = min(flipper_length_mm, na.rm = T),
    `Max flipper length` = max(flipper_length_mm, na.rm = T),
    `Correlation, r` = cor(flipper_length_mm, bill_length_mm, use = "complete")
    ) %>%
    kable(digits = c(2, 2, 2, 2, 2))
```

# **Python**

! Warning: table only properly shows in HTML output!

```
from tabulate import tabulate
from IPython.display import Markdown
# Convert to markdown table
```

## References

- Allaire, J. J., Charles Teague, Carlos Scheidegger, Yihui Xie, Christophe Dervieux, and Gordon Woodhull. 2025. "Quarto." https://doi.org/10.5281/zenodo.5960048.
- Horst, Allison M, Alison Presmanes Hill, and Kristen B Gorman. 2020. Allison-horst/Palmerpenguins: V0.1.0. Zenodo. https://doi.org/10.5281/ZENODO.3960218.
- R Core Team. 2024. R: A Language and Environment for Statistical Computing. Vienna, Austria: R Foundation for Statistical Computing. https://www.R-project.org/.
- Van Rossum, Guido, and Fred L. Drake. 2009. *Python 3 Reference Manual*. Scotts Valley, CA: CreateSpace.

Table 2: First rows of penguins dataframe

species island  $bill\_length\_mm$  $flipper\_length\_mm$ 0  ${\bf Adelie}$ Torgersen 39.1181 1 Adelie  ${\bf Torgersen}$ 39.5 186 2 Adelie Torgersen 40.3 195 3  ${\bf Adelie}$ Torgersen nan nan 4 Adelie  ${\bf Torgersen}$ 36.7193