

4.35 苯噁酰草胺 (mefenacet)

- 4.35.1 Major purpose of use: herbicide.
 4.35.2 ADI: 0.007mg/kg bw (temporary).
 4.35.3 Residue definition: mefenacet.
 4.35.4 Maximum residue limit: Shall comply with provisions in the Table 35.

Table 35

Food Category/Name	Maximum residue limit, mg/kg
Cereal Brown rice	0.05*
*The MRL is the temporary limit.	

4.35.5 Testing method: cereals are tested following methods provided in GB 23200.9, GB 23200.24, GB 23200.113, GB/T 20770.

4.36 苯霜灵 (benalaxyl)

- 4.36.1 Major purpose of use: fungicide.
 4.36.2 ADI: 0.07 mg/kg bw.
 4.36.3 Residue definition: benalaxyl.
 4.36.4 Maximum residue limit: Shall comply with provisions in the Table 36.

Table 36

Food Category/Name	Maximum residue limit, mg/kg
Vegetables Onion	0.02
Head lettuce	1
Tomato	0.2
Potato	0.02
Fruit Grape	0.3
Watermelon	0.1
Sweet melons	0.3

4.36.5 Testing method: Vegetables and fruits are tested following methods provided in GB 23200.8, GB 23200.113, GB/T 20769.

4.37 苯酰菌胺 (zoxamide)

- 4.37.1 Major purpose of use: fungicide.
 4.37.2 ADI: 0.5 mg/kg bw.
 4.37.3 Residue definition: zoxamide.
 4.37.4 Maximum residue limit: Shall comply with provisions in the Table 37.

Table 37

Food Category/Name	Maximum residue limit, mg/kg
Vegetables Tomato	2
Gourd Vegetables	2
Potato	0.02

Fruit		
Grape	5	
Melons	2	
Dried fruits		
Raisin	15	

4.37.5 Testing method: Vegetables, fruits dried fruits are tested following methods provided in GB 23200.8 and GB/T 20769.

4.38 苯线磷 (fenamiphos)

4.38.1 Major purpose of use: insecticide.

4.38.2 ADI: 0.0008 mg/kg bw.

4.38.3 Residue definition: the sum of fenamiphos and its oxygen analogue (sulfoxide, sulphone), expressed as fenamiphos.

4.38.4 Maximum residue limit: Shall comply with provisions in the Table 38.

Table 38

Food Category/Name	Maximum residue limit, mg/kg
Cereal	
Rice	0.02
Brown rice	0.02
Wheats	0.02
Upland crops	0.02
Coarse cereals	0.02
Oil seed and oil	
Cotton seed	0.05
Soybean	0.02
Peanut kernel	0.02
Crude peanut oil	0.02
Crude cotton seed oil	0.05
Peanut oil	0.02
Vegetables	
Bulb Vegetables	0.02
Brassica Vegetables	0.02
Leaf Vegetables	0.02
Solanaceous Vegetables	0.02
Gourd Vegetables	0.02
Legume Vegetables	0.02
Stem Vegetables	0.02
Stem, root, tuber and tuberous rooted Vegetables	0.02
Aquatic Vegetables	0.02
Sprouting vegetables	0.02
Other Vegetables	0.02
Fruit	
Citrus	0.02

Food Category/Name	Maximum residue limit, mg/kg
Deciduous fruits	0.02
Stone fruits	0.02
Berries and other small fruits	0.02
Tropical and sub-tropical fruits	0.02
Melons	0.02
Meat from mammals (with the exception of marine mammal)	0.01*
Viscera of mammals (with the exception of marine mammal)	0.01*
Poultry meat	0.01*
Poultry viscera	0.01*
Eggs	0.01*
Raw milk	0.005*

*The MRL is the temporary limit.

4.38.5 Testing method: cereals are tested following methods provided in GB/T 20770; oil seed and oil are tested referring to methods provided in GB/T 20770; Vegetables and fruits are tested following methods provided in GB 23200.8.

4.39 苯锈啶 (fenpropidin)

4.39.1 Major purpose of use: fungicide.

4.39.2 ADI: 0.02 mg/kg bw.

4.39.3 Residue definition: fenpropidin.

4.39.4 Maximum residue limit: Shall comply with provisions in the Table 39.

Table 39

Food Category/Name	Maximum residue limit, mg/kg
Cereal	
Wheat	1

4.39.5 Testing method: cereals are tested following methods provided in GB/T 20770.

4.40 苯氧威 (fenoxy carb)

4.40.1 Major purpose of use: insecticide.

4.40.2 ADI: 0.053mg/kg bw.

4.40.3 Residue definition: fenoxy carb.

4.40.4 Maximum residue limit: Shall comply with provisions in the Table 40.

Table 40

Food Category/Name	Maximum residue limit, mg/kg
Fruit	
Mandarin orange	0.5*
Tangerine	0.5*
Orange	0.5*

*The MRL is the temporary limit.

4.41 苯唑草酮 (topramezone)

4.41.1 Major purpose of use: herbicide.

4.41.2 ADI: 0.004 mg/kg bw.

4.41.3 Residue definition: topramezone.

4.41.4 Maximum residue limit: Shall comply with provisions in the Table 41.

Table 41

Food Category/Name	Maximum residue limit, mg/kg
Cereal	
Corn	0.05*
Fresh corn	0.05*

*The MRL is the temporary limit.

4.42 吡丙醚 (pyriproxyfen)

4.42.1 Major purpose of use: insecticide.

4.42.2 ADI: 0.1 mg/kg bw.

4.42.3 Residue definition: pyriproxyfen.

4.42.4 Maximum residue limit: Shall comply with provisions in the Table 42.

Table 42

Food Category/Name	Maximum residue limit, mg/kg
Oil seed and oil	
Cotton seed	0.05
Crude cotton seed oil	0.01
Cotton seed oil	0.01
Vegetables	
Cabbage	3
Tomato	1
Cucumber	0.05
Ginger	0.7
Fruit	
Citrus (with the exception of mandarin orange, orange, tangerine)	0.5
Mandarin orange	2
Tangerine	2
Orange	2
Meat from mammals (with the exception of marine mammal), calculated by residue in the fat	
Beef	0.01
Meat of goat	0.01
Viscera of mammals (with the exception of marine mammal)	
Viscera of cattle	0.01