MAKEATHON 2026 · TRACK 02 · NATURAL PRODUCTS

Terranova

Presentation & demo plan

The one-line version

Paracetamol relieves pain and destroys livers through two chemically separable routes. We screened **145,164** plant natural products for the first while filtering out the second - and then built the honest evaluation that tells us how far to trust the result.

What is in this document

Section	What it gives you
1. Read this first	A result that landed today and changes your framing
2. The narrative	Six beats, timed, with what to say at each
3. The demo script	Exact click path through the dashboard
4. Numbers to know cold	The figures a judge may ask you to defend
5. Question prep	Eight likely questions with answers
6. Red lines	Claims you must not make
7. Pre-flight checklist	What to verify before you walk up

Status

All thirteen pipeline stages have now run. The three that were still missing this morning - external literature validation, the knowledge graph, and the written report - completed today, and the dashboard shows all of them.

1. Read this first

The external validation stage ran for the first time today. It is the only genuinely held-out test in the project, and **it did not go well**. You need to know this before you plan a single slide, because the honest framing of it is far stronger than any attempt to talk around it.

What we measured	Result
Held-out literature actives (absent from ChEMBL training)	**16** compound-target claims
How many score above 0.5 on their claimed target	**0 of 16**
Median percentile against the 145k library background	**63.3** (50 would be chance)
How many reach the library's top 10%	**3 of 16**
Same models, on compounds they *did* see in training	median probability **0.9996**

Why this is the strongest thing you have

Your scaffold-split PR-AUC runs 0.88 to 0.98. Most teams would put that on a slide and stop. You went one step further, tested against compounds from the primary literature that the model had never seen, and found the number does not transfer. **Almost nobody in the room will have done that.** Judges reward a team that can find and name its own ceiling far more than one quoting a number they cannot interrogate.

And you have the diagnosis, not just the failure

The FAAH rescue experiment answers exactly the question this raises. Adding five curated literature actives moves the median prediction on a held-out sixth from 3.5e-05 to 0.330 - four orders of magnitude. **So the failure is coverage, not capability.** The features and the model can represent this chemistry; ChEMBL simply does not contain it. That turns a negative result into a costed next step: a few hundred curated literature actives, not a new architecture.

The pattern inside the failure

It is not random noise, and saying so shows you read your own output. The four compounds that do surface are all TRPV1 vanilloids - structurally close to capsaicin, which *is* in training. The FAAH flavonoids all sit mid-pack. **The models extrapolate a short distance from what they know, and no further.**

Compound	Target	Reported	Library %ile
6-Gingerol	TRPV1	4.55 uM	**98.8**
Curcumin	TRPV1	0.067 uM	**94.6**
Eugenol	TRPV1	300 uM	**94.5**
Piperine	TRPV1	37.9 uM	**88.2**
AM404	CB1	1.76 uM	**76.6**
Genistein	FAAH	8 uM	**74.0**
... and the worst case			
AM404	TRPV1	2 uM	**4.4**

AM404 is the paracetamol metabolite this entire project is built around, and on TRPV1 it lands in the bottom 5% of the library. If you do not say that first, somebody may find it and say it for you.

2. The narrative - six beats

Timed for a six-minute slot. Cut beat 6 first if you are given five, and compress beat 2 if you are given four. The order matters: you earn the right to report a negative result by first showing the thing works.

0:00-0:45 The hook: one molecule, two pathways

Paracetamol is in every medicine cabinet on earth and we still argue about how it works. The current account is that it is a prodrug: the body converts it to AM404, which acts on TRPV1 and the cannabinoid system. Its liver toxicity runs through a completely different route - oxidation to NAPQI. Two pathways, chemically separable. That gap is the whole opportunity.

On screen: Open on the Hypothesis view. Point at the two arms.

0:45-1:30 What we built

We harvested every measured activity for those three targets from ChEMBL, curated 58,394 raw records down to 31,271 with every filter counted, trained models with a scaffold-grouped split, then screened 145,164 plant compounds from LOTUS - each one carrying a literature DOI back to the paper that found it in that plant.

On screen: Overview view. Let the funnel chart do the talking.

1:30-2:30 It works - here is the proof

Before trusting anything, we held out every library compound that appeared in training. Of those, the ones measured active score a median of 0.9988 - capsaicin, resiniferatoxin, THC, all recovered at the top. The ones measured inactive score 0.0004. The pipeline separates them cleanly, and the score distribution is sharply peaked near zero, so it is not simply calling everything active.

On screen: Screen explorer -> Positive controls tab. Scroll the top rows.

2:30-3:45 But here is what we actually found

Then we ran the test most screens skip. We took compounds whose activity is reported in the primary literature but which are absent from ChEMBL, and scored them. ***Not one of the 16 scores above 0.5.*** *The median sits at the 63.3th percentile of our own library. Our scaffold-split number was 0.98. It did not transfer.*

On screen: External validation view. Stop on the red card. Let it land.

3:45-4:45 And we know why

We isolated it. Take six known plant FAAH inhibitors, none in ChEMBL. Score each with a model that saw the other five but never that one. The median prediction moves four orders of magnitude. So the representation is fine and the model is fine - the training set has simply never seen this kind of molecule. That is a data problem with a price tag, not an architecture problem.

On screen: Models view -> FAAH rescue dumbbell chart.

4:45-6:00 What it is for, and what is next

What we hand over is not a discovery, it is a prioritised, filtered, provenance-tracked hypothesis list: 50 compounds, each traceable to a plant and a paper, each screened against the reactive chemistry that makes paracetamol dangerous. The knowledge graph makes every claim inspectable, and measured, literature and predicted edges look different on purpose. The next step is a few hundred curated literature actives to close the coverage gap we just measured.

On screen: Knowledge graph, then back to the shortlist.

3. The demo script

Start the dashboard before you are called up, not when you reach the podium. Have it already open on the Overview view with the browser at full screen.

Launch

In the project folder:

```
.venv\Scripts\python.exe -m app.run
```

Then `http://127.0.0.1:8000`. It opens the browser for you. Everything is precomputed - no model loads at request time, so nothing can stall mid-demo.

Click path

#	Where	What to do	What to say / point at
1	Overview	Land here. Do not scroll yet.	The four tiles: screened, in-domain, shortlist, curated records.
2	Overview	Scroll to the funnel.	145,380 down to 50, every stage counted.
3	The hypothesis	Click nav 02.	The two pathway arms. This is the whole idea in one picture.
4	Screen explorer	Click nav 07, then the Positive controls tab.	Capsaicin at 0.99999. The model finds what we already know.
5	Screen explorer	Type 'Zanthoxylum' in search.	Sichuan pepper sanshools - a real shortlist hit with traditional use.
6	Screen explorer	Click any row.	The compound modal: scores, safety flags, and the DOIs behind it.
7	External validation	Click nav 05. Pause on the red card.	This is the honest result. Let the silence work.
8	External validation	Scroll to the percentile chart.	Only the vanilloids surface. The pattern is informative.
9	Models	Click nav 04, scroll to FAAH rescue.	Four orders of magnitude. Coverage, not capability.
10	Models	Scroll to the DILI card.	Paracetamol scores 0.37 - low risk. The model is wrong, and we show it.
11	Validation	Click 'Open interactive graph'.	9,082 nodes. Drag one. Evidence classes are coloured differently.
12	ML decoder	Only if a judge is technical.	The glossary and the six claims with their evidence.

If the laptop dies

Everything the demo shows also exists as files: `results/REPORT.md` is the whole project in 16,000 words, `results/shortlist.csv` is the 50 candidates, and `results/knowledge_graph.html` opens in any browser with no server at all. Have that last one open in a second tab as insurance.

4. Numbers to know cold

If you can only memorise one column, memorise the right-hand one.

Scale

Quantity	Value
Raw ChEMBL activity records harvested	58,394
After curation (every filter counted)	31,271
Plant compounds in the LOTUS library	145,380
Screened after leakage control	145,164
Within applicability domain	114,969 (79.2%)
Flagged by a severity-3 structural alert	828
Flagged as PAINS (assay interference)	13,276
Final shortlist	50
Knowledge graph	9,082 nodes / 9,718 edges

Performance - and its ceiling

Measure	Value
Scaffold-split PR-AUC, across all models	0.879 - 0.983
Positive controls, measured active: median score	0.9988 (34 of 38 above 0.9)
Positive controls, measured inactive: median score	0.0004
Held-out literature actives above 0.5	**0 of 16**
Their median library percentile	**63.3**
FAAH rescue: median before / after	3.5e-05 -> 0.330
DILI model ROC-AUC (scaffold, 5 repeats)	0.889
DILI model on paracetamol	0.369 - i.e. low risk, and wrong

Design decisions you should be able to justify

Decision	One-sentence reason
Scaffold split, not random	ChEMBL is congeneric series; a random split leaks analogues and inflates the score.
60,000 decoys as presumed inactives	The measured active rate is 84% - publication bias, not biology.
Property-matched decoys	Unmatched ones let the model learn 'heavy and greasy = active' and transfer nothing.
1-10 uM band discarded	Forcing a label on genuinely ambiguous compounds teaches the model noise.
FAAH labelled at 10 uM as well as 1 uM	Plant FAAH inhibitors sit at 1-15 uM; a 1 uM cut trains the model to reject them.

Decision	One-sentence reason
Two safety layers, alerts weighted above the model	The alert set flags paracetamol at maximum severity; the DILI model calls it safe.
Evidence typed throughout the graph	A graph where a prediction looks like a measurement is a graph that misleads.

5. Question prep

1. Your scaffold-split PR-AUC is 0.98. Isn't that suspiciously high?

Yes, and we can tell you why. The decoys are easy negatives - random drug-like molecules, so the model is mostly separating 'real ligand' from 'arbitrary molecule', which is much easier than ranking among plausible candidates. That is exactly why we ran the external literature validation, and there the number did not hold. We treat the scaffold figure as an upper bound, not a result.

2. So your model doesn't work?

It works inside its applicability domain and fails outside it, and we can show you precisely where the boundary is. It recovers known ligands, it separates measured actives from measured inactives, and it extrapolates a short way - the TRPV1 vanilloids surface. It does not reach chemistry ChEMBL has never contained. We measured that rather than assuming it, and the FAAH rescue shows it is fixable with data.

3. What would you do with another week?

Curate several hundred literature actives for the three targets, the way we did the six in the rescue experiment, and retrain. The rescue tells us what that buys: four orders of magnitude on held-out plant chemistry. We would also add hard negatives rather than random decoys, so the scaffold number stops flattering us.

4. Why only LOTUS? What about COCONUT?

We checked. COCONUT is larger at around 695,000 structures, but its bulk downloads carry IDs, SMILES and computed scores - not the organism and per-compound DOI linkage. Getting that needs their 32 GB SQL dump. LOTUS gives referenced structure-organism pairs directly, and that provenance is what makes the knowledge graph defensible. Most of LOTUS is in COCONUT anyway via its Wikidata collection.

5. Isn't it circular that most of your shortlist comes from plants you picked for pain use?

Partly, yes. Seed-list compounds are 11.5% of the library and 72% of the shortlist, a 6.3-fold enrichment - but those plants are on the list because they have documented pain use, and their chemistry resembles the ChEMBL ligands. We treat it as a consistency check, not a discovery. The interesting rows are the 14 background-tier compounds that got there with no traditional-use prior.

6. Have you tested anything in a lab?

No, and we never claim otherwise. Every number is a computational prediction over compounds this project has not assayed. What we are handing over is a ranked, filtered, provenance-tracked hypothesis list for someone with a lab.

7. Why should I trust your safety filter?

Do not trust it on its own - that is why there are two layers. The DILI model scores paracetamol 0.37, i.e. low risk, because paracetamol and isoniazid are absent from its benchmark entirely. The structural alert set does flag paracetamol at maximum severity on the exact NAPQI mechanism. So we weighted the alerts above the model and documented why.

8. What is actually novel here?

Three things. The target panel is chosen from a specific mechanistic hypothesis rather than convenience. The evaluation is built to fail honestly - scaffold split, external validation, applicability domain, typed evidence. And the FAAH rescue experiment isolates data coverage from model capability, which is the question everyone waves at and nobody measures.

6. Red lines

This is a biomedical project presented to people who may know more biology than you do. One overclaim costs more credibility than every chart you built. These are not style preferences.

Never say	Say instead
"We found a new painkiller."	"We produced a ranked hypothesis list for lab testing."
"These compounds are safe."	"These compounds lack the structural features associated with paracetamol's toxicity."
"The model is 98% accurate."	"Scaffold-split PR-AUC is 0.98, but external validation shows it does not transfer."
"This compound inhibits FAAH."	"Our model predicts activity; it has not been assayed."
"Natural means safe."	"Plants make electrophiles on purpose - several of our own hits carry alerts."
"We validated the model."	"We ran an external validation and it exposed a coverage limit."

> **The disclaimer is on every page of the dashboard for a reason**
>
> If a judge asks whether any of this is ready for a human being, the answer is an immediate and unhedged no. Saying that quickly and plainly reads as competence, not weakness.

7. Pre-flight checklist

	Check	How
[ ]	Dashboard starts and all artefacts are present	Open http://127.0.0.1:8000 - no amber banner at the top means all files are there
[ ]	All eight views render in both themes	Click each nav item, then the theme toggle, and click through again
[ ]	The knowledge graph opens and is draggable	External validation -> Open interactive graph
[ ]	The compound modal shows DOIs	Screen explorer -> click any row -> scroll to Literature provenance
[ ]	Browser zoom set so tables are readable from the back	Ctrl+Plus two or three times; check the projector, not your screen
[ ]	Second tab open on results/knowledge_graph.html	Insurance if the server dies
[ ]	Everything committed and pushed	git status is clean; git push has finished
[ ]	You can say the AM404 percentile out loud without flinching	It is 4.4. Practise it.

> **Last thing**
>
> The temptation in the room will be to present the 0.98 and hope nobody asks. Do the opposite. Lead with the thing that works, then show the test that broke it, then show that you already know why. A team that can say 'here is where our model stops working, here is the measurement that proves it, and here is what it would cost to fix' is doing science. That is the wow factor, and it is the one nobody else can copy in the last hour.