




General

Analysis periods:


- Area: 155-156E & 18.5-19.5S (overlapping of peaks)
- Baseline: 1. Nov – 31. Mar of 2019-2022 (only summer months without cyclones occurring then)
 - Exclusion periods:

Severe Tropical Cyclone Dovi	7 - 12 February 2022	W, N, E
Tropical Cyclone Ruby	9 - 15 December 2021	W, N, E
Severe Tropical Cyclone Niran	27 February - 5 March 2021	W, N, E
Tropical Cyclone Lucas	24 January - 1 February 2021	W, N, E
Tropical Cyclone Kimi	16 - 19 January 2021	W, N, E
Severe Tropical Cyclone Harold	1 - 10 April 2020	W, N, E
Tropical Cyclone Gretel	14 - 15 March 2020	W, N, E
Severe Tropical Cyclone Uesi	4 - 14 February 2020	W, N, E
- Fina peak on 21-22nd December 2011 (followed by gales on 25-26th)
- Alfred peak: 27-28th February 2025

Wind and Wave analysis





MLD



More mixing through more wind and wave


Nitrate






→ delayed effect? Maybe stirred up through mixing and after «relaxing», it gets «trapped» in higher levels?

Chl-a





Instantly higher, redistribution of lower algae higher up (instant increase doesn't mean new growth)

NPP of biomass and suspended matter