

Test Cases

ITEM 5

C8: verify admin can click table

Type	Priority	Estimate	References
Accessibility	Low	5 minutes	None
Automation Type			
None			
Preconditions			
<ul style="list-style-type: none">• user/admin has stable internet connection• already open website "https://demo.opensourcepos.org/"• already login with valid username and valid password			
Steps			
<ol style="list-style-type: none">1. user/admin open the website https://demo.opensourcepos.org/2. success to login to the website3. click the ITEM icon feature4. click the checkbox to edit the product description			
Expected Result			
admin/user success to edit the product			

C9: check link button to generate barcode

Type	Priority	Estimate	References
Other	Low	5 minutes	None
Automation Type			
None			
Preconditions			
<ul style="list-style-type: none">• admin has stable internet connection• already open website "https://demo.opensourcepos.org/"• already login with valid username and valid password			
Steps			
<ol style="list-style-type: none">1. admin open the website https://demo.opensourcepos.org/2. success to login to the website3. click the ITEM icon feature4. click the generate barcode icon button to go new tab generating barcode of item			
Expected Result			
new tab open and show the barcode and short list description of product			

C10: verify admin can update inventory after click the checkbox

Type	Priority	Estimate	References
Functional	Medium	5 minutes	None



Automation Type

None

Preconditions

- admin has stable internet connection
- already open website "https://demo.opensourcepos.org/"
- already login with valid username and valid password

Steps

1. admin open the website https://demo.opensourcepos.org/
2. success to login to the website
3. click the ITEM icon feature
4. click the checkbox to edit the update inventory

Expected Result

pop-up window to edit the inventory
admin can update item inventory

C11: check find item search functionally

Type	Priority	Estimate	References
Functional	Medium	5 minutes	None
Automation Type			
None			

Preconditions

- admin has stable internet connection
- already open website "https://demo.opensourcepos.org/"
- already login with valid username and valid password

Steps

1. admin open the website https://demo.opensourcepos.org/
2. success to login to the website
3. click the ITEM icon feature
4. click the white blank box on right upper corner website to search item
5. admin input the name of item
6. click the search icon button

Expected Result

the item show up on list

C12: verify that edited inventory account details POS is on the update

Type	Priority	Estimate	References
Other	High	5 minutes	None
Automation Type			
None			

Preconditions

- admin has stable internet connection
- already open website "https://demo.opensourcepos.org/"
- already login with valid username and valid password

Steps

1. admin open the website <https://demo.opensourcepos.org/>
2. success to login to the website
3. click the ITEM icon feature
4. click the checkbox to edit inventory icon
5. admin fill the update data inventory
6. clicked "send" to send the update

Expected Result

new data inventory are on the list

REPORT 4

C13: verify that data can't be show up from limit time report

Type	Priority	Estimate	References
Other	High	5 minutes	None
Automation Type			
None			

Preconditions

- admin has stable internet connection
- already open website "<https://demo.opensourcepos.org/>"
- already login with valid username and valid password

Steps

1. admin open the website <https://demo.opensourcepos.org/>
2. success to login to the website
3. click the REPORT icon feature
4. admin choose the type of report
5. admin fill the date to view report of selling item

Expected Result

show the circle diagram with right input
didn't show anything if wrong input

C14: check functional of button "send"

Type	Priority	Estimate	References
Other	Low	5 minutes	None
Automation Type			
None			

Preconditions

- admin has stable internet connection
- already open website "<https://demo.opensourcepos.org/>"
- already login with valid username and valid password

Steps

1. admin open the website <https://demo.opensourcepos.org/>
2. success to login to the website
3. click the REPORT icon feature
4. admin choose the type of report

5. admin fill the date to view report of selling item
6. click "send" button

Expected Result

website will show the report in one month

C15: verify each method of report give different output style report

Type	Priority	Estimate	References
Functional	Medium	5 minutes	None
Automation Type			
None			

Preconditions

- admin has stable internet connection
- already open website "<https://demo.opensourcepos.org/>"
- already login with valid username and valid password
- admin already have the item and inventory to report

Steps

1. admin open the website <https://demo.opensourcepos.org/>
2. success to login to the website
3. click the REPORT icon feature
4. admin choose the type of report "summary"
5. admin fill the date to view report of selling item
6. clicked the "send" button to view report

Expected Result

table report with each item selling and inventory

C16: verify final result of report

Type	Priority	Estimate	References
Performance	Medium	5 minutes	None
Automation Type			
None			

Preconditions

- admin has stable internet connection
- already open website "<https://demo.opensourcepos.org/>"
- already login with valid username and valid password
- admin already have item selling and inventory update

Steps

1. admin open the website <https://demo.opensourcepos.org/>
2. success to login to the website
3. click the REPORT icon feature
4. admin choose the type of report
5. admin fill the date to view report of selling item
6. click "send" button to show result

Expected Result

Sub-total: \$.....
Tax: \$.....
Total: \$.....
Wholesale: \$.....
Profit: \$.....

SUPPLIER 7

C17: check functional of button" ... result per page"

Type	Priority	Estimate	References
Functional	Medium	5 minutes	None
Automation Type			
None			

Preconditions

- admin has stable internet connection
- already open website "https://demo.opensourcepos.org/"
- already login with valid username and valid password
- admin already on supplier home page

Steps

1. admin open the website https://demo.opensourcepos.org/
2. success to login to the website
3. click the SUPPLIER icon feature
4. admin input number on "25 per page"

Expected Result

result table show 1-25 supplier per page

C18: verify can't erase supplier if didn't check box

Type	Priority	Estimate	References
Functional	Low	5 minutes	None
Automation Type			
None			

Preconditions

- admin has stable internet connection
- already open website "https://demo.opensourcepos.org/"
- already login with valid username and valid password
- already have list of supplier

Steps

1. admin open the website https://demo.opensourcepos.org/
2. success to login to the website
3. click the SUPPLIER icon feature
4. click the trash icon

Expected Result

trash icon cannot be clicked

3/31/23, 11:02 PM		Master - TestRail	
Type	Priority	Estimate	References
Functional	Medium	5 minutes	None
Automation Type			
None			
Preconditions			
admin has stable internet connection already open website "https://demo.opensourcepos.org/" already login with valid username and valid password already has any supplier			
Steps			
1. admin open the website https://demo.opensourcepos.org/ 2. success to login to the website 3. click the SUPPLIER icon feature 4. click the exact item supplier checkbox 5. click the trash icon to delete			
Expected Result			
item supplier successfully deleted			

C20: check function send message to supplier feature

Type	Priority	Estimate	References
Usability	High	5 minutes	None
Automation Type			
None			
Preconditions			
<ul style="list-style-type: none">admin has stable internet connectionalready open website "https://demo.opensourcepos.org/"already login with valid username and valid passwordadmin already on SUPPLIER pagealready have list of supplier(any supplier)save contact of supplier			
Steps			
1. admin open the website https://demo.opensourcepos.org/ 2. success to login to the website 3. click the SUPPLIER icon feature 4. click phone icon on list supplier to send message by SMS 5. input the message 6. click "send" button			
Expected Result			
message successfully send			

C21: verify that admin cannot send message if there no any number contact

Type	Priority	Estimate	References
Accessibility	Medium	5 minutes	None
Automation Type			
None			

Preconditions

- admin has stable internet connection
- already open website "<https://demo.opensourcepos.org/>"
- already login with valid username and valid password
- already have list of supplier(any supplier)
- did not have contact number of supplier

Steps

1. admin open the website <https://demo.opensourcepos.org/>
2. success to login to the website
3. click the SUPPLIER icon feature

Expected Result

there is no phone icon

C22: verify send email function if there is no data email of supplier

Type	Priority	Estimate	References
Accessibility	Medium	5 minutes	None
Automation Type			
None			

Preconditions

- admin has stable internet connection
- already open website "<https://demo.opensourcepos.org/>"
- already login with valid username and valid password
- already have list of supplier(any supplier)
- did no have email of supplier

Steps

1. admin open the website <https://demo.opensourcepos.org/>
2. success to login to the website
3. click the SUPPLIER icon feature
4. click checkbox one of any supplier

Expected Result

email icon cannot be clicked

C23: verify admin can update data supplier by any chance

Type	Priority	Estimate	References
Functional	Medium	5 minutes	None
Automation Type			
None			

Preconditions

- user/admin has stable internet connection
- already open website "<https://demo.opensourcepos.org/>"
- already login with valid username and valid password
- already have list of supplier(any supplier)

Steps

1. admin open the website <https://demo.opensourcepos.org/>
2. success to login to the website
3. click the SUPPLIER icon feature
4. admin click pencil icon button on the list
5. edit data of supplier
6. clicked "save" button

Expected Result

Admin can edit without click checkbox

ITEM KIT 3

C28: verify admin cannot edit before click the checkbox

Type	Priority	Estimate	References
Accessibility	Low	None	None
Automation Type			
None			

Preconditions

- admin has stable internet connection
- already open website "<https://demo.opensourcepos.org/>"
- already login with valid username and valid password
- already have list of item

Steps

1. user/admin open the website <https://demo.opensourcepos.org/>
2. success to login to the website
3. click the ITEM icon feature
4. click the checkbox to edit the product description

Expected Result

admin can edit the item

C29: verify the form new item successfully can add new item

Type	Priority	Estimate	References
Other	Medium	None	None
Automation Type			
None			

Preconditions

- admin has stable internet connection
- already open website "<https://demo.opensourcepos.org/>"
- already login with valid username and valid password
- already have list of item

Steps

1. admin open the website <https://demo.opensourcepos.org/>
2. success to login to the website
3. click the ITEM KIT icon feature
4. click the new item button
5. fill the box for describe the item
6. click send button

Expected Result

item successfully added to the list item

C30: verify admin cannot send the update article if the price is empty

Type	Priority	Estimate	References
Other	Low	5 minutes	None
Automation Type			
None			
Preconditions			
<ul style="list-style-type: none">• user/admin has stable internet connection• already open website "https://demo.opensourcepos.org/"• already login with valid username and valid password• already have list of item			
Steps			
<ol style="list-style-type: none">1. user/admin open the website https://demo.opensourcepos.org/2. success to login to the website3. click the ITEM icon feature4. click the "add article" button5. click "send" button			
Expected Result			
message "fill the red word" pop up			

SALES 4

C24: check functional of button "daily sales"

Type	Priority	Estimate	References
Functional	Low	5 minutes	None
Automation Type			
None			
Preconditions			
<ul style="list-style-type: none">• admin has stable internet connection• already open website "https://demo.opensourcepos.org/"• already login with valid username and valid password• system already have list of surplus sales			
Steps			
<ol style="list-style-type: none">1. admin open the website https://demo.opensourcepos.org/2. success to login to the website3. click the SALES icon feature4. click "daily sales" button			
Expected Result			
website going through the new page about daily sales report			

C25: verify admin can see sales receipt from "dollar" icon

Type	Priority	Estimate	References
Functional	Low	None	None
Automation Type			
None			
Preconditions			
<ul style="list-style-type: none">admin has stable internet connectionalready open website "https://demo.opensourcepos.org/"already login with valid username and valid passwordalready have list of selling item			
Steps			
<ol style="list-style-type: none">admin open the website https://demo.opensourcepos.org/success to login to the websiteclick the SALES icon featureclick "dollar" icon on the sales list			
Expected Result			
admin can see the ales receipt of selling item			

C26: verify that suspend list buy item going to the suspended list

Type	Priority	Estimate	References
Usability	High	5 minutes	None
Automation Type			
None			
Preconditions			
<ul style="list-style-type: none">admin has stable internet connectionalready open website "https://demo.opensourcepos.org/"already login with valid username and valid passwordalready have list of selling product item			
Steps			
<ol style="list-style-type: none">admin open the website https://demo.opensourcepos.org/success to login to the websiteclick the SALES icon featureclick suspend on the report buying product on the screenclick "suspended" button			
Expected Result			
system show all the sales that being suspend			

C27: check function add and erase data sales

Type	Priority	Estimate	References
Functional	Low	5 minutes	None
Automation Type			
None			
Preconditions			

- admin has stable internet connection
- already open website "<https://demo.opensourcepos.org/>"
- already login with valid username and valid password
- already have list of selling item

Steps

1. admin open the website <https://demo.opensourcepos.org/>
2. success to login to the website
3. click the SALES icon feature
4. click invoice button
5. choose erase data

Expected Result

data sales will be erased