

# Lab 1: Implementing RBAC (Solution)

1 -- 1 . Create the Group Role

Query Query History



```
1  -- Lab 1:  
2  -- create role  
3  CREATE ROLE cashier_role;  
4  
5  
6
```

Data Output Messages Notifications



CREATE ROLE

Query returned successfully in 40 msec.

## 4 -- 2. Create User Accounts

Query Query History



```
1  -- Lab 1:
2  -- create role
3  CREATE ROLE cashier_role;
4
5  -- create users
6  CREATE USER Mike WITH PASSWORD 'mike123';
7
```

Data Output Messages Notifications



CREATE ROLE

Query returned successfully in 56 msec.

```
-- create users
CREATE USER Mike WITH PASSWORD 'mike123';
CREATE USER Jon WITH PASSWORD 'jon123';
```

ata Output Messages Notifications

REATE ROLE

query returned successfully in 53 msec.

### 3. Assign Users to the Group

```
6 CREATE USER mike WITH PASSWORD 'mike123' ,
7 CREATE USER jon WITH PASSWORD 'jon123';
8
9 -- assign users to the group
10 GRANT cashier_role TO mike;
11 GRANT cashier_role TO jon;
```

Data Output Messages Notifications

GRANT ROLE

Query returned successfully in 39 msec.

#### 4 . Assign Table Permissions to the Group

```
12
13 -- assign table permission to the group
14 GRANT SELECT ON film, staff TO cashier_role;
15 GRANT SELECT, INSERT ON payment TO cashier_role;
```

Data Output Messages Notifications

GRANT

Query returned successfully in 39 msec.

# Lab 2: Implementing RLS

## 1 . Enable RLS on the table

```
17
18 -- Lab 2:
19 -- 1 Enable RLS on the table
20 ALTER TABLE payment ENABLE ROW LEVEL SECURITY;
21
22
23
```

Data Output Messages Notifications

ALTER TABLE

Query returned successfully in 40 msec.

## 2. Create policy

```
20 ALTER TABLE payment ENABLE ROW LEVEL SECURITY;
21
22 -- Create the Policy
23 CREATE POLICY isolate_cashier_payments ON payment
24 FOR SELECT
25 TO cashier_role
26 USING (
27     staff_id = (SELECT staff_id FROM staff WHERE username = current_user)
28 );
29
```

Data Output Messages Notifications

CREATE POLICY

Query returned successfully in 43 msec.

## 3. Testing the policy

```
28 / ,
29
30 -- testing the policy
31 SET ROLE mike;
32 SELECT COUNT (*) FROM payment;
33
```

Data Output Messages Notifications

SQL

Showing rows: 1 to 1 Page No: 1 of 1

|   | count<br>bigint |
|---|-----------------|
| 1 | 7292            |

```
29
30 -- testing the policy
31 SET ROLE jon;
32 SELECT COUNT (*) FROM payment;
33
```

Data Output Messages Notifications

SQL

Showing rows: 1 to 1 Page No: 1 of 1

|   | count<br>bigint |
|---|-----------------|
| 1 | 7304            |