

Phylogenetic analysis of coronavirus sequences

Jacques van Helden

2020-05-17

Contents

Phylogeny from full genomes	2
Tree per feature	3

```
## Color palette per species
speciesPalette <- list(
  Human = "#880000",
  Bat = "#BBBBBB",
  Pangolin = "#00BB00",
  Camel = "#BB8800",
  Pig = "#FFBBBB",
  Civet = "#0000BB"
)

## Species prefix in the tip labels
speciesPrefix <- c("Hu" = "Human",
                  "Bt" = "Bat",
                  "Pn" = "Pangolin",
                  "Cm" = "Camel",
                  "Pi" = "Pig",
                  "Cv" = "Civet")

## Define feature types
features <- c(
  # "genomes",
  # "S-gene",
  "S1",
  "S2",
  "RBD",
  # "Recomb-Xiao",
  "Recomb-reg-1",
  "Recomb-reg-2",
  "Recomb-reg-3",
  "CDS-ORF1ab",
  "CDS-S",
  "CDS-ORF3a",
  "CDS-E",
  "CDS-M",
  "CDS-ORF6",
  "CDS-ORF7a",
  "CDS-ORF8",
  "CDS-N",
```

```

"CDS-ORF10")
feature <- "S-gene"

## Define collections
collections <- c("around-CoV-2", "selected")
collection <- "around-CoV-2" # default for testing

## Outgroup per collection
outgroups <- list()
outgroups[["selected"]] <- c(
  "HuOC43",
  "PiPRCV",
  "HuTGEV",
  "PiSADS",
  "Hu229E",
  "HuNL63")
outgroups[["around-CoV-2"]] <- "BtBM48-31"

## Use GISAID data
useGISAID <- TRUE
if (useGISAID) {
  collections <- paste0(collections, "-plus-GISAID")
  for (collection in names(outgroups)) {
    outgroups[[paste0(collection, "-plus-GISAID")]] <- outgroups[[collection]]
  }
  collection <- paste0(collection, "-plus-GISAID")
}

```

```

dir <- vector()
dir["main"] <- ".."
dir["results"] <- file.path(dir["main"], "results")
dir["genomes"] <- file.path(dir["results"], "genome_phylogeny", "clustalw_alignments")

dir["R"] <- file.path(dir["main"], "scripts", "R")
# list.files(dir["R"])
source(file.path(dir["R"], "load_tree.R"))
source(file.path(dir["R"], "plot_my_tree.R"))

```

Phylogeny from full genomes

We inferred a phylogeny of virus strains based on their full genomes.

A multiple alignment of genome sequences was performed with a progressive method (`clustalw`). The tree of virus strains was inferred with a maximum likelihood approach (`phym1` software).

```

#### Load and plot the genome tree ####
genomeTreeFile <- file.path(
  dir["genomes"],
  "coronavirus_selected-plus-GISAID_genomes_clustalw_gblocks.phy_phym1_tree.phb")

genomeTree <- loadTree(
  treeFile = genomeTreeFile,
  outgroup = outgroups[['selected']],
  rootNode = NULL,

```

```

nodesToRotate = c(39, 75, 42))
# genomeTree <- paintSubTree(tree = genomeTree, node = 49, state = "CoV2")

plotMyTree(genomeTree, main = "Genome-based virus tree",
            scaleLength = 0.2,
            show.node.label = FALSE)
# nodelabels(cex = 0.4)

## Identify some clades
cladelabels(genomeTree$tree, "CoV2", 46, cex = 0.7, orientation = "horizontal", offset = 5)
cladelabels(genomeTree$tree, "MERS", 43, cex = 0.7, orientation = "horizontal", offset = 5)
cladelabels(genomeTree$tree, "SARS", 69, cex = 0.7, orientation = "horizontal", offset = 5)

```




Figure 1: Genome tree of selected coronaviruses. The tree was inferred by maximum likelihood approach (PhyML) based on a progressive multiple alignment (clustalw).

Tree per feature

```

#### Load and plot feature-specific trees ####

## Define vectors to hold the results and enable tree comparisons
treeFiles <- vector()
treeData <- list()

## Define the path to the tre file
feature <- "S1"

for (feature in features) {
  message("\n\tReading tree for feature ", feature)
  prefix <- paste0(feature, "_", collection)

```

```

treeFile <- file.path(
  dir["results"],
  prefix,
  paste0(prefix, "_clustalw_gblocks.phy_phyml_tree_GTR.phb"))
treeFiles[feature] <- treeFile

## Load the tree
treeData[[feature]] <- loadTree(
  treeFile = treeFiles[feature],
  outgroup = outgroups[[collection]],
  rootNode = NULL,
  nodesToRotate = NULL)

plotMyTree(treeData[[feature]],
  main = paste0(feature, " tree"),
  scaleLength = 0.02,
  show.node.label = FALSE)

# ## Identify some clades
# cladelabels(genomeTree$tree, "CoV2", 46, cex = 0.7, orientation = "horizontal", offset = 5)
# cladelabels(genomeTree$tree, "MERS", 43, cex = 0.7, orientation = "horizontal", offset = 5)
# cladelabels(genomeTree$tree, "SARS", 69, cex = 0.7, orientation = "horizontal", offset = 5)
}

```

S1 tree




Figure 2: Feature-specific tree. The tree was inferred by maximum likelihood approach (PhyML) based on a progressive multiple alignment (clustalw).

S2 tree




Figure 3: Feature-specific tree. The tree was inferred by maximum likelihood approach (PhyML) based on a progressive multiple alignment (clustalw).

RBD tree




Figure 4: Feature-specific tree. The tree was inferred by maximum likelihood approach (PhyML) based on a progressive multiple alignment (clustalw).

Recomb-reg-1 tree




Figure 5: Feature-specific tree. The tree was inferred by maximum likelihood approach (PhyML) based on a progressive multiple alignment (clustalw).

Recomb-reg-2 tree




Figure 6: Feature-specific tree. The tree was inferred by maximum likelihood approach (PhyML) based on a progressive multiple alignment (clustalw).

Recomb-reg-3 tree




Figure 7: Feature-specific tree. The tree was inferred by maximum likelihood approach (PhyML) based on a progressive multiple alignment (clustalw).

CDS-ORF1ab tree




Figure 8: Feature-specific tree. The tree was inferred by maximum likelihood approach (PhyML) based on a progressive multiple alignment (clustalw).

CDS-S tree




Figure 9: Feature-specific tree. The tree was inferred by maximum likelihood approach (PhyML) based on a progressive multiple alignment (clustalw).

CDS-ORF3a tree




Figure 10: Feature-specific tree. The tree was inferred by maximum likelihood approach (PhyML) based on a progressive multiple alignment (clustalw).

CDS-E tree




Figure 11: Feature-specific tree. The tree was inferred by maximum likelihood approach (PhyML) based on a progressive multiple alignment (clustalw).

CDS-M tree




Figure 12: Feature-specific tree. The tree was inferred by maximum likelihood approach (PhyML) based on a progressive multiple alignment (clustalw).




Figure 13: Feature-specific tree. The tree was inferred by maximum likelihood approach (PhyML) based on a progressive multiple alignment (clustalw).




Figure 14: Feature-specific tree. The tree was inferred by maximum likelihood approach (PhyML) based on a progressive multiple alignment (clustalw).

CDS-ORF8 tree




Figure 15: Feature-specific tree. The tree was inferred by maximum likelihood approach (PhyML) based on a progressive multiple alignment (clustalw).

CDS-N tree




Figure 16: Feature-specific tree. The tree was inferred by maximum likelihood approach (PhyML) based on a progressive multiple alignment (clustalw).

CDS-ORF10 tree




Figure 17: Feature-specific tree. The tree was inferred by maximum likelihood approach (PhyML) based on a progressive multiple alignment (clustalw).