Program no: 20

Aim: Program to implement activity life cycle.

Activity_main.xml

```
<?xml version="1.0" encoding="utf-8"?>
<androidx.constraintlayout.widget.ConstraintLayout
xmlns:android="http://schemas.android.com/apk/res/android"
  xmlns:app="http://schemas.android.com/apk/res-auto"
  xmlns:tools="http://schemas.android.com/tools"
  android:layout_width="match_parent"
  android:layout height="match parent"
  tools:context=".MainActivity">
  <TextView
    android:layout_width="wrap_content"
    android:layout height="wrap content"
    android:text="Hello World!"
    app:layout_constraintBottom_toBottomOf="parent"
    app:layout_constraintLeft_toLeftOf="parent"
    app:layout_constraintRight_toRightOf="parent"
    app:layout_constraintTop_toTopOf="parent" />
</androidx.constraintlayout.widget.ConstraintLayout>
MainActivity.java
package com.example.lifecycle;
import androidx.appcompat.app.AppCompatActivity;
import android.os.Bundle;
import android.util.Log;
public class MainActivity extends AppCompatActivity{
  @Override
  protected void onCreate(Bundle savedInstanceState) {
    super.onCreate(savedInstanceState);
    setContentView(R.layout.activity main);
    Log.d("lifecycle", "onCreate invoked");
  }
  @Override
  protected void onStart() {
```

```
super.onStart();
  Log.d("lifecycle","onStart invoked");
@Override
protected void onResume() {
  super.onResume();
  Log.d("lifecycle","onResume invoked");
@Override
protected void onPause() {
  super.onPause();
  Log.d("lifecycle","onPause invoked");
@Override
protected void onStop() {
  super.onStop();
  Log.d("lifecycle","onStop invoked");
@Override
protected void onRestart() {
  super.onRestart();
  Log.d("lifecycle","onRestart invoked");
@Override
protected void onDestroy() {
  super.onDestroy();
  Log.d("lifecycle","onDestroy invoked");
```

Output:

```
| Comexample.lifecycle (2061) | Verbose | Q | Verbose | Q
```