

Square of n numbers

```
>>> digit=int(input("Enter a number:"))
```

Enter a number:3

```
>>> square=digit*digit
```

```
>>> print(f"square of {digit} is {square}")
```

square of 3 is 9

Form a list of vowels selected from a given word

```
>>> string="python programming"
```

```
>>> print("Given string:\n",string)
```

Given string:

python programming

```
>>> vowels="AaEeliOoUu"
```

```
>>> res=set([each for each in string if each in vowels])
```

```
>>> print("The vowels present in the string:\n",res)
```

The vowels present in the string:

{'o', 'i', 'a'}

Accept the radius from user and find area of circle

```
>>> from math import pi
```

```
>>> r=float(input("Enter radius of circle:"))
```

Enter radius of circle:5

```
>>> print("Area of the circle is:" +str(pi*r**2))
```

Area of the circle is:78.53981633974483

Accept an integer n and compute n+nn+nnn.

```
>>> i=int(input("Enter an integer number:"))
```

Enter an integer number:4

```
>>> num=i+((i*10)+i)+((i*100)+(i*10)+i)
```

```
>>> print(num)
```

492

Sort dictionary in ascending and descending order.

```
>>> y={'carrot':40,'apple':2,'banana':1,'dollar':3}
```

```
>>> l=list(y.items())
```

```
>>> l.sort()
```

```
>>> print('Ascending order is',l)
```

Ascending order is [('apple', 2), ('banana', 1), ('carrot', 40), ('dollar', 3)]

```
>>> list(y.items())
```

```
[('carrot', 40), ('apple', 2), ('banana', 1), ('dollar', 3)]
```

```
>>> l.sort(reverse=True)
```

```
>>> print('Descending order is',l)
```

Descending order is [('dollar', 3), ('carrot', 40), ('banana', 1), ('apple', 2)]

Merge two dictionaries

```
>>> def Merge(dict1,dict2):
```

```
    return(dict2.update(dict1))
```

```
>>> dict1={'apple':10,'banana':8}
```

```
>>> dict2={'orange':4,'grape':6}
```

```
>>> print(Merge(dict1,dict2))
```

```
None
```

```
>>> print(dict2)
```

```
{'orange': 4, 'grape': 6, 'apple': 10, 'banana': 8}
```

Find gcd of 2 numbers.

```
>>> import math
```

```
>>> print(math.gcd(40,25))
```

```
5
```

Enter 2 lists of integers. Check Whether list are of same length , list sums to same value, whether any value occur in both

```
>>> from collections import defaultdict
```

```
>>> def areEqual(arr1, arr2, n, m):
```

```
    if (n != m):
```

```
        return False
```

```
    count = defaultdict(int)
```

```
    for i in arr1:
```

```
        count[i] += 1
```

```
    for i in arr2:
```

```
        if (count[i] == 0):
```

```
            return False
```

```
        else:
```

```
            count[i] -= 1
```

```
    return True
```

```
>>> arr1 = [3, 5, 2, 5, 2]
```

```
>>> arr2 = [2, 3, 5, 5, 2]

>>> n = len(arr1)

>>> m = len(arr2)

>>> if (areEqual(arr1, arr2, n, m)):

    print("Yes")

else:

    print("No")

Yes
```

```
>>> list1=[3, 5, 2, 5, 2]

>>> list2=[2, 3, 5, 5, 2]

>>> if set(list1).intersection(list2):

    print ('Lists have elements in common')

else:

    print ('No elements in common')

Lists have elements in common
```

Store a list of first names. Count the occurrences of 'a' within the list

```
>>> Alist=["a","b","a","c","a"]

>>> ele='a'

>>> print("Given List:\n",Alist)

Given List:

['a', 'b', 'a', 'c', 'a']

>>> print("Given Element:\n",ele)
```

Given Element:

a

```
>>> cnt=Alist.count('a')
```

```
>>> print("No of times the element is present in list:\n",cnt)
```

No of times the element is present in list:

3

Count the occurrences of each word in a line of text

```
>>> def word_count(str):
```

```
    counts = dict()
```

```
    words = str.split()
```

```
    for word in words:
```

```
        if word in counts:
```

```
            counts[word] += 1
```

```
        else:
```

```
            counts[word] = 1
```

```
    return counts
```

```
>>> print(word_count("Donot watch the clock,Do what it does keep going"))
```

```
{'Donot': 1, 'watch': 1, 'the': 1, 'clock,Do': 1, 'what': 1, 'it': 1, 'does': 1, 'keep': 1, 'going': 1}
```

Display future leap years from current year to a final year entered by user.

```
>>> import calendar
```

```
>>> def loop_year(year, number_of_years):
```

```
    leap_year_counter = 0
```

```
    while leap_year_counter < number_of_years:
```

```
if calendar.isleap(year):  
    print('{} is a leap year!'.format(year))  
    leap_year_counter += 1  
    year += 1
```

```
>>> loop_year(2016, 20)
```

2016 is a leap year!

2020 is a leap year!

2024 is a leap year!

2028 is a leap year!

2032 is a leap year!

2036 is a leap year!

2040 is a leap year!

2044 is a leap year!

2048 is a leap year!

2052 is a leap year!

2056 is a leap year!

2060 is a leap year!

2064 is a leap year!

2068 is a leap year!

2072 is a leap year!

2076 is a leap year!

2080 is a leap year!

2084 is a leap year!

2088 is a leap year!

2092 is a leap year!

Create a string from given string where first and last characters exchanged.

```
>>> def change_sring(str1):  
    return str1[-1:] + str1[1:-1] + str1[:1]  
  
>>> print(change_sring('abcd'))  
  
dbca
```

Get a string from an input string where all occurrences of first character replaced with '\$', except first character.

```
>>> def change_char(str1):  
    char = str1[0]  
    str1 = str1.replace(char, '$')  
    str1 = char + str1[1:]  
    return str1  
  
>>> print(change_char('restart'))  
  
resta$t
```