

## Advanced Topics in Spatial Statistics

# **Spatially Continuous Data I & II**


### This session:

---

- **Spatially Continuous Data I & II**
  - Definitions
  - Visualization
  - Exploration: First Order Properties
    - Moving Averages
    - Kernel Estimation
    - Tessellation Methods
  - Exploration: Second Order Properties
    - Covariogram and Variogram


## The difference between point patterns and spatially continuous data

- Location of fires in Kitchener, Ontario



## The difference between point patterns and spatially continuous data


- Concentration of a contaminant in ppm



## The difference between spatially continuous data and area data


---

- Time series



## Scale of Analysis

---



## Examples of Applications


---

- In the environmental sciences

### US NADP/NTN\*: Stations in the US

---

\*National Atmospheric Deposition Program/  
National Trends Network



## US NADP/NTN: Stations in the US

---

- Damage to environments from acid rain
- Forest effects: die-off of trees at high elevations
- Long term effects on the growth of commercial stands

## Examples of Applications

---

- In the social sciences

## Goals of Applications

---

- The description of important features
- Estimation of an average value over large areas
- The estimation of an average value over small areas
- Estimation of an unknown value at a particular location

(first order and second order effects)

## Goals of Applications: PP

---

- The description of important features
- The identification of clustered, random or regular patterns

(first order and second order effects)

## Spatially Continuous Data

---

- Visualization
  - Proportional symbol maps
  - Triangulated irregular networks (TIN)
- Exploration

## Definitions


---

- Region
- Location
- Attributes
- Observation
- First order effects
- Second order effects

## Definitions: Region

---

- Region ( $R$ ) – Specific area over the surface of the earth that is of interest



## Definitions: Region

---





## Definitions: Region

---



## Definitions: Region

---




## Definitions: Region

---



## Definitions: Region


---



## Definitions: Location

---

- An arbitrary point in region  $R$



## Definitions: Attribute

---

- A characteristic of interest about a location




## Definitions: Observation

---

- A location for which one or more attributes have been measured


$$Y = (y_1, y_2, \dots, y_n)$$



## Definitions: First Order Effects

---


- Large scale variation



## Definitions: Second Order Effects

---

- Small scale variation




## Definitions: Large Scale Variation

---




## Definitions: Small Scale Variation

---



## Definitions: Small Scale Variation

---



## First Order Effects

---

- Expected value of  $Y$  at  $s$

$$\mu(s) = E[Y(s)]$$

(systematic, deterministic)

## Second Order Effects

---

- Covariance between of  $Y(s_i)$  and  $Y(s_j)$

$$COV(Y(s_i), Y(s_j))$$

(independent, unpredictable? dependent, deterministic?)


## Visualizing Spatially Continuous Data

---

- Symbol maps
- Proportional symbol maps
- Indicator maps

### Visualization: Symbol Map (Walker Lake)

---






## Visualization: Symbol map w/labels

81	77	103	112	123	19	40	111	114	120
+	+	+	+	+	+	+	+	+	+
82	61	110	121	119	77	52	111	117	124
+	+	+	+	+	+	+	+	+	+
82	74	97	105	112	91	73	115	118	129
+	+	+	+	+	+	+	+	+	+
88	70	103	111	122	64	84	105	113	123
+	+	+	+	+	+	+	+	+	+
89	88	94	110	116	108	73	107	118	127
+	+	+	+	+	+	+	+	+	+
77	82	86	101	109	113	79	102	120	121
+	+	+	+	+	+	+	+	+	+
74	80	85	90	97	101	96	72	128	130
+	+	+	+	+	+	+	+	+	+
75	80	83	87	94	99	95	48	139	145
+	+	+	+	+	+	+	+	+	+
77	84	74	108	121	143	91	52	136	144
+	+	+	+	+	+	+	+	+	+
87	100	47	111	124	109	0	98	134	144
+	+	+	+	+	+	+	+	+	+


## Visualization: Indicator Maps

☐  $V < 15$  ppm  
☒  $V \geq 15$  ppm




## Visualization: Indicator Maps

---




## Visualization: Indicator Maps

---




## Visualization: Indicator Maps

---




## Visualization: Indicator Maps

---




## Visualization: Indicator Maps

---




## Visualization: Indicator Maps

---




## Visualization: Indicator Maps

---




## Visualization: Indicator Maps


---




## Visualization: Indicator Maps




## Visualization: Grayscale map




## Visualization: Symbol Map w/labels




## Visualization: Symbol Map w/colors



## Visualization: Symbol Map w/colors



## Visualization: Proportional Symbol Map






## Visualization

---

- Irregularly spaced observations
  - Indicator Maps?
  - Grayscale maps?

## Exploration: Average (Large Area)


---



## Exploration: Averages at Different Scales

---


- $n$  observations
- 1 observation



## Exploration: Moving Averages

---

- Three-point spatial moving average



$$\hat{\mu}(\mathbf{s}_1) = \frac{1}{3}(y_1 + y_2 + y_3)$$

## Exploration: Moving Averages

---

$$\hat{\mu}(\mathbf{s}) = \sum_{i=1}^n w_i(\mathbf{s}) y_i$$

$$\sum_{i=1}^n w_i(\mathbf{s}) = 1$$


## Exploration: Moving Averages

---

$$\hat{\mu}(\mathbf{s}_1) = 0.333y_1 + 0.333y_2 + 0.333y_3$$

## Exploration: Moving Averages

---



## Exploration: Moving Averages

---

$$\sum_{i=1}^n w_i(s) = 1$$

$$w_i(s) \propto h_i^{-\alpha}$$


$$w_i(s) \propto e^{-\alpha h_i}$$

$\mathcal{M}$

## Exploration: Kernel Estimation

---

- Kernel function



## Exploration: Kernel Estimation

---

$$\hat{\mu}(\mathbf{s}) = \sum_{i=1}^n w_i(\mathbf{s}) y_i$$

$$w_i(\mathbf{s}) = \frac{k\left(\frac{(\mathbf{s} - \mathbf{s}_i)}{\tau}\right)}{\sum_{i=1}^n k\left(\frac{(\mathbf{s} - \mathbf{s}_i)}{\tau}\right)}$$

## Exploration: Kernel Estimation


---

$$\hat{\mu}(\mathbf{s}) = \frac{\sum_{i=1}^n k\left(\frac{(\mathbf{s} - \mathbf{s}_i)}{\tau}\right) y_i}{\sum_{i=1}^n k\left(\frac{(\mathbf{s} - \mathbf{s}_i)}{\tau}\right)}$$


## Exploration: Tessellations

---

- The objective is to produce “tiles”




## Tessellations: Delaunay Triangulation




- Triangulated Irregular Network (TIN)
- Triangles are as close to equilateral as possible

## Tessellations: Voronoi Polygons




- Areas of Influence

## Tessellations: Delaunay Triangulation




## Exploration: Delaunay Triangulation






## Exploration: Delaunay Triangulation




## Exploration: Contours



## Exploration: Contour Areas

---

Produced by Academic TransCAD



## Visualization/Exploration

---

- First order effects, large scale variation
- What about small scale variation?

## Next...

---

- Exploring second order effects
  - Covariogram and variogram
- Modeling spatially continuous data