

# Embedded Wireless Sensor Design for Long Term Structural Health Monitoring

Christopher Bessin<sup>2</sup>, Patrick Blum<sup>1</sup>, Matthew P. Iannucci<sup>1</sup>, Jordan T. Kirby<sup>1</sup>, Zachary McIntosh<sup>1</sup>, Elizabeth L. Paul<sup>2</sup>, Michael A. Regan<sup>1</sup>, Justin W. Skenyon<sup>2</sup>, Charles J. Wesley<sup>1</sup>, and Samuel D. Wiley<sup>1</sup>

<sup>1</sup>Finite Element Modelling

<sup>2</sup>Instrumentation Development

May 1, 2014

*I have read this paper in its entirety and approve it for submission.*

---

Christopher Bessin

---

Date

---

Patrick Blum

---

Date

---

Matthew P. Iannucci

---

Date

---

Jordan T. Kirby

---

Date

---

Zachary McIntosh

---

Date

---

Elizabeth L. Paul

---

Date

---

Michael A. Regan

---

Date

---

Justin W. Skenyon

---

Date

---

Charles J. Wesley

---

Date

---

Samuel D. Wiley

---

Date

# Contents

<b>1</b>	<b>Introduction</b>	<b>6</b>
1.1	Objectives . . . . .	6
1.1.1	Phase One . . . . .	6
1.1.2	Phase Two . . . . .	6
1.2	Layout . . . . .	6
<b>2</b>	<b>Finite Element Model (FEM)</b>	<b>7</b>
2.1	Introduction . . . . .	7
2.1.1	Background of Claiborne Pell Bridge . . . . .	7
2.1.2	Introduction of FEM . . . . .	7
2.2	Abaqus FEM Verification . . . . .	7
2.2.1	L Beam Analysis . . . . .	7
2.3	Claiborne Pell Bridge Model . . . . .	7
2.3.1	Modeling Large Suspension Bridges . . . . .	7
2.3.2	Model Process . . . . .	7
2.3.3	Limitations of Abaqus FEM . . . . .	7
<b>3</b>	<b>Instrumentation Package</b>	<b>8</b>
3.1	Introduction . . . . .	9
3.2	Microprocessor . . . . .	9
3.2.1	Necessary Specifications . . . . .	9
3.2.2	Platform Options . . . . .	9
3.2.3	Final Platform . . . . .	9
3.3	Sensors . . . . .	9
3.3.1	Accelerometer . . . . .	9
3.3.2	Strain Gauge . . . . .	9
3.3.3	GPS Receiver . . . . .	9
3.3.4	CORS . . . . .	9
3.3.5	Analog to Digital Converter . . . . .	9
3.4	Electronics Design . . . . .	9
3.4.1	Introduction . . . . .	9
3.4.2	Circuitry . . . . .	9
3.4.3	Printed Circuit Board . . . . .	9
3.5	Software Design . . . . .	9
3.6	Package Power . . . . .	9

3.6.1	Power Budget . . . . .	9
3.6.2	Energy Scavenging Potential . . . . .	9
3.6.3	Battery Selection . . . . .	9
<b>4</b>	<b>Data Collection</b>	<b>10</b>
4.1	Phase One Data Collection . . . . .	10
4.1.1	6g Tri-Axial Accelerometer Data . . . . .	10
4.2	Phase Two Data Collection . . . . .	10
4.2.1	6g Tri-Axial Accelerometer Data . . . . .	10
4.2.2	1.5g Tri-Axial Accelerometer Data . . . . .	10
4.2.3	Cell Phone Accelerometer . . . . .	10
4.2.4	Battery Discharge Curve . . . . .	10
4.2.5	Experimental Observed Efficiency . . . . .	10
<b>5</b>	<b>Data Analysis</b>	<b>11</b>
5.1	Phase One Data Analysis . . . . .	11
5.1.1	Comparison of Preliminary Abaqus Model and Preliminary Data . . .	11
5.2	Phase Two Data Analysis . . . . .	11
5.2.1	Comparison of Developed Abaqus Model with Literature . . . . .	11
5.2.2	Comparison of Developed Abaqus Model with Developed Abaqus Model	11
<b>6</b>	<b>Future Development</b>	<b>12</b>
6.1	Instrumentation . . . . .	12
6.1.1	Integration of Strain Gauge . . . . .	12
6.1.2	Wireless Transmission . . . . .	12
6.1.3	GPS Time Synchronization . . . . .	12
6.1.4	Package Assembly . . . . .	12
6.2	FEM . . . . .	12
6.2.1	Model Improvements . . . . .	12
6.2.2	Dynamic Loading . . . . .	12
<b>7</b>	<b>Conclusion</b>	<b>13</b>

# List of Figures

# List of Tables

# Chapter 1

## Introduction

### 1.1 Objectives

#### 1.1.1 Phase One

#### 1.1.2 Phase Two

### 1.2 Layout

# Chapter 2

## Finite Element Model (FEM)

### 2.1 Introduction

#### 2.1.1 Background of Claiborne Pell Bridge

#### 2.1.2 Introduction of FEM

### 2.2 Abaqus FEM Verification

#### 2.2.1 L Beam Analysis

### 2.3 Claiborne Pell Bridge Model

#### 2.3.1 Modeling Large Suspension Bridges

#### 2.3.2 Model Process

#### 2.3.3 Limitations of Abaqus FEM





# Chapter 3

## Instrumentation Package

### 3.1 Introduction

### 3.2 Microprocessor

#### 3.2.1 Necessary Specifications

#### 3.2.2 Platform Options

#### 3.2.3 Final Platform

### 3.3 Sensors

#### 3.3.1 Accelerometer

Necessary Specifications

Sensor Options

Sensor Selection

#### 3.3.2 Strain Gauge

Necessary Specifications

Sensor Options

Sensor Selection

#### 3.3.3 GPS Receiver

Necessary Specifications

Sensor Options

Sensor Selection

#### 3.3.4 CORS

#### 3.3.5 Analog to Digital Converter

Necessary Specifications

Platform Options

# Chapter 4

## Data Collection

### 4.1 Phase One Data Collection

#### 4.1.1 6g Tri-Axial Accelerometer Data

### 4.2 Phase Two Data Collection

#### 4.2.1 6g Tri-Axial Accelerometer Data

#### 4.2.2 1.5g Tri-Axial Accelerometer Data

#### 4.2.3 Cell Phone Accelerometer

#### 4.2.4 Battery Discharge Curve

#### 4.2.5 Experimental Observed Efficiency

# Chapter 5

## Data Analysis

### 5.1 Phase One Data Analysis

#### 5.1.1 Comparison of Preliminary Abaqus Model and Preliminary Data

### 5.2 Phase Two Data Analysis

#### 5.2.1 Comparison of Developed Abaqus Model with Literature

#### 5.2.2 Comparison of Developed Abaqus Model with Developed Abaqus Model

# Chapter 6

## Future Development

### 6.1 Instrumentation

#### 6.1.1 Integration of Strain Gauge

#### 6.1.2 Wireless Transmission

#### 6.1.3 GPS Time Synchronization

#### 6.1.4 Package Assembly

Fabrication of Circuit Board

Battery Integration

Package Enclosure

Power Management

Package Location

### 6.2 FEM

#### 6.2.1 Model Improvements

#### 6.2.2 Dynamic Loading

# Chapter 7

## Conclusion