


Read kaikille ja yksittäiselle kirjalle:

My Workspace

New HTTP Request

+ Filter



Create a collection for your requests

A collection lets you group related requests and easily set common authorization, tests, scripts, and variables for all requests in it.

Create Collection

HTTP localhost:3000/book/ Save No Environment

GET localhost:3000/book/ Send

Params Authorization Headers (7) Body Pre-request Script Tests Settings Code Cookies

Query Params

	Key	Value
	Key	Value

Body Cookies Headers (7) Test Results

Status: 200 OK Time: 11 ms Size: 401 B


Pretty Raw Preview JSON

```
1 [
2   {
3     "id_book": 1,
4     "name": "PHP Basic",
5     "author": "Bob Jones",
6     "isbn": "123-456-789-111-x"
7   },
8   {
9     "id_book": 2,
10    "name": "Statistics",
11    "author": "Lisa Smith",
12    "isbn": "222-333-444-555-y"
13  }
14 ]
```

My Workspace

New HTTP Request

+ Filter



Create a collection for your requests

A collection lets you group related requests and easily set common authorization, tests, scripts, and variables for all requests in it.

Create Collection

HTTPlocalhost:3000/book/1SaveNo Environment

GETlocalhost:3000/book/1Send

ParamsAuthorizationHeaders (7)BodyPre-request ScriptTestsSettingsCode Cookies

Query Params

	Key	Value
	Key	Value

BodyCookiesHeaders (7)Test Results

Status: 200 OKTime: 7 msSize: 317 B


PrettyRawPreviewJSON

```
1 {
2   {
3     "id_book": 1,
4     "name": "PHP Basic",
5     "author": "Bob Jones",
6     "isbn": "123-456-789-111-x"
7   }
8 }
```

Create:

New HTTP Request

Filter



Create a collection for your requests

A collection lets you group related requests and easily set common authorization, tests, scripts, and variables for all requests in it.

Create Collection

POSTlocalhost:3000/book/

Send

ParamsAuthorizationHeaders (9)BodyPre-request ScriptTestsSettingsCodeCookies

☐ none

☐ form-data

☒ x-www-form-urlencoded

☐ raw

☐ binary

☐ GraphQL

	Key	Value
<input checked="" type="checkbox"/>	name	Tammettu virta
<input checked="" type="checkbox"/>	author	Kalle Päätalo
<input checked="" type="checkbox"/>	isbn	222-444-333-111
	Key	Value

BodyCookiesHeaders (7)Test Results

Status: 200 OKTime: 10 msSize: 343 B

PrettyRawPreviewJSON

1

2

3

4

5

6

7

8

9

"fieldCount": 0,

"affectedRows": 1,

"insertId": 3,

"info": "",

"serverStatus": 2,

"warningStatus": 0,


"changedRows": 0

Tulos:

My Workspace

New HTTP Request

Filter



Create a collection for your requests

A collection lets you group related requests and easily set common authorization, tests, scripts, and variables for all requests in it.

Create Collection

localhost:3000/book/

GET localhost:3000/book/ Send

Params Authorization Headers (9) Body Pre-request Script Tests Settings Code Cookies

none form-data x-www-form-urlencoded raw binary GraphQL

	Key	Value
<input checked="" type="checkbox"/>	name	Tammettu virta
<input checked="" type="checkbox"/>	author	Kalle Päätalo
<input checked="" type="checkbox"/>	isbn	222-444-333-111
	Key	Value

Body Cookies Headers (7) Test Results

Status: 200 OK Time: 9 ms Size: 493 B

Pretty Raw Preview JSON


```
6      "isbn": "123-456-789-111-x"
7    },
8    {
9      "id_book": 2,
10     "name": "Statistics",
11     "author": "Lisa Smith",
12     "isbn": "222-333-444-555-y"
13   },
14   {
15     "id_book": 3,
16     "name": "Tammettu virta",
17     "author": "Kalle Päätalo",
18     "isbn": "222-444-333-111"
19   }
20 ]
```

Update:

My Workspace

New HTTP Request

+ Filter



Create a collection for your requests

A collection lets you group related requests and easily set common authorization, tests, scripts, and variables for all requests in it.

Create Collection

localhost:3000/book/3

Save

No Environment

PUT

localhost:3000/book/3

Send

Params

Authorization

Headers (9)

Body

Pre-request Script

Tests

Settings

Code

Cookies

☐ none

☐ form-data

☒ x-www-form-urlencoded

☐ raw

☐ binary

☐ GraphQL

	Key	Value
<input checked="" type="checkbox"/>	name	Tammettu virta
<input checked="" type="checkbox"/>	author	Kalle Päätalo
<input checked="" type="checkbox"/>	isbn	222-444-333-222
	Key	Value

Body

Cookies

Headers (7)

Test Results

Status: 200 OK Time: 10 ms Size: 383 B

Pretty

Raw

Preview

JSON

```
1 {
2   "fieldCount": 0,
3   "affectedRows": 1,
4   "insertId": 0,
5   "info": "Rows matched: 1 Changed: 1 Warnings: 0",
6   "serverStatus": 2,
7   "warningStatus": 0,
8   "changedRows": 1
9 }
```

PROBLEMS

OUTPUT

DEBUG CONSOLE

TERMINAL

PORTS

POSTMAN CONSOLE

node


PUT /book/3 200 5.959 ms - 147

Tulos:

My Workspace

New HTTP Request

Filter



Create a collection for your requests

A collection lets you group related requests and easily set common authorization, tests, scripts, and variables for all requests in it.

Create Collection

localhost:3000/book/

Save

No Environment

GET

localhost:3000/book/

Send

Params

Authorization

Headers (9)

Body

Pre-request Script

Tests

Settings

Code

Cookies

☐ none

☐ form-data

☒ x-www-form-urlencoded

☐ raw

☐ binary

☐ GraphQL

	Key	Value
<input checked="" type="checkbox"/>	name	Tammettu virta
<input checked="" type="checkbox"/>	author	Kalle Päätälo
<input checked="" type="checkbox"/>	isbn	222-444-333-222
	Key	Value

Body

Cookies

Headers (7)

Test Results

Status: 200 OK

Time: 9 ms

Size: 493 B

Pretty

Raw

Preview


JSON

Delete:

My Workspace

New HTTP Request

+ Filter



Create a collection for your requests

A collection lets you group related requests and easily set common authorization, tests, scripts, and variables for all requests in it.

Create Collection

localhost:3000/book/1

DELETE

localhost:3000/book/1

Send

ParamsAuthorizationHeaders (9)BodyPre-request ScriptTestsSettingsCodeCookies

Query Params

	Key	Value
	Key	Value

BodyCookiesHeaders (7)Test Results

Status: 200 OK Time: 12 ms Size: 343 B

PrettyRawPreviewJSON


```
1 {
2   "fieldCount": 0,
3   "affectedRows": 1,
4   "insertId": 0,
5   "info": "",
6   "serverStatus": 2,
7   "warningStatus": 0,
8   "changedRows": 0
9 }
```

Tulos:

My Workspace

New HTTP Request

Filter



Create a collection for your requests

A collection lets you group related requests and easily set common authorization, tests, scripts, and variables for all requests in it.

Create Collection

localhost:3000/book/

Save

No Environment

GET localhost:3000/book/ Send

Params Authorization Headers (9) Body Pre-request Script Tests Settings Code Cookies

Query Params

	Key	Value
	Key	Value

Body Cookies Headers (7) Test Results

Status: 200 OK Time: 8 ms Size: 411 B

Pretty Raw Preview JSON

```
1 [
2   {
3     "id_book": 2,
4     "name": "Statistics",
5     "author": "Lisa Smith",
6     "isbn": "222-333-444-555-y"
7   },
8   {
9     "id_book": 3,
10    "name": "Tammettu virta",
11    "author": "Kalle Päätälo",
12    "isbn": "222-444-333-222"
13  }
14 ]
```

Create Borrowerille



POST

localhost:3000/borrower

Send

ParamsAuthorizationHeaders (9)Body •Pre-request ScriptTestsSettingsCodeCookies

none

form-data

x-www-form-urlencoded

raw

binary

GraphQL

	Key	Value
<input checked="" type="checkbox"/>	fname	Aku
<input checked="" type="checkbox"/>	lname	Ankka
<input checked="" type="checkbox"/>	streetaddress	Paratiisitie 13 Ankkallinna
	Key	Value

BodyCookiesHeaders (7)Test Results

Status: 200 OKTime: 22 msSize: 343 B

PrettyRawPreviewJSON

```
1 {
2   "fieldCount": 0,
3   "affectedRows": 1,
4   "insertId": 1,
5   "info": "",
6   "serverStatus": 2,
7   "warningStatus": 0,
8   "changedRows": 0
9 }
```

Read borrowerille:

HTTPlocalhost:3000/borrower

Save

No Environment

GET

localhost:3000/borrower

Send

Params

Authorization

Headers (9)

Body

Pre-request Script

Tests

Settings

Code

Cookies

☐ none

☐ form-data

☒ x-www-form-urlencoded

☐ raw

☐ binary

☐ GraphQL

	Key	Value
<input checked="" type="checkbox"/>	fname	Aku
<input checked="" type="checkbox"/>	lname	Ankka
<input checked="" type="checkbox"/>	streetaddress	Paratiisitie 13 Ankkallinna
	Key	Value

Body

Cookies

Headers (7)

Test Results

Status: 200 OK

Time: 9 ms

Size: 329 B

Pretty

Raw

Preview

JSON

```
1 [
2   {
3     "id_borrower": 1,
4     "fname": "Aku",
5     "lname": "Ankka",
6     "streetaddress": "Paratiisitie 13 Ankkallinna"
7   }
8 ]
```

Update borrowerille:

HTTP

localhost:3000/borrower/1

Save

No Environment

PUT

localhost:3000/borrower/1

Send

Params

Authorization

Headers (9)

Body

Pre-request Script

Tests

Settings

Code

Cookies

☐ none

☐ form-data

☒ x-www-form-urlencoded

☐ raw

☐ binary

☐ GraphQL

	Key	Value
<input checked="" type="checkbox"/>	fname	Aku
<input checked="" type="checkbox"/>	lname	Ankka
<input checked="" type="checkbox"/>	streetaddress	Paratiisitie 13
	Key	Value

Body

Cookies

Headers (7)

Test Results

Status: 200 OK

Time: 17 ms

Size: 383 B

Pretty

Raw

Preview

JSON

1

2

3

4

5

6

7

8

9

```
{
  "fieldCount": 0,
  "affectedRows": 1,
  "insertId": 0,
  "info": "Rows matched: 1  Changed: 1  Warnings: 0",
  "serverStatus": 2,
  "warningStatus": 0,
  "changedRows": 1
}
```

Delete Borrowerille:

DELETE

localhost:3000/borrower/1

Send

ParamsAuthorizationHeaders (9)Body ●Pre-request ScriptTestsSettingsCodeCookies

☐ none

☐ form-data

☒ x-www-form-urlencoded

☐ raw

☐ binary

☐ GraphQL

	Key	Value
<input checked="" type="checkbox"/>	fname	Aku
<input checked="" type="checkbox"/>	lname	Ankka
<input checked="" type="checkbox"/>	streetaddress	Paratiisitie 13
	Key	Value

BodyCookiesHeaders (7)Test Results

Status: 200 OKTime: 10 msSize: 343 B

PrettyRawPreviewJSON

```
1 {
2   "fieldCount": 0,
3   "affectedRows": 1,
4   "insertId": 0,
5   "info": "",
6   "serverStatus": 2,
7   "warningStatus": 0,
8   "changedRows": 0
9 }
```