Neopets® Stuck Pet Finder

yes really

Emily Liu

https://github.com/Ellime/NeopetsStuckPetFinder

Last updated: 01/04/2021

Contents

- Overview
- Technical Outline

Why We Should All Get Back On Neopets Before It's Gone Forever

The end of Flash is coming. It's now or never for this beloved nostalgic relic.

Overview

In short

- A tool that finds Neopets in the Pound
- Neopets still exists

Context

Neopets.com is a game website about owning virtual pets that has a Pound (think animal shelter) with unowned pets.

Players are supposed to refresh the Pound site for pets to adopt.

Some pet names are impossible to find via refreshing – referred to as "stuck" pets. You must directly search them by name.

Names that "stick"

More info at:

http://www.neopets.com/~Megablade

http://www.neopets.com//~Lorrenn

Which names will get stuck?

It's complicated and always changing but a current list of strings that stick is as follows:

ANG-, ARG-, ASH-, AUS-, AVA-, AZU-, A_B-
BEN-, BIG-, BLA-, BOB-, BRA-, BUB-
CHE-, CIN-, CLA-, COC-, CRA-, CUD-, CYN-
DIN-, DOL-,DRA-, DUD-
FLI-, FOF-, FRA-, FUI-
GOR-, GRA-, GUI
HUN-
JOS-, JUB-
KIK-, KOK-, KRB-, KUK-, KYL-
LEO-, LIG-, LLA-, LOC-, LUC-, LYN-, L_X-
MAR-, MEE-, MIC-, MOE-, MRL-, MUG-, MYE-
NIP-, NOH-, NUN-
PIN-, PLU-, POK-, PRE-, PTE-, PUF-
RIK-, ROB-, RUB-, RYH-
SCR-, SEB-, SHA-, SIL-, SKE-, SLI-, SME-, SNI-, SOF-, SPA-, SQU-, STA-, SUG-, SWE-, SYN-
TIG-, TOC-, TRA-, TUF-, TWI-, TYL-
_SN-, _TO-, __G-

How to use

1. Enter your first account's username and password as two lines in credentials.txt

2. Login to a second account on your default browser

3. Launch the program

4. Set up the rules you want to use when generating pet names

5. Hit "0" to run

Breakdown of program

1. Generate potential pet names
2. Search each name using the Pound search
3. Check if the search returned a pet
4. For names that returned a pet, open that link in the browser and save the name and color/species to a file

NOTE: Searches are throttled – purposefully slowed down – so the website isn't overwhelmed.

Generate

↓

Search

↓

Check

Methodology _(with Neopets lingo)

- The Pound search is the only guaranteed way to check if a pet is in the Pound and adoptable
  - Although default petpages can indicate if a pet is unowned, owned pets may have modified petpages, causing the response body to be unpredictable.
  - The petlookup indicates if a pet is unowned, but the URL is actually a redirect and some pets are glitched (have a lookup but cannot be adopted).
- Limitation: Viewing Pound requires being logged in
  - Same goes for the above sites.
  - The account must also be > 4 months-old (or some pets won't show up).
  - Alternative: Instead of checking if pet is in Pound, check if pet exists by querying its image file.
    - But this will return pets that are not in the Pound (are owned/frozen/glitched).

Impacts

Pros

- Can find some lonely pets.

Cons

- Without limiting the number of requests, can overload the server and create a DoS attack
- Can cause a DDoS if multiple people run it together
- Can be misused by people selling pets/accounts for real $ which is against the ToU and ruins things for innocent players

Is it allowed? (Probably not)

- This program is fan-made and not officially recognized.

- Neopets.com ToU is outdated and useless.

- Neopets has stated all programs/scripts are disallowed.
  - http://www.neopets.com/ntimes/index.phtml?section=editorial&week=383
  - http://www.neopets.com/ntimes/index.phtml?section=editorial&week=797

- Small hope: there is an approved manual search method, even though it can potentially send hundreds of requests a second.
  - http://www.neopets.com/~Megablade

Tips

- Having two accounts is best – one is used by the program and the other allows you to see the pets in your browser as it runs. If you just have one account you will have to check out the pets in your own time.

- Keep in mind what name formats to expect! The machine-suggested names follow the following format: "dragon_12" or "dragon_12_1"

Final words

The project code is not publicly available. This is a fanmade project that has not been acknowledged by Neopets.com.

I am willing to discuss the project but will not share the code privately nor publish it unless it is officially supported.

Technical Outline

Tech

- Language: Java SE 8
- Libraries:
  - jsoup – for parsing HTML in response bodies

Program steps

1. Send GET to login URL

2. Send POST to login URL and store the returned session ID

3. Generate strings

4. Send GETs to Pound URL while passing one string at a time

**GET**
- To login page

POST
- To login page
- Parameters: USERNAME and PASSWORD

GET
- To Pound site
- Parameters: PETNAME

Package/class hierarchy

String generation

String generation is modified from https://github.com/Ellime/StringGenerator

- Settings: Saving/setting string generation setup

- Generator: Generates strings

- NeopetsStuckPetFinder: main() and console output

Modifications:

- Can include '_' in the range of available chars

- Option 0 includes generating strings and calling functions from Requester

HTTP request handling

Requester: Handles HTTP requests/responses, plus what to do with found pets

Login

Credentials stored in credentials.txt

- Send GET to http://www.neopets.com/login/
- Prepare username and password as parameters to send in POST
- Send POST to http://www.neopets.com/login.phtml
- Save the cookies for future requests

Search

- Send GET to http://www.neopets.com/pound/adopt.phtml?search=PETNAME
- Use jsoup to check if PETNAME is a pet in the Pound
- If valid, open the link in the browser and save the name

How the search works

General

Request URL: http://www.neopets.com/pound/adopt.phtml?search=Leo_Boy_96

Request Method: GET

Status Code: ● 200 OK

Remote Address: 151.139.128.11:80

Referrer Policy: strict-origin-when-cross-origin

Response Headers   view source

Access-Control-Allow-Origin: *

Cache-Control: no-store, no-cache, must-revalidate, post-check=0, pre-check=0

Connection: keep-alive

Content-Encoding: gzip

Content-Type: text/html; charset=UTF-8

Date: Thu, 19 Nov 2020 02:59:31 GMT

Expires: Thu, 19 Nov 1981 08:52:00 GMT

Pet found in the Pound

Pet names are unique and caps-insensitive so a query returns at most one pet.

(The site is designed so up to three pets can be displayed, which we will see in the HTTP response body.)

Pet not in Pound

The difference is reflected in the HTTP response body.

HTTP response body (JS)

Pet found: Its features are initialized as the second (middle) Object.

Pet not found: Objects remain undefined.

```
511  <script type='text/javascript' src='http://images.neopets.com/pound/adopt.js'></script>
512  <script type='text/javascript'>
513  var selected_pet = 1;
514  var pet_arr = new Array(3);
515  var loadingImg = new Image();
516  loadingImg.src = 'http://images.neopets.com/pound/pound_load_anim.gif';
517  pet_arr[0] = new Object();
518  pet_arr[1] = new Object();
519  pet_arr[1].name = "Leo_Boy_96";          <---
520  pet_arr[1].price = "85";
521  pet_arr[1].color = "Blue";
522  pet_arr[1].species = "Bruce";
523  pet_arr[1].gender = "male";
524  pet_arr[1].level = "1";
525  pet_arr[1].str = "7";
526  pet_arr[1].def = "6";
527  pet_arr[1].speed = "12";
528  pet_arr[1].mood = "2";
529  pet_arr[1].likes = "Hunting for Treasure";
530  pet_arr[1].attitude = "Run Awaaaay!!!";
531  pet_arr[1].terrain = "River";
532  pet_arr[1].happyImg = new Image();
533  pet_arr[1].happyImg.src = 'http://pets.neopets.com/cpn/Leo_Boy_96/1/2.png';
534  pet_arr[1].sadImg = new Image();
535  pet_arr[1].sadImg.src = 'http://pets.neopets.com/cpn/Leo_Boy_96/2/2.png';
536  pet_arr[2] = new Object();
537  </script>
```

```
511  <script type='text/javascript' src='http://images.neopets.com/pound/adopt.js'></script>
512  <script type='text/javascript'>
513  var selected_pet = 1;
514  var pet_arr = new Array(3);
515  var loadingImg = new Image();
516  loadingImg.src = 'http://images.neopets.com/pound/pound_load_anim.gif';
517  pet_arr[0] = new Object();
518  pet_arr[1] = new Object();
519  pet_arr[2] = new Object();
520  </script>
```

HTTP response body (HTML)

jsoup will read *pet1_color* and *pet1_species*.

The absence of *pet1_table* tells jsoup we didn't find a pet.

Server behavior

- Login POST request returns a 403 – which is fine since all that's needed are the authentication cookies
  - The reason for the 403 is because the URL we send the POST to is not a URL we can actually "visit".
- A 503 is returned if too many requests have been sent recently
  - Throttling is required to avoid this.

Request throttling

Pauses are implemented between searches to prevent flooding the server with requests.

For example:

- Every 2 searches: Wait .5 sec
- Every 20 searches: Wait 20 sec
- Every 100 searches: Wait 1 min

If a 503 is encountered, the program will wait 1 min before retrying the name it failed to search.