

The figure shows a technical drawing of a shielding case assembly. It includes a front view, a side view, and a top view. The front view (B) shows a height of  $2.1^{+0.2}_{-0.15}$ . The side view (A) shows a height of  $2.1^{+0.2}_{-0.15}$  and a width of  $8.4^{+0.2}_{-0.15}$ . The top view (C) shows a height of  $13.2^{+0.2}_{-0.15}$ , a width of  $7.6$ , and a depth of  $9.3$ . A callout labeled "Shielding Case" points to the front view. Another callout labeled "PCB" points to the side view. Reference lines A through E are aligned vertically along the left edge of the drawing.

Information of size and its tolerance shall refer to the table on datasheet as final reference.

			V1.1	2022.11.29	Yumie	
Raytac Corporation	Part Name: MDBT50-P	Description	Revision	Date	Name	Issue
Material:	Drawn'd:	RANGE	COMMON TOLERANCE (MM)			
Treatment:	Quant:	Checked:	A	B	C	D
Part No.:	Approved:	$\leq 8$	$\pm 0.05$	$\pm 0.1$	$\pm 0.2$	$\pm 0.4$
Drawing No:	D.C.C:	$>8 \sim 25$	$\pm 0.08$	$\pm 0.15$	$\pm 0.3$	$\pm 0.6$
		$>25 \sim 80$	$\pm 0.12$	$\pm 0.25$	$\pm 0.5$	$\pm 1.0$
		$>80 \sim 250$	$\pm 0.25$	$\pm 0.4$	$\pm 0.8$	$\pm 1.5$
		$>250 \sim 800$	$\pm 0.5$	$\pm 0.8$	$\pm 1.5$	$\pm 3.0$
		$>800 \sim 2500$	$\pm 1.0$	$\pm 1.5$	$\pm 3.0$	$\pm 6.0$
		ANGULAR	$\pm 0.15^\circ$	$\pm 0.3^\circ$	$\pm 0.5^\circ$	$\pm 0.8^\circ$