

Cell Respiration – Converting Chemical Energy into ATP (Energy for Cells)

Every move you make — every blink, every heartbeat, every thought — requires energy. That energy does not come directly from the food you eat. Instead, your cells must convert the chemical energy stored in glucose into a form they can actually use. This process happens constantly, in every cell of your body, whether you are sleeping, running, studying, or digesting lunch. Yet most people never think about the remarkable molecular machinery that keeps them alive.

Cellular respiration is the process that unlocks the energy stored in food and packages it into ATP — the universal energy currency of cells. Understanding cellular respiration means understanding where your energy really comes from, how your body powers itself, and why you need oxygen to live.

This reading material explores the steps of aerobic respiration (glycolysis, acetyl CoA formation, the citric acid cycle, the electron transport chain, and chemiosmosis), the structure and function of mitochondria, the differences between aerobic and anaerobic respiration, and how cellular respiration provides energy for everyday activities such as running, thinking, and digesting food.

Part 1: What Is Cell Respiration and Why Does It Matter?


Definition of Cell Respiration

Cell respiration is the chemical reaction that converts chemical energy (stored in glucose and other organic molecules) into usable forms of energy (ATP). It is the process by which cells harvest energy from food.

The Central Idea: Glucose Contains Stored Energy

When you eat food, your digestive system breaks down complex molecules into glucose ($\text{C}_6\text{H}_{12}\text{O}_6$). Glucose contains chemical energy stored in its bonds. Cellular respiration gradually breaks these bonds, captures the released energy, and uses it to make ATP. The overall process is the opposite of photosynthesis.

The Overall Equation for Aerobic Respiration



Compare this to photosynthesis:

Process	Equation
Photosynthesis	$6 \text{CO}_2 + 6 \text{H}_2\text{O} + \text{Light} \rightarrow \text{C}_6\text{H}_{12}\text{O}_6 + 6 \text{O}_2$
Cellular respiration	$\text{C}_6\text{H}_{12}\text{O}_6 + 6 \text{O}_2 \rightarrow 6 \text{CO}_2 + 6 \text{H}_2\text{O} + \text{ATP}$

They are exact opposites. Photosynthesis stores energy. Cellular respiration releases it.

Why Cell Respiration Matters

Aspect	Explanation
Energy for life	All cellular activities (growth, repair, movement, transport, signaling) require ATP from cellular respiration
ATP as energy carrier	ATP captures and releases energy in small, usable amounts
Oxygen dependence	Most organisms need oxygen for maximum ATP production; without it, far less energy is captured
Metabolism	Cellular respiration is the central pathway of energy metabolism in eukaryotic cells

Part 2: The Importance of ATP as the Energy Carrier and the Role of Enzymes

ATP: The Energy Currency of the Cell

ATP (adenosine triphosphate) is the molecule that cells use to transfer energy from energy-releasing reactions to energy-requiring processes. It is often called the energy currency of the cell.

Feature	Explanation
Structure	ATP has three phosphate groups attached to adenosine (adenine + ribose)
Energy storage	The bonds between phosphate groups are high-energy bonds
How it works	When a cell needs energy, it breaks the last phosphate bond ($\text{ATP} \rightarrow \text{ADP} + \text{P}_i$), releasing energy
Recycling	ADP (adenosine diphosphate) can be recharged back into ATP during cellular respiration

The Role of Enzymes in Cellular Respiration


Enzymes are biological catalysts that speed up chemical reactions without being consumed. They are essential for cellular respiration because the breakdown of glucose would be too slow and uncontrolled without them.

Role of Enzymes	Explanation
Lower activation energy	Enzymes reduce the energy needed to start each reaction in the pathway

Role of Enzymes	Explanation
Specificity	Each enzyme catalyzes only one specific step (e.g., hexokinase phosphorylates glucose)
Regulation	Enzymes are controlled by feedback inhibition to match ATP supply with demand
Temperature and pH sensitivity	Enzymes work best at optimal conditions (body temperature, neutral pH for most)

Part 3: The Structure of Mitochondria and Its Relationship to Function

Diagram of a Mitochondrion



How Mitochondrial Structure Relates to Function

Structure	Description	How It Supports Function
Outer membrane	Smooth and porous	Allows small molecules (pyruvate, ADP, ATP) to pass through easily
Inner membrane	Folded into cristae; highly selective	Large surface area for electron transport chain and ATP synthase enzymes
Cristae (folds)	Finger-like projections of inner membrane	Increases surface area → more space for ETC proteins → more ATP production
Matrix	Fluid-filled inner compartment	Contains enzymes for pyruvate processing and citric acid cycle (Krebs cycle)
Intermembrane space	Space between outer and inner membranes	Small space where protons accumulate during electron transport, creating a gradient for chemiosmosis
Double membrane structure	Two separate membranes	Allows compartmentalization; different processes occur in different regions

Summary: Structure-Function Relationship

Function of Mitochondria	Structural Feature That Enables It
Pyruvate processing and citric acid cycle	Enzymes located in the matrix
Electron transport chain	Proteins embedded in inner membrane
Proton gradient for chemiosmosis	Impermeable inner membrane + small intermembrane space
High ATP production	Folded cristae (large surface area for ETC and ATP synthase)

Part 4: The Steps in Aerobic Respiration

Aerobic respiration occurs in four main stages: glycolysis, formation of acetyl coenzyme A, the citric acid cycle, and the electron transport chain with chemiosmosis.


Stage 1: Glycolysis

Glycolysis occurs in the cytoplasm and does not require oxygen. It is the first step of both aerobic and anaerobic respiration.

Feature	Explanation
Location	Cytoplasm (cytosol)
Oxygen required?	No (anaerobic)
Input	One molecule of glucose (6 carbons)
Output (per glucose)	2 pyruvate (3 carbons each), 2 ATP (net gain), 2 NADH
Key points	Glucose is split into two three-carbon molecules; small amount of ATP captured
Enzymes involved	Hexokinase, phosphofructokinase, pyruvate kinase, and others

Glycolysis

image source: ibiologia.com



Stage 2: Formation of Acetyl Coenzyme A

Before entering the citric acid cycle, pyruvate must be converted into acetyl CoA. This step connects glycolysis to the rest of aerobic respiration.

Feature	Explanation
Location	Mitochondrial matrix
Oxygen required?	Yes (indirectly; this step only occurs in aerobic conditions)
Input (per glucose)	2 pyruvate (from glycolysis)
Output (per glucose)	2 acetyl CoA, 2 CO_2 , 2 NADH
Key points	Each pyruvate loses one carbon as CO_2 ; remaining two-carbon acetyl group attaches to coenzyme A


Feature	Explanation
Enzymes involved	Pyruvate dehydrogenase complex

Stage 3: Citric Acid Cycle (Krebs Cycle)

The citric acid cycle completes the breakdown of glucose by oxidizing acetyl CoA to carbon dioxide.

Feature	Explanation
Location	Mitochondrial matrix
Oxygen required?	Yes (indirectly; cycle requires NAD^+ and FAD , which are regenerated by electron transport chain)
Input (per glucose)	2 acetyl CoA (each enters separately)
Output (per glucose)	4 CO_2 , 6 NADH , 2 FADH_2 , 2 ATP
Key points	Each turn of the cycle processes one acetyl CoA; two turns per glucose molecule; carbon atoms are released as CO_2
Enzymes involved	Citrate synthase, isocitrate dehydrogenase, succinate dehydrogenase, and others

The Krebs Cycle



Stage 4: Electron Transport Chain and Chemiosmosis

The electron transport chain (ETC) and chemiosmosis work together to produce the vast majority of ATP from cellular respiration.

Feature	Explanation
Location	Inner mitochondrial membrane


Feature	Explanation
Oxygen required?	Yes (oxygen is the final electron acceptor)
Input	NADH and FADH ₂ (from previous stages), O ₂
Output	Approximately 34 ATP, H ₂ O
Key points	Electrons from NADH and FADH ₂ are passed through protein complexes; energy is used to pump protons (H ⁺) into intermembrane space; protons flow back through ATP synthase, driving ATP production
Role of oxygen	Oxygen accepts electrons at the end of the chain, combining with H ⁺ to form water

Chemiosmosis Explained

Chemiosmosis is the process by which ATP is produced using the energy of a proton gradient.

Step	Explanation
1	Electron transport chain pumps H ⁺ from matrix into intermembrane space
2	This creates a high concentration of H ⁺ in intermembrane space (proton gradient)
3	H ⁺ flows back into matrix through ATP synthase (a protein channel and enzyme)
4	The flow of H ⁺ causes ATP synthase to spin, adding phosphate to ADP → ATP

Electron Transport



An additional 32 to 34 ATP molecules are produced in the electron transport stage, so each glucose molecule yields about 36 to 38 ATP molecules during cellular respiration.

Total ATP Yield from One Glucose Molecule

Stage	ATP Produced (Direct)	ATP from NADH	ATP from FADH ₂
Glycolysis	2 ATP (net)	2 NADH → ~5 ATP	0
Acetyl CoA formation	0	2 NADH → ~5 ATP	0
Citric acid cycle	2 ATP	6 NADH → ~15 ATP	2 FADH ₂ → ~3 ATP
Electron transport chain	0	(included above)	(included above)

Stage	ATP Produced (Direct)	ATP from NADH	ATP from FADH ₂
TOTAL	4 ATP	~25 ATP	~3 ATP
GRAND TOTAL		~32-34 ATP per glucose	

Part 5: Aerobic vs. Anaerobic Respiration

Aerobic respiration requires oxygen. Anaerobic respiration (fermentation) occurs without oxygen. They differ in steps, ATP production, and byproducts.

Comparison of Aerobic and Anaerobic Respiration

Feature	Aerobic Respiration	Anaerobic Respiration (Fermentation)
Oxygen required?	Yes	No
Location	Cytoplasm + mitochondria	Cytoplasm only
Steps	Glycolysis → Acetyl CoA → Citric acid cycle → ETC + chemiosmosis	Glycolysis only, then fermentation to regenerate NAD ⁺
ATP produced per glucose	~32-34 ATP	2 ATP (net)
Byproducts	CO ₂ and H ₂ O	Lactic acid (animals) or ethanol + CO ₂ (yeast, plants)

Feature	Aerobic Respiration	Anaerobic Respiration (Fermentation)
Efficiency	Very high (captures ~34% of glucose's energy)	Very low (captures only ~2% of glucose's energy)
Where it occurs	Most eukaryotic cells (with oxygen present)	Muscle cells (during intense exercise), yeast, some bacteria

Anaerobic Respiration (Fermentation) in Detail

When oxygen is absent, the electron transport chain cannot function. NADH cannot be converted back to NAD^+ . Without NAD^+ , glycolysis stops. Fermentation solves this problem by regenerating NAD^+ .

Type of Fermentation	Organisms	Process	Byproducts
Lactic acid fermentation	Animal muscle cells (during intense exercise), some bacteria	Pyruvate $\rightarrow$ lactate (lactic acid), $\text{NADH} \rightarrow \text{NAD}^+$	Lactic acid
Alcoholic fermentation	Yeast, some plants, some bacteria	Pyruvate $\rightarrow$ ethanol + CO_2 , $\text{NADH} \rightarrow \text{NAD}^+$	Ethanol + CO_2

Why Anaerobic Respiration Produces Less ATP

Reason	Explanation
No electron transport chain	Without ETC, most of the energy in glucose remains in the bonds of pyruvate (or fermentation byproducts)
No citric acid cycle	Acetyl CoA cannot be processed without NAD^+ and FAD regenerated by ETC

Reason	Explanation
Glycolysis only	Only 2 ATP are captured directly from substrate-level phosphorylation in glycolysis

Part 6: How Cellular Respiration Provides Energy for Everyday Activities

Scientists use various sources of information — including exercise physiology studies, metabolic rate measurements, and clinical observations — to understand how cellular respiration powers daily life. The evidence shows that different activities demand different amounts of ATP, which are supplied by aerobic or anaerobic respiration depending on intensity and duration.

ATP Demand for Everyday Activities

Activity	Primary Energy System	ATP Demand	Explanation
Sleeping	Aerobic	Low	Body is at rest; ATP used for basal metabolism (heartbeat, breathing, cell repair, brain function)
Thinking (brain activity)	Aerobic	Moderate	The brain uses ~20% of the body's total ATP despite being only 2% of body mass
Digesting food	Aerobic	Low to moderate	Smooth muscle contractions, enzyme production, and nutrient absorption require ATP

Activity	Primary Energy System	ATP Demand	Explanation
Walking	Aerobic	Moderate	Leg muscles use aerobic respiration for sustained activity
Running (jogging)	Aerobic	High	Steady supply of oxygen supports continuous ATP production
Sprinting (all-out)	Anaerobic (lactic acid)	Very high (fast)	Oxygen cannot be delivered fast enough; muscles rely on glycolysis + lactic acid fermentation
Weight lifting	Anaerobic (lactic acid)	Very high (brief)	Short, intense bursts of activity use stored ATP and anaerobic pathways

How Scientists Study Cellular Respiration in Humans

Source of Information	What It Tells Us
VO ₂ max testing (maximum oxygen consumption)	Measures the maximum rate of aerobic respiration during intense exercise
Blood lactate measurements	Indicates when muscles switch from aerobic to anaerobic respiration (lactate threshold)
Respiratory exchange ratio (CO ₂ produced / O ₂ consumed)	Reveals which fuel (carbohydrates vs. fats) is being used for ATP production
Calorimetry (measuring heat production)	Directly measures energy expenditure because cellular respiration releases heat
Heart rate monitoring	Heart rate correlates with oxygen delivery

Examples of Cellular Respiration Powering Daily Life

Activity	How Cellular Respiration Powers It
Running a marathon	Leg muscles use aerobic respiration to produce ATP continuously over hours; fatty acids and glucose are broken down with oxygen
Sprinting 100 meters	Muscles use anaerobic respiration (lactic acid fermentation) because oxygen delivery cannot keep up; ATP is produced rapidly but only for 10-15 seconds
Thinking and studying	Brain neurons use aerobic respiration exclusively; glucose is the primary fuel; ATP powers ion pumps that maintain nerve signals
Digesting a meal	Smooth muscle cells in the stomach and intestines use aerobic respiration to contract and move food; enzyme-producing cells use ATP to synthesize and secrete digestive enzymes
Recovering after exercise	The body continues aerobic respiration at an elevated rate to repay oxygen debt, convert lactic acid back to glucose, and replenish ATP stores

Real-World Connection: Why You Breathe Heavily After Sprinting

After intense anaerobic exercise, you continue breathing heavily even though you have stopped moving. This is called excess post-exercise oxygen consumption (EPOC). The extra oxygen is used for:

Use of Oxygen After Exercise	Purpose
Convert lactic acid back to glucose (in the liver)	Requires ATP (made aerobically)
Replenish ATP stores in muscles	Aerobic respiration

Replenish oxygen stored in hemoglobin and myoglobin

Return body temperature to normal

Restoring oxygen reserves

Heat from metabolism must be balanced

Key Terms

Term	Definition
Cellular respiration	The chemical reaction that converts chemical energy (glucose) into usable energy (ATP)
ATP	Adenosine triphosphate; the energy currency of the cell
Aerobic respiration	Respiration that requires oxygen; produces ~32-34 ATP per glucose
Anaerobic respiration (fermentation)	Respiration without oxygen; produces only 2 ATP per glucose
Glycolysis	First stage of respiration; occurs in cytoplasm; splits glucose into two pyruvate molecules
Acetyl CoA	Two-carbon molecule formed from pyruvate; enters the citric acid cycle
Citric acid cycle (Krebs cycle)	Second stage of aerobic respiration; occurs in mitochondrial matrix; produces NADH, FADH ₂ , CO ₂ , and ATP
Electron transport chain (ETC)	Series of proteins in the inner mitochondrial membrane; transfers electrons and pumps protons
Chemiosmosis	Process using proton gradient to drive ATP synthesis via ATP synthase
Mitochondria	Organelle where aerobic respiration occurs (except glycolysis)
Cristae	Folds of the inner mitochondrial membrane; increase surface area for ETC

Term	Definition
Matrix	Fluid-filled inner compartment of mitochondria; contains citric acid cycle enzymes
NADH and FADH ₂	Electron carriers that deliver electrons to the electron transport chain
Lactic acid fermentation	Anaerobic respiration in animal muscles; produces lactic acid
Alcoholic fermentation	Anaerobic respiration in yeast and some plants; produces ethanol and CO ₂

Review Questions

1. In your own words, explain what cellular respiration is. Your answer must state that cellular respiration converts chemical energy into usable forms of energy (ATP).
2. Draw a labeled diagram showing the four main stages of aerobic respiration: glycolysis, formation of acetyl coenzyme A, the citric acid cycle, and the electron transport chain with chemiosmosis. Your diagram must include the location of each stage and the inputs and outputs of each stage.
3. Describe what happens during glycolysis. Include the location, whether oxygen is required, the input molecule, and the outputs (net ATP, NADH, and pyruvate).
4. Describe what happens during the formation of acetyl coenzyme A. Include the location, the input molecule, the outputs, and why this step is considered a connecting step between glycolysis and the citric acid cycle.
5. Describe what happens during the citric acid cycle (Krebs cycle). Include the location, the input molecule, the outputs (per glucose molecule), and the fate of the carbon atoms.
6. Describe what happens during the electron transport chain and chemiosmosis. Include the location, the role of oxygen, how a proton gradient is created, how ATP synthase uses the gradient to make ATP, and the final products.
7. Explain the importance of ATP as the energy carrier in cells. Your answer must describe the structure of ATP (three phosphates), how it releases energy ($\text{ATP} \rightarrow \text{ADP} + \text{P}_i$), and how it is recycled.
8. Explain the role of enzymes in cellular respiration. Your answer must state that enzymes lower activation energy, are specific to each reaction, and are regulated by feedback inhibition.
9. Describe how the structure of mitochondria relates to their function in cellular respiration. Your answer must include the following structures and explain how each supports respiration: outer membrane, inner membrane, cristae, matrix, and intermembrane space.
10. Differentiate between aerobic and anaerobic respiration. Complete the following comparison in your answer:

Feature	Aerobic Respiration	Anaerobic Respiration (Fermentation)
Oxygen required?		
Location in cell		
Steps (list main stages)		
ATP produced per glucose		
Byproducts		

11. Using information from secondary sources, explain how cellular respiration provides energy for everyday activities. Your answer must include specific examples for each of the following activities: running (sprinting vs. marathon), thinking, and digesting food. For each activity, state whether aerobic or anaerobic respiration is primarily used and why.

12. Application question: A runner completes a 400-meter sprint and then rests. During the sprint, the runner's muscles used anaerobic respiration. After the sprint, the runner continues breathing heavily for several minutes. Explain why the runner continues to breathe heavily after stopping. Use the terms oxygen debt (EPOC), lactic acid, and aerobic respiration in your answer.