Sec 19 , Group 2

1.	1. The probability of a leap year selected at random contain 53									
S	unday is:									
		(b) 1/7								
2.	A bag contair	ns 3 red and 2 l	olue marbles. <i>A</i>	A marble is drawn at						
ra	andom. The pro	bability of drav	wing a black ba	all is :						
	(a) 3/5	(b) 2/5	(c) $0/5$	(d) 1/5						
3.	. The probabili	ty that it will ra	in tomorrow is	0.85. What is the						
pı	probability that it will not rain tomorrow									
	` '	` '		(d) none of these						
	•	•		cted from the numbers						
(1	l, <mark>2, 3,</mark> .,1	•								
		(b) 4/5	, ,	• •						
5.				ow three coins?						
	` '	(b) 5		• •						
	•	•	e number selec	ted at random from the						
n	umbers (1,2,3,	•								
				5 (d) none of these						
7.	. The sum of the	•								
	, ,	(b) 1 (c)	• • •							
	8. The following probabilities are given; choose the correct answer									
fc	or that which is									
				(d) none of these.						
			nultaneously, t	han the probability of						
g	etting at least t	•		(1) 4 (0)						
	, ,	(b) 3/8		• •						
				ters of the word						
•				e letter chosen has:						
	(a) 6/13	(b) 7/13	(c) 1	(d) none of these.						
	a									
		-		etting an even number.						
(A	A) 2/3	(B) 1	(C) 5/6	(D) 1/2						
1	2 Two soins o	ro thrown at the	o como timo. E	ind the probability of						
	12. Two coins are thrown at the same time. Find the probability of									
_	etting both hea		(D) 0							
(F	A) 3/4 (B) 1/4	(C) 1/2	(D) 0							
1	3 Two dice are	thrown eimult	aneously The	nrohability of getting a						

1

sum of 9 is:

(A) 1/10	(B) 3/10	(C) 1/9	(D) 4	1/9				
14. 100 cards are numbered from 1 to 100. Find the probability of getting a prime number.								
(A) 3/4	(B) 27/50	(C) 1/4	(D) 29/100				
15. A bag contains 5 red balls and some blue balls .If the probability of drawing a blue ball is double that of a red ball, then the number of blue balls in a bag is:								
(A) 5	(B) 10	(C) 15	(D) 20					
16. A box of 600 bulbs contains 12 defective bulbs. One bulb is taken out at random from this box. Then the probability that it is non-defective bulb is: (A) 143/150 (B) 147/150 (C) 1/25 (D) 1/50								
17. Cards marked with numbers 2 to 101 are placed in a box and mixed thoroughly. One card is drawn from this box randomly, then the probability that the number on card is a perfect square. (A) 9/100 (B) 1/10 (C) 3/10 (D) 19/100								
18. What is the probability of getting 53 Mondays in a leap year? (A) 1/7 (B) 53/366 (C) 2/7 (D) 7/366								
19. A card is drawn from a well shuffled deck of 52 cards. Find the probability of getting a king of red suit. (A) 1/26 (B) 3/26 (C) 7/52 (D) 1/13								
20. A game of chance consists of spinning an arrow which is equally likely to come to rest pointing to one of the number $\{1,3,5,7,9,11\}$ 1,2,312 ,then the probability that it will point to an odd number is: = 0.5 (A) 1/6 (B) 1/12 (C) 7/12 (D) 5/12								
21. A game consists of tossing a one rupee coin 3 times and noting its outcome each time. Aryan wins if all the tosses give the same result i.e. three heads or three tails and loses otherwise. Then the probability that Aryan will lose the game. (A) 3/4 (B) 1/2 (C) 1 (D) 1/4								

22. Riya and Kajal are friends. Probability that both will have the same birthday is the same birthday is:							
(A) 364/36	55 (E	3) 31/365	(C) 1/365	5	(D) 1/133225		
2. Then th	e probabili	osen at ran ty that x ² < 1 (C) 3/5	2 is?	ne numbers	s -2, <u>-1, 0 , 1,</u>		
24. A jar contains 24 marbles. Some are red and others are white. If a marble is drawn at random from the jar, the probability that it is red is 2/3, then the number of white marbles in the jar is: (A) 10 (B) 6 (C) 8 (D) 7							
25. A number is selected at random from first 50 natural numbers. Then the probability that it is a multiple of 3 and 4 is: (A) 7/50 (B) 4/25 (C) 1/25 (D) 2/25							
26. Consider a dice with the property that that probability of a face with n dots showing up is proportional to n. The probability of face showing 4 dots is?							
a) $\frac{1}{7}$	b) $\frac{5}{42}$	2	c) $\frac{1}{21}$	d) $\frac{4}{21}$	•		
27. Runs scored by batsman in 5 one day matches are 50, 70, 82, 93, and 20. The standard deviation is							
The second secon		49			25.69		
28. Find median and mode of the messages received on 9 consecutive days 15, 11, 9, 5, 18, 4, 18, 13, 17. a) 13, 15 b) 13, 18 c) 18, 15 d) 13, 16							
29. A coin is tossed up 4 times. The probability that tails turn up in							
3 cases is	•	-	-	-	-		
a) $\frac{1}{2}$ b) $\frac{1}{3}$ c) $\frac{1}{4}$ d) $\frac{1}{6}$ 30. X is a variate between 0 and 3. The value of E(X²) is a) 8 b) 7 c) 27 d) 9							
31. The random variables X and Y have variances 0.2 and 0.5							

respectively. Let Z= 5X-2Y. The variance of Z is?

32.Out of the probability?		lues, which	one is not possil	ole in		
a) $P(x) = 1$	b) ∑ x F d) P(x)	P(x) = 3 0 = -0.5				
33.If E(x) =	2 and E(z) = 4, b) 6	then E(z - z	•	ıfficient data		
34.The cova	ariance of two i	ndependen	t random variable	e is		
a) 1	b) 0	c) - 1	d) Und	lefined		
35.If Σ P(x) a) 0	= k² – 8 then, t b) 1	the value of c) 3		ufficient data		
36.If P(x) = a) 1	0.5 and x = 4, t b) 0.5	hen E(x) = ? c) 4	d) 2			
37.In a disc is always?	rete probability	distribution	n, the sum of all $_{\parallel}$	probabilities		
a) 0	b) Infinite	c) 1	d) Unde	efined		
38.If the probability of hitting the target is 0.4, find mean and variance.						
	b) 0.6, 0	.24	c) 0.4, 0.16	d) 0.6, 0.16		
-	-	nbs are dro	ped from a place oped, find mean a 4, 0.16			
 40. Find the mean of tossing 8 coins. a) 2 b) 4 c) 8 d) 1 41. What is the mean and variance for standard normal distribution? 						

c) 5

d) 7

a) 3

b) 4

		and varia		•					
42. Variance of a random variable X is given by a) $E(X)$ b) $E(X2)$ c) $E(X2)$ – $(E(X))2$ d) $E(X)$									
43.Mean of a random variable X is given by a) E(X)									
	44.Mean of a constant 'a' is a) 0								
45.Variance of a constant 'a' is . (a) 0 b) a c) a/2 d) 1									
46.Find the mean and variance of X?									
	Х	0	1	2	3	4			
	f(x)	1/9	2/9	3/9	2/9	1/9			
a) 2,	a) 2, 4/3 b) 3, 4/3 c) 2, 2/3 d) 3, 2/3								

47. Find the expectation of a random variable X?

	Х	0	1	2	3	
	f(x)	1/6	2/6	2/6	1/6	
a) ().5		b) 1.5		c) 2.5	d) 3.5

48. In a Binomial Distribution, if p, q and n are probability of success, failure and number of trials respectively then variance is given by

- 49. If 'X' is a random variable, taking values 'x', probability of success and failure being 'p' and 'q' respectively and 'n' trials being conducted, then what is the probability that 'X' takes values 'x'? Use **Binomial Distribution.**
- a) P(X = x) = nCx px qx
- b) P(X = x) = nCx px q(n-x)
- c) P(X = x) = xCn qx p(n-x)
- d) P(x = x) = xCn pn qx
- 50. If 'p', 'q' and 'n' are probability pf success, failure and number of trials respectively in a Binomial Distribution, what is its Standard **Deviation?**

- a) \sqrt{np} b) \sqrt{pq} c) (np)2
- d) \sqrt{npq}