Ćw 5

```
C:\Users\vdi-terminal>curl http://127.0.0.1:5000
<!DOCTYPE html>
<html lang="en">
<head>
    <meta charset="UTF-8">
    <title>FlaskBlog</title>
</head>
<body>
    <h1>Welcome to FlaskBlog</h1>
</body>
</html>
C:\Users\vdi-terminal>
```

```
C:\Users\vdi-terminal>curl http://127.0.0.1:5000/hello
<!doctype html>
<html lang=en>
<title>Redirecting...</title>
<h1>Redirecting...</h1>
<p>You should be redirected automatically to the target URL: <a href="http://127.0.0.1:5000/hello/">http://127.0.0.1:5000/hello/</a>. If
not, click the link.
```

```
:\Users\vdi-terminal>curl http://127.0.0.1:5000/hello/
!doctype html>
title>Hello from Flask</title>

  <h1>Hello, World!</h1>

:\Users\vdi-terminal>
```

```
C:\Users\vdi-terminal>curl http://127.0.0.1:5000/hello/Jakub_Zietek
<!doctype html>
<title>Hello from Flask</title>

  <h1>Hello Jakub_Zietek!</h1>

C:\Users\vdi-terminal>
```

Ćw 6

Przed:

```
:\Users\vdi-terminal>curl http://127.0.0.1:5000/hello/
!doctype html>
title>Hello from Flask</title>

  <h1>Hello, World!</h1>

:\Users\vdi-terminal>
```

Po:

```
C:\Users\vdi-terminal>curl http://127.0.0.1:5000/hello/
<!doctype html>
<title>Hello from Flask</title>

  <h1>Hello Jakub_Zietek!</h1>
```

Zmiana z World na Jakub_Zietek

Ćw 9

```
$ make pylint
python -m pylint app.py # sam pylint app.py nie dziala
************* Module app
app.py:1:0: C0114: Missing module docstring (missing-module-docstring)
app.py:7:0: C0116: Missing function or method docstring (missing-function-docstr
ing)
app.py:13:0: C0116: Missing function or method docstring (missing-function-docst
ring)
app.py:2:0: W0611: Unused escape imported from markupsafe (unused-import)

-----------------------------------------------------------------
Your code has been rated at 4.29/10 (previous run: 4.29/10, +0.00)

make: *** [Makefile:6: pylint] Error 20
```