VS ValuSignal 2026

REAL ESTATE AGENT GUIDE

What You Need to Know Before November 2, 2026

UAD 3.6 is the biggest change to the appraisal report format in over a decade. Here is the agent-side playbook for fewer delays, stronger ROVs, and full credit on upgrades.

NOV
02
2026

Mandate Date

Starting November 2, 2026, all appraisal reports delivered for loans sold to Fannie Mae or Freddie Mac must use UAD 3.6 — the redesigned dataset and forms framework.

📋 OVERVIEW

What Is Actually Changing?

UAD 3.6 updates how appraisal information is captured and delivered through the GSE system. You will see a redesigned dynamic URAR built around more structured data and clearer section organization — so reviewers can validate key facts faster and request corrections more precisely.

🔄

Fewer Preventable Revisions

More standardized fields and clearer section-level feedback reduce hunt-and-guess correction cycles.

⚖️

Cleaner ROV Outcomes

A structured table for documenting analyzed-but-not-used comps makes disagreements easier to resolve.

🌱

Green Features Get Visibility

Dedicated sections for energy efficiency, green features, and disaster mitigation when applicable.

TIMELINE

The UAD 3.6 Rollout

The transition is phased. We are currently in broad production — lenders can submit UAD 3.6 now, and some AMCs are already moving early to stabilize their workflows.

LIMITED PRODUCTION

Sept 8, 2025 – Jan 25, 2026

Initial rollout with select participants testing the new format.

BROAD PRODUCTION (WE ARE HERE)

Jan 26, 2026 – Nov 1, 2026

Industry can submit UAD 3.6. Early adopters stabilizing workflows now.

MANDATORY

November 2, 2026

All new GSE-bound submissions must use UAD 3.6. This is the line.

RETIREMENT

May 3, 2027

UAD 2.6 pipeline revisions no longer accepted.

What This Means During 2026

Adoption will not feel uniform across the market at first. Some lenders and AMCs will move early; others will wait. Your best protection is consistency: deliver a valuation-ready package every time so the appraisal file stays stable regardless of vendor or format version.

🔍 THE NEW REPORT

What Looks Different in UAD 3.6

Five key changes agents should understand to navigate the redesigned appraisal report.

1. **Dynamic URAR Replaces Legacy Form Layouts**
   The redesigned URAR presents sections based on what is relevant to the assignment and property. Less time locating information across different legacy form formats.

2. **More Standardized Data Fields = Cleaner Corrections**
   Increased structured reporting and defined inputs mean underwriters and reviewers can validate key details faster and point corrections to specific sections.

3. **Submission Summary Report Becomes a Sharper Fix List**
   Feedback aligns with the redesigned URAR structure. You will see more precise resolve-this-item requests tied to exact report sections.

4. **Additional Properties Analyzed Not Used Table**
   A dedicated table where appraisers log transactions they considered and screened out — with fields for address, sale date/status, reason not used, and comments. This makes ROVs dramatically more transparent.

5. **Two New Sections for Upgraded Homes**
   Section 5: Disaster Mitigation and Section 6: Energy Efficient and Green Features use pick-list structures. If no relevant features apply, the section stays minimal.

🎯 **Agent Takeaway**

Suggested comps in an ROV can now be evaluated and documented transparently in the report, so the lender/underwriter sees the appraiser logic without a long back-and-forth.

🏆 AGENT PLAYBOOK

Fewer Delays + Stronger ROVs

Your three-step workflow for every transaction under the new format.

A Send a Valuation-Ready Package Within 24 Hours

CONTRACT CLARITY

- ✓ Executed contract + all addenda
- ✓ Concessions/credits — amount and purpose
- ✓ Repair agreements / amendments

PROPERTY FACTS (REDUCE PREVENTABLE CORRECTIONS)

- ✓ MLS sheet — public + private remarks
- ✓ HOA/condo details: dues, assessments, restrictions
- ✓ Additions/ADUs: permits, COs, legal use docs (when available)

UPGRADES — MAKE IT SCANNABLE

Provide a one-page table the appraiser can reference instantly:

UPGRADE	YEAR	COST (IF KNOWN)	WHY IT MATTERS
Kitchen remodel	*2024*	*$38,000*	*Full gut — quartz, soft-close, panel-ready appliances*
Roof replacement	*2023*	*$12,500*	*30-yr architectural shingle, impact-rated*

MARKET SUPPORT (COMP INTELLIGENCE)

- ✓ 3–6 relevant comps with 1–2 line notes each
- ✓ State similarity and key differences — factual and specific

B Inspection Day: Access + Evidence

- ✓ Remove access friction — codes, lockbox, tenant coordination handled in advance
- ✓ Provide the upgrade/green documentation packet as one labeled PDF or folder

C ROV Workflow — Easier Under UAD 3.6

ROVs work best when they focus on factual corrections and market-supported transactions. UAD 3.6 helps because the Additional Properties Analyzed Not Used table lets you see what the appraiser already considered.

🗺️

YOUR ROV ROADMAP

Step 1: Check if your suggested comp is already listed as analyzed-not-used. If it is, read the stated reason and decide if you have a fact correction or need a different comp.
Step 2: If it is not listed, submit it as additional market support and request it be evaluated.
Step 3: Keep it tight — 2–5 comps max, plus documentation for the exact facts you want reviewed.

✉️ ROV REQUEST TEMPLATE (UAD 3.6-AWARE)

```
Subject: Reconsideration of Value Request – Additional Property Details
/ Market Data (UAD 3.6)
```

Hello,

Please review the attached documentation for [Property Address] . We are requesting consideration of:

Property detail clarification: [specific detail] supported by [permit/receipt/photo/solar agreement] .

Additional market support: The attached transactions at [addresses] reflect [same neighborhood tier / similar GLA / similar quality / similar energy features] .

Key similarities: [detail] | **Key differences:** [detail]

If any suggested transactions are determined to be less comparable, please consider documenting them in the Additional Properties Analyzed Not Used section with the reason and brief comment so the analysis is clear in the report structure.

🌿 GREEN ENERGY + RESILIENCY

How to Get Full Credit

UAD 3.6 adds Section 6 (Energy Efficient and Green Features) and Section 5 (Disaster Mitigation) with structured pick lists. When features are present and documented, they are easier to capture consistently.

The Green Documentation Bundle

1 — SOLAR / RENEWABLE

Solar and Renewable Energy

- Ownership type: Owned / Leased / PPA
- System size (kW), install date, warranties
- Inverter/battery details (if applicable)
- Contract terms for leased/PPA systems

2 — CERTIFICATIONS

Certifications and Ratings

- HERS report or ENERGY STAR documentation
- Other recognized program certificates
- Issuer + date + homeowner docs bundle

3 — EFFICIENCY

Efficiency Upgrades

- HVAC efficiency specs + install date
- Insulation/windows — type + year
- Water heater type
- Air sealing/envelope improvements
- Optional: utility summaries

Resilience Upgrades (Section 5: Disaster Mitigation)

Document items that reduce risk and impact. What is relevant varies by market:

🏠 Roof Rating | 🪟 Impact-Resistant Openings | 🌲 Defensible Space | 🌩️ Storm Features | 🌊 Flood Mitigation | 📄 Certification Paperwork

⚠️ WATCH-OUT

Visibility Does Not Equal Automatic Value

Green features gain visibility through structured capture, but market impact still depends on credible market support and analysis. Documentation and comp selection strategy matter.

⚠️ WATCH-OUT

Solar Ownership Changes Buyer Reaction

Owned vs. leased vs. PPA systems affect how buyers respond in many markets. Provide solar agreements early so the analysis aligns with actual buyer behavior.

Go Deeper at ValuSignal 2026

The Agent Track covers lender adoption patterns, comp strategy, ROV workflows, and pricing positioning — all designed for the new UAD 3.6 reporting structure.

🎓 **Real Estate Agent Track: UAD 3.6 + Professional Residential Property Pricing Strategy**

ROV Workflows | Comp Strategy | Pricing Positioning | Transition Planning