

AGNEL INSTITUTE OF TECHNOLOGY AND DESIGN

Query 1: Write a SQL statement to create a simple table country including columns country_id, country_name and region_id.

```
MariaDB [22co11]> create table country
-> (country_id varchar(20), country_name varchar(20) unique, region_id int(10));
Query OK, 0 rows affected (4.599 sec)
```

Query 2: Display the structure of country table

```
MariaDB [22co11]> describe country;
+-----+-----+-----+-----+-----+-----+
| Field          | Type          | Null | Key | Default | Extra |
+-----+-----+-----+-----+-----+-----+
| country_id     | varchar(20)   | YES  |     | NULL    |       |
| country_name   | varchar(20)   | YES  | UNI | NULL    |       |
| region_id      | int(10)       | YES  |     | NULL    |       |
+-----+-----+-----+-----+-----+-----+
3 rows in set (0.220 sec)
```

Query 3: Write a SQL statement to create a duplicate copy of countries table including structure and data by name dup_country.

```
MariaDB [22co11]> create table dup_country like country;
Query OK, 0 rows affected (0.415 sec)
```

Query 4: Display the structure of dup_country table

```
MariaDB [22co11]> describe dup_country;
+-----+-----+-----+-----+-----+-----+
| Field          | Type          | Null | Key | Default | Extra |
+-----+-----+-----+-----+-----+-----+
| country_id     | varchar(20)   | YES  |     | NULL    |       |
| country_name   | varchar(20)   | YES  | UNI | NULL    |       |
| region_id      | int(10)       | YES  |     | NULL    |       |
+-----+-----+-----+-----+-----+-----+
3 rows in set (0.153 sec)
```

AGNEL INSTITUTE OF TECHNOLOGY AND DESIGN

Query 5 : Write a SQL statement to create a table named jobs including columns job_id(primary key), job_title (Not Null and unique), min_salary, max_salary and check whether the max_salary amount exceeding the upper limit 25000.

```
MariaDB [22co66]> create table jobs(job_id int(5) primary key,job_title varchar(30) not null unique,min_salary int(6),max_salary int(9) check (max_salary>25000));
Query OK, 0 rows affected (0.306 sec)
```

Query 6: Display the structure of jobs table

```
MariaDB [22co66]> desc jobs;
+-----+-----+-----+-----+-----+-----+
| Field      | Type          | Null | Key | Default | Extra |
+-----+-----+-----+-----+-----+-----+
| job_id     | int(5)        | NO   | PRI | NULL    |       |
| job_title  | varchar(30)   | NO   | UNI | NULL    |       |
| min_salary | int(6)        | YES  |     | NULL    |       |
| max_salary | int(9)        | YES  |     | NULL    |       |
+-----+-----+-----+-----+-----+-----+
4 rows in set (0.012 sec)
```

Query 7: Write a SQL statement to rename the table country to country_new.

```
MariaDB [22co11]> rename table country to country_new;
Query OK, 0 rows affected (0.796 sec)

MariaDB [22co11]>
```

Query 8: Display the structure of country_new table

```
MariaDB [22co11]> describe country_new;
+-----+-----+-----+-----+-----+-----+
| Field      | Type          | Null | Key | Default | Extra |
+-----+-----+-----+-----+-----+-----+
| country_id | varchar(20)   | YES  |     | NULL    |       |
| country_name | varchar(20)   | YES  |     | NULL    |       |
| region_id  | int(10)       | YES  |     | NULL    |       |
+-----+-----+-----+-----+-----+-----+
3 rows in set (0.189 sec)
```

AGNEL INSTITUTE OF TECHNOLOGY AND DESIGN

Query 9: Write a SQL statement to add a column area to the table country_new.

```
MariaDB [22co11]> alter table country_new add column area int(10);
Query OK, 0 rows affected (0.182 sec)
Records: 0 Duplicates: 0 Warnings: 0
```

10 : Display the structure of country_new table

```
MariaDB [22co11]> describe country_new;
+-----+-----+-----+-----+-----+-----+
| Field      | Type      | Null | Key | Default | Extra |
+-----+-----+-----+-----+-----+-----+
| country_id | varchar(20) | YES  |     | NULL    |       |
| country_name | varchar(20) | YES  | UNI | NULL    |       |
| region_id  | int(10)    | YES  |     | NULL    |       |
| area       | int(10)    | YES  |     | NULL    |       |
+-----+-----+-----+-----+-----+-----+
4 rows in set (0.532 sec)
```

Query 11 : Perform the following on country_new table

a. Add primary key constraint to country_id field.

```
MariaDB [22co11]> alter table country_new add primary key (country_id);
Query OK, 0 rows affected (2.129 sec)
Records: 0 Duplicates: 0 Warnings: 0
```

b. Display the structure of country_new table

```
MariaDB [22co11]> describe country_new;
+-----+-----+-----+-----+-----+-----+
| Field      | Type      | Null | Key | Default | Extra |
+-----+-----+-----+-----+-----+-----+
| country_id | varchar(20) | NO   | PRI | NULL    |       |
| country_name | varchar(20) | YES  | UNI | NULL    |       |
| region_id  | int(10)    | YES  |     | NULL    |       |
| area       | int(10)    | YES  |     | NULL    |       |
+-----+-----+-----+-----+-----+-----+
4 rows in set (0.904 sec)
```

c. Modify the length of country_id field to adding more 5 digits

```
MariaDB [22co11]> alter table country_new modify country_id varchar(25);
Query OK, 0 rows affected (0.182 sec)
Records: 0 Duplicates: 0 Warnings: 0
```

AGNEL INSTITUTE OF TECHNOLOGY AND DESIGN

d. Display the structure of country_new table

```
MariaDB [22co11]> describe country_new;
+-----+-----+-----+-----+-----+-----+
| Field      | Type      | Null | Key | Default | Extra |
+-----+-----+-----+-----+-----+-----+
| country_id | varchar(25) | NO   | PRI | NULL    |       |
| country_name | varchar(20) | YES  | UNI | NULL    |       |
| regionid   | int(10)    | YES  |     | NULL    |       |
+-----+-----+-----+-----+-----+-----+
3 rows in set (0.017 sec)
```

e. Rename the column name region_id to regionid

```
MariaDB [22co11]> alter table country_new change region_id regionid int(10);
Query OK, 0 rows affected (0.917 sec)
Records: 0 Duplicates: 0 Warnings: 0
```

f. Display the structure of country_new table

```
MariaDB [22co11]> describe country_new;
+-----+-----+-----+-----+-----+-----+
| Field      | Type      | Null | Key | Default | Extra |
+-----+-----+-----+-----+-----+-----+
| country_id | varchar(25) | NO   | PRI | NULL    |       |
| country_name | varchar(20) | YES  | UNI | NULL    |       |
| regionid   | int(10)    | YES  |     | NULL    |       |
| area       | int(10)    | YES  |     | NULL    |       |
+-----+-----+-----+-----+-----+-----+
4 rows in set (0.014 sec)
```

g. Drop column area

```
MariaDB [22co11]> alter table country_new drop column area;
Query OK, 0 rows affected (0.113 sec)
Records: 0 Duplicates: 0 Warnings: 0
```

h. Display the structure of country_new table

```
MariaDB [22co11]> describe country_new;
+-----+-----+-----+-----+-----+-----+
| Field      | Type      | Null | Key | Default | Extra |
+-----+-----+-----+-----+-----+-----+
| country_id | varchar(25) | NO   | PRI | NULL    |       |
| country_name | varchar(20) | YES  | UNI | NULL    |       |
| regionid   | int(10)    | YES  |     | NULL    |       |
+-----+-----+-----+-----+-----+-----+
3 rows in set (0.013 sec)
```

AGNEL INSTITUTE OF TECHNOLOGY AND DESIGN

Query 12 : Insert 5 records in country_new table

```
MariaDB [22co11]> insert into country_new (country_id, country_name,regionid)
-> values('CC','Cocos island','166'),
-> ('CU','cuba','192'),
-> ('CZ','czech republic','203'),
-> ('CR','Costa Rica','188'),
-> ('CK','Cook','184');
Query OK, 5 rows affected (0.085 sec)
Records: 5  Duplicates: 0  Warnings: 0
```

Query 13: Display the details of country_new table

```
CA. Command Prompt - mysql -u root -p
MariaDB [22co11]> select *from country_new;
+-----+-----+-----+
| country_id | country_name | regionid |
+-----+-----+-----+
| CC         | Cocos island | 166      |
| CK         | Cook         | 184      |
| CR         | Costa Rica   | 188      |
| CU         | cuba         | 192      |
| CZ         | czech republic | 203      |
+-----+-----+-----+
5 rows in set (0.029 sec)
```

Query 14 : Truncate country_new

```
MariaDB [22co11]> truncate table country_new;
Query OK, 0 rows affected (0.294 sec)
```

Query 15 : Display the details of country_new table

```
MariaDB [22co11]> select *from country_new;
Empty set (0.000 sec)
```

AGNEL INSTITUTE OF TECHNOLOGY AND DESIGN

Query 16 : Display the structure of country_new table

```
MariaDB [22co11]> describe country_new;
```

Field	Type	Null	Key	Default	Extra
country_id	varchar(25)	NO	PRI	NULL	
country_name	varchar(20)	YES	UNI	NULL	
regionid	int(10)	YES		NULL	

```
3 rows in set (0.017 sec)
```

Query 17 : Drop table country_new

```
MariaDB [22co11]> drop table country_new;
```

Query OK, 0 rows affected (0.078 sec)

Query 18 : Display the structure of country_new table

```
MariaDB [22co11]> describe country_new;
```

ERROR 1146 (42S02): Table '22co11.country_new' doesn't exist

```
MariaDB [22co11]>
```

AGNEL INSTITUTE OF TECHNOLOGY AND DESIGN
