

AGNEL INSTITUTE OF TECHNOLOGY AND DESIGN

Customer

first_name	last_name
Stephen	Jones
Mark	Smith
Denise	King
Paula	Johnson
Richard	Archer

Employee

first_name	last_name
Christina	Jones
Michael	McDonald
Paula	Johnson
Stephen	Jones
Richard	Smith

```
SQL> connect system/system;
Connected.
SQL> create table Customer_22co11
  2  (first_name varchar(20),
  3  last_name varchar(20));
```

Table created.

```
SQL> insert into Customer_22co11(first_name, last_name)
  2  values('Stephen','Jones');
```

1 row created.

```
SQL> insert into Customer_22co11(first_name, last_name)
  2  values('Mark','Smith');
```

1 row created.

```
SQL> insert into Customer_22co11(first_name, last_name)
  2  values('Denise','King');
```

1 row created.

```
SQL> insert into Customer_22co11(first_name, last_name)
  2  values('Paula','Johnson');
```

1 row created.

```
SQL> insert into Customer_22co11(first_name, last_name)
  2  values('Richard','Archer');
```

1 row created.

AGNEL INSTITUTE OF TECHNOLOGY AND DESIGN

```
SQL> create table Employee_22co11
  2  (first_name varchar(20),
  3  last_name varchar(20));
```

Table created.

```
SQL> insert into Employee_22co11(first_name, last_name)
  2  values('Christina','Jones');
```

1 row created.

```
SQL> insert into Employee_22co11(first_name, last_name)
  2  values('Michael','McDonald');
```

1 row created.

```
SQL> insert into Employee_22co11(first_name, last_name)
  2  values('Paula','Johnson');
```

1 row created.

```
SQL> insert into Employee_22co11(first_name, last_name)
  2  values('Stephen','Jones');
```

1 row created.

```
SQL> insert into Employee_22co11(first_name, last_name)
  2  values('Richard','Smith');
```

1 row created.

1. Display the details all customer and employee records.

```
SQL> select * from Customer_22co11;
```

FIRST_NAME	LAST_NAME
Stephen	Jones
Mark	Smith
Denise	King
Paula	Johnson
Richard	Archer

AGNEL INSTITUTE OF TECHNOLOGY AND DESIGN

```
SQL> select * from Employee_22co11;
```

FIRST_NAME	LAST_NAME
Christina	Jones
Michael	McDonald
Paula	Johnson
Stephen	Jones
Richard	Smith

2. Display the details all customer and employee records. Also,

a. Add a value for record_type field called 'Customer' if data coming from Customer table and 'Employee' if data coming from Employee table.

```
SQL> select 'Customer' as record_type, first_name, last_name from Customer_22co11
2 union
3 select 'Employee' as record_type, first_name, last_name from Employee_22co11;
```

RECORD_T	FIRST_NAME	LAST_NAME
Customer	Denise	King
Customer	Mark	Smith
Customer	Paula	Johnson
Customer	Richard	Archer
Customer	Stephen	Jones
Employee	Christina	Jones
Employee	Michael	McDonald
Employee	Paula	Johnson
Employee	Richard	Smith
Employee	Stephen	Jones

10 rows selected.

AGNEL INSTITUTE OF TECHNOLOGY AND DESIGN

b. Order the data by record_type, last_name, first_name; (Note: Separate output to be taken for 2a and 2b)

```
SQL> select 'Customer' as record_type, first_name, last_name from Customer_22co11
2 union
3 select 'Employee' as record_type, first_name, last_name from Employee_22co11
4 order by record_type, last_name, first_name;

RECORD_T FIRST_NAME      LAST_NAME
-----
Customer Richard        Archer
Customer Paula          Johnson
Customer Stephen        Jones
Customer Denise         King
Customer Mark           Smith
Employee Paula          Johnson
Employee Christina      Jones
Employee Stephen        Jones
Employee Michael        McDonald
Employee Richard        Smith

10 rows selected.
```

3. Display the details all customer and employee records where the first name is Richard.

```
SQL> select 'Customer' as record_type, first_name, last_name from Customer_22co11 where first_name='Richard'
2 union
3 select 'Employee' as record_type, first_name, last_name from Employee_22co11 where first_name='Richard';

RECORD_T FIRST_NAME      LAST_NAME
-----
Customer Richard        Archer
Employee Richard        Smith
```

4. Display the details all customer and employee records without removing duplicates(union all)

```
SQL> select 'Customer' as record_type, first_name, last_name from Customer_22co11
2 union all
3 select 'Employee' as record_type, first_name, last_name from Employee_22co11;

RECORD_T FIRST_NAME      LAST_NAME
-----
Customer Stephen        Jones
Customer Mark           Smith
Customer Denise         King
Customer Paula          Johnson
Customer Richard        Archer
Employee Christina      Jones
Employee Michael        McDonald
Employee Paula          Johnson
Employee Stephen        Jones
Employee Richard        Smith

10 rows selected.
```

AGNEL INSTITUTE OF TECHNOLOGY AND DESIGN

5. Find all names (both first name and last name) in the customer table that don't exist in the employee table.(minus)

```
SQL> select 'Customer' as record_type, first_name, last_name from Customer_22co11
2 minus
3 select 'Employee' as record_type, first_name, last_name from Employee_22co11;
```

RECORD_T	FIRST_NAME	LAST_NAME
Customer	Denise	King
Customer	Mark	Smith
Customer	Paula	Johnson
Customer	Richard	Archer
Customer	Stephen	Jones

6. Find all names that are in both the customer and employee table.(intersect)

```
SQL> select first_name, last_name from Customer_22co11
2 intersect
3 select first_name, last_name from Employee_22co11
4 ;
```

FIRST_NAME	LAST_NAME
Paula	Johnson
Stephen	Jones