

AGNEL INSTITUTE OF TECHNOLOGY AND DESIGN

Emp (Employee)

EID	Name	Salary	Hire-date	Job	DID	MID
701	Deepak	8000	5-Jan-2001	Analyst	30	707
702	Naresh	9000	10-Jan-2001	Manager	10	707
703	Sumesh	7000	5-Feb-2001	Salesman	20	705
704	Aditya	9000	27-Nov-2003	Analyst	30	707
705	Lalit	6500	8-Oct-2002	Manager	20	707
706	Amit		4-Nov-2004	Clerk	10	702
707	Vishal	9500	1-Jan-2001	Manager	30	
708	Sumit	8000	6-Jan-2006	Accountant	10	702

FIGURE 7.2. Employee table.

```
SQL> create table Emp_22co11_1(  
2     EID number(3) primary key,  
3     Name varchar(255),  
4     Salary number(6),  
5     Hire_date date,  
6     Job varchar(255),  
7     did number(3),  
8     mid number(3));
```

Table created.

AGNEL INSTITUTE OF TECHNOLOGY AND DESIGN

```
SQL> insert into Emp
  2  values(701,'Deepak',8000,'5-Jan-2001','Analyst',30,707);

1 row created.

SQL> insert into Emp
  2  values(702,'Naresh',9000,'10-Jan-2001','Manager',10,707);

1 row created.

SQL> insert into Emp
  2  values(703,'Sumesh',7000,'5-Feb-2001','Salesman',20,705);

1 row created.

SQL> insert into Emp
  2  values(704,'Aditya',9000,'27-Nov-2003','Analyst',30,707);

1 row created.

SQL> insert into Emp
  2  values(705,'Lalic',6500,'8-Oct-2002','Manager',20,707);

1 row created.

SQL> insert into Emp
  2  values(706,'Amit',null,'4-Nov-2004','Clerk',10,702);

1 row created.

SQL> insert into Emp
  2  values(707,'Vishal',9500,'1-Jan-2001','Manager',30,null);

1 row created.

SQL> insert into Emp
  2  values(708,'Sumit',8000,'6-Jan-2006','Accountant',10,702);

1 row created.
```

```
SQL> select * from emp_22co11_1;

  EID NAME          SALARY HIRE_DATE JOB          DID  MID
-----
  701 Deepak        8000 05-JAN-01 Analyst       30   707
  702 Naresh        9000 10-JAN-01 Manager      10   707
  703 Sumesh        7000 05-FEB-01 Salesman     20   705
  704 Aditya        9000 27-NOV-03 Analyst       30   707
  705 Lalic         6500 08-OCT-02 Manager      20   707
  706 Amit          null   04-NOV-04 Clerk        10   702
  707 Vishal        9500 01-JAN-01 Manager      30
  708 Sumit         8000 06-JAN-06 Accountant   10   702

8 rows selected.
```

AGNEL INSTITUTE OF TECHNOLOGY AND DESIGN

Dept (Department)

DID	DName	Loc	MID
10	Accounts	Bangalore	702
20	Sales	Delhi	705
30	Research	Pune	707
40	Developing	Hyderabad	

FIGURE 7.3. Department table.

```
SQL> create table Dept_22co11_1(  
2 DID number(3) primary key, DName varchar(20), Loc varchar(15), MID number(3));  
Table created.
```

```
SQL> create table Dept_22co11_1(  
2 DID number(3) primary key, DName varchar(20), Loc varchar(15), MID number(3));  
Table created.  
SQL> insert into Dept_22co11_1 values(10, 'Accountants', 'Bangalore', 702);  
1 row created.  
SQL> insert into Dept_22co11_1 values(20, 'Sales', 'Delhi', 705);  
1 row created.  
SQL> insert into Dept_22co11_1 values(30, 'Research', 'Pune', 707);  
1 row created.  
SQL> insert into Dept_22co11_1 values(40, 'Developing', 'Hyderabad', null);  
1 row created.
```

```
SQL> select * from dept_22co11_1;  
  
DID DNAME LOC MID  
-----  
10 Accountants Bangalore 702  
20 Sales Delhi 705  
30 Research Pune 707  
40 Developing Hyderabad
```

AGNEL INSTITUTE OF TECHNOLOGY AND DESIGN

1. List name and salary of only those employees having salary more than any of the employee working as Analyst.

```
SQL> select name,salary from Emp_22co11_1
2  where salary>any(
3  select salary from Emp_22co11_1
4  where job='Analyst');
```

NAME	SALARY
Vishal	9500
Naresh	9000
Aditya	9000

2. List name and salary of only those employees having salary more than every employee working as Analyst.

```
SQL> select name,salary from Emp_22co11_1
2  where salary>all(
3  select salary from Emp_22co11_1
4  where job='Analyst');
```

NAME	SALARY
Vishal	9500

3. Display the employee who got the maximum salary

```
SQL> select Name, Salary
2  from Emp_22co11_1
3  where Salary=(
4  select max(Salary)
5  from Emp_22co11_1);
```

NAME	SALARY
Vishal	9500

AGNEL INSTITUTE OF TECHNOLOGY AND DESIGN

4. Find out the number of employees working in Sales department.

```
SQL> select count(Did)
  2   from Emp_22co11_1
  3   where Did=(
  4     select Did
  5     from Dept_22co11_1
  6     where Dname='Sales');

COUNT(DID)
-----
           2
```

5. Delete the employees who are working in accounts department.

```
SQL> delete from Emp_22co11_1
  2   where Did in(
  3     select Did
  4     from Dept_22co11_1
  5     where Dname='Accountants');

3 rows deleted.
```

6. Display the employees who are working in Sales department.

```
SQL> select Eid, Name
  2   from Emp_22co11_1
  3   where Did=(
  4     select Did
  5     from Dept_22co11_1
  6     where Dname='Sales');

   EID NAME
-----
   703 Sumesh
   705 Lalit
```

AGNEL INSTITUTE OF TECHNOLOGY AND DESIGN

7. Display name of those employees having DID same as that of Sumesh

```
SQL> Select Name
2  from Emp_22co11_1
3  where Did=(
4  select Did
5  from Emp_22co11_1
6  where Name='Sumesh');
```

NAME

Sumesh

Lalit

8. List out the employees who earn more than the average salary of their department order by department number.

```
SQL> select * from emp_22co11_1 a
2  where salary >
3  (select avg(salary) from emp_22co11_1 b
4  where a.did=b.did);
```

EID	NAME	SALARY	HIRE_DATE	JOB	DID	MID
703	Sumesh	7000	05-FEB-01	Salesman	20	705
704	Aditya	9000	27-NOV-03	Analyst	30	707
707	Vishal	9500	01-JAN-01	Manager	30	

9. Find the employee with the second highest salary in the employee table

```
SQL> select max(salary) from emp_22co11_1
2  where salary !=
3  (select max(salary) from emp_22co11_1);
```

MAX(SALARY)

9000

AGNEL INSTITUTE OF TECHNOLOGY AND DESIGN

10. Find out the employees who earned the highest Salary in each job typed sort in descending Salary order

```
SQL> set linesize 160;
SQL> select * from emp_22co11_1
 2  where salary IN
 3  (select max(salary) from emp_22co11_1
 4  group by job)
 5  order by salary desc;
```

EID	NAME	SALARY	HIRE_DATE	JOB	DID	MID
707	Vishal	9500	01-JAN-01	Manager	30	
704	Aditya	9000	27-NOV-03	Analyst	30	707
703	Sumesh	7000	05-FEB-01	Salesman	20	705