

Main room Insturment schedule

Temple Nightclub - San Francisco

DJ booth

Unit	Purpose	Name	Circuit	Mode	Patch	Channel	Optics	Weight	Rating
1	Blinder	ElectroConcept Q188 RGBWA+UV 6 in 1	B25	AR2.5 Mode	G.1	235	25°	12.1lbs	190W
2	Blinder	ElectroConcept Q188 RGBWA+UV 6 in 1	B4	AR2.5 Mode	G.34	236	25°	12.1lbs	190W
3	Blinder	ElectroConcept Q188 RGBWA+UV 6 in 1	B25	AR2.5 Mode	G.12	237	25°	12.1lbs	190W
4	Blinder	ElectroConcept Q188 RGBWA+UV 6 in 1	B4	AR2.5 Mode	G.45	238	25°	12.1lbs	190W
5	Blinder	ElectroConcept Q188 RGBWA+UV 6 in 1	B25	AR2.5 Mode	G.23	239	25°	12.1lbs	190W
6	Blinder	ElectroConcept Q188 RGBWA+UV 6 in 1	B4	AR2.5 Mode	G.56	240	25°	12.1lbs	190W
7	SFX	Unknown LED CO2 Jet Machine	B25	Standard Mode	H.81	711	30°	26.4lbs	150W
8	SFX	Unknown LED CO2 Jet Machine	B4	Standard Mode	H.89	712	30°	26.4lbs	150W
								125.6lbs	1kW 440W

DSL

[illegible]

POD 1

Unit	Purpose	Name	Circuit	Mode	Patch	Channel	Optics	Weight	Rating
1	Wash	ElectroConcept Q188 RGBWA+UV 6 in 1	B15	AR2.5 Mode	A.441	201	25°	12.1lbs	190W
2	SFX	Unknown LED CO2 Jet Machine	B15	Standard Mode	H.1	701	30°	26.4lbs	150W
3	Beam	Ayrton MagicDot-R	B15	Standard	A.1	1	4.5°	11.7lbs	130W
4	Beam	Ayrton MagicDot-R	B15	Standard	A.18	2	4.5°	11.7lbs	130W
5	Beam	Ayrton MagicDot-R	B15	Standard	A.35	3	4.5°	11.7lbs	130W
6	Wash	ElectroConcept Q188 RGBWA+UV 6 in 1	B16	AR2.5 Mode	A.452	203	25°	12.1lbs	190W
7	Beam	Ayrton MagicDot-R	B15	Standard	A.52	7	4.5°	11.7lbs	130W
8	Beam	Ayrton MagicDot-R	B15	Standard	A.69	8	4.5°	11.7lbs	130W
9	Beam	Ayrton MagicDot-R	B15	Standard	A.86	9	4.5°	11.7lbs	130W
10	Spot	Colorful 150W LED Spot Moving Head Light	B15	16 Channel Mode	A.409	301	15°	25.3lbs	160W
11	Beam	Ayrton MagicDot-R	B16	Standard	A.103	13	4.5°	11.7lbs	130W
12	Beam	Ayrton MagicDot-R	B16	Standard	A.120	14	4.5°	11.7lbs	130W
13	Beam	Ayrton MagicDot-R	B16	Standard	A.137	15	4.5°	11.7lbs	130W
14	Wash	ElectroConcept Q188 RGBWA+UV 6 in 1	B16	AR2.5 Mode	A.463	205	25°	12.1lbs	190W
15	Beam	Ayrton MagicDot-R	B16	Standard	A.154	19	4.5°	11.7lbs	130W
16	Beam	Ayrton MagicDot-R	B16	Standard	A.171	20	4.5°	11.7lbs	130W
17	Beam	Ayrton MagicDot-R	B16	Standard	A.188	21	4.5°	11.7lbs	130W
17	Atmosphere	Ultratec Radiance Hazer	B20	Standard	G.509	512		28.0lbs	500W
								256.2lbs	2kW 940W

POD 2

Unit	Purpose	Name	Circuit	Mode	Patch	Channel	Optics	Weight	Rating
1	Wash	ElectroConcept Q188 RGBWA+UV 6 in 1	B17	AR2.5 Mode	D.441	202	25°	12.1lbs	190W
2	SFX	Unknown LED CO2 Jet Machine	B17	Standard Mode	H.9	702	30°	26.4lbs	150W
3	Beam	Ayrton MagicDot-R	B17	Standard	D.1	6	4.5°	11.7lbs	130W
4	Beam	Ayrton MagicDot-R	B17	Standard	D.18	5	4.5°	11.7lbs	130W
5	Beam	Ayrton MagicDot-R	B17	Standard	D.35	4	4.5°	11.7lbs	130W
6	Wash	ElectroConcept Q188 RGBWA+UV 6 in 1	B18	AR2.5 Mode	D.452	204	25°	12.1lbs	190W
7	Beam	Ayrton MagicDot-R	B17	Standard	D.52	12	4.5°	11.7lbs	130W
8	Beam	Ayrton MagicDot-R	B17	Standard	D.69	11	4.5°	11.7lbs	130W
9	Beam	Ayrton MagicDot-R	B17	Standard	D.86	10	4.5°	11.7lbs	130W
10	Spot	Colorful 150W LED Spot Moving Head Light	B17	16 Channel Mode	D.409	302	15°	25.3lbs	160W
11	Beam	Ayrton MagicDot-R	B18	Standard	D.103	18	4.5°	11.7lbs	130W
12	Beam	Ayrton MagicDot-R	B18	Standard	D.120	17	4.5°	11.7lbs	130W
13	Beam	Ayrton MagicDot-R	B18	Standard	D.137	16	4.5°	11.7lbs	130W
14	Wash	ElectroConcept Q188 RGBWA+UV 6 in 1	B18	AR2.5 Mode	D.463	206	25°	12.1lbs	190W
15	Beam	Ayrton MagicDot-R	B18	Standard	D.154	24	4.5°	11.7lbs	130W
16	Beam	Ayrton MagicDot-R	B18	Standard	D.171	23	4.5°	11.7lbs	130W
17	Beam	Ayrton MagicDot-R	B18	Standard	D.188	22	4.5°	11.7lbs	130W
								228.2lbs	2kW 440W

POD 3

Unit	Purpose	Name	Circuit	Mode	Patch	Channel	Optics	Weight	Rating
1	Wash	ElectroConcept Q188 RGBWA+UV 6 in 1	B19	AR2.5 Mode	A.474	207	25°	12.1lbs	190W
2	SFX	Unknown LED CO2 Jet Machine	B19	Standard Mode	H.17	703	30°	26.4lbs	150W
3	Beam	Ayrton MagicDot-R	B19	Standard	A.205	25	4.5°	11.7lbs	130W
4	Beam	Ayrton MagicDot-R	B19	Standard	A.222	26	4.5°	11.7lbs	130W
5	Beam	Ayrton MagicDot-R	B19	Standard	A.239	27	4.5°	11.7lbs	130W
6	Wash	ElectroConcept Q188 RGBWA+UV 6 in 1	B22	AR2.5 Mode	A.485	209	25°	12.1lbs	190W
7	Beam	Ayrton MagicDot-R	B19	Standard	A.256	31	4.5°	11.7lbs	130W
8	Beam	Ayrton MagicDot-R	B19	Standard	A.273	32	4.5°	11.7lbs	130W
9	Beam	Ayrton MagicDot-R	B19	Standard	A.290	33	4.5°	11.7lbs	130W
10	Spot	Colorful 150W LED Spot Moving Head Light	B19	16 Channel Mode	A.425	303	15°	25.3lbs	160W
11	Beam	Ayrton MagicDot-R	B22	Standard	A.307	37	4.5°	11.7lbs	130W
12	Beam	Ayrton MagicDot-R	B22	Standard	A.324	38	4.5°	11.7lbs	130W
13	Beam	Ayrton MagicDot-R	B22	Standard	A.341	39	4.5°	11.7lbs	130W
14	Wash	ElectroConcept Q188 RGBWA+UV 6 in 1	B22	AR2.5 Mode	A.496	211	25°	12.1lbs	190W
15	Beam	Ayrton MagicDot-R	B22	Standard	A.358	43	4.5°	11.7lbs	130W
16	Beam	Ayrton MagicDot-R	B22	Standard	A.375	44	4.5°	11.7lbs	130W
17	Beam	Ayrton MagicDot-R	B22	Standard	A.392	45	4.5°	11.7lbs	130W
								228.2lbs	2kW 440W

POD 4

Unit	Purpose	Name	Circuit	Mode	Patch	Channel	Optics	Weight	Rating
1	Wash	ElectroConcept Q188 RGBWA+UV 6 in 1	B13	AR2.5 Mode	D.474	208	25°	12.1lbs	190W
2	SFX	Unknown LED CO2 Jet Machine	B13	Standard Mode	H.25	704	30°	26.4lbs	150W
3	Beam	Ayrton MagicDot-R	B13	Standard	D.205	30	4.5°	11.7lbs	130W
4	Beam	Ayrton MagicDot-R	B13	Standard	D.222	29	4.5°	11.7lbs	130W
5	Beam	Ayrton MagicDot-R	B13	Standard	D.239	28	4.5°	11.7lbs	130W
6	Wash	ElectroConcept Q188 RGBWA+UV 6 in 1	B14	AR2.5 Mode	D.485	210	25°	12.1lbs	190W
7	Beam	Ayrton MagicDot-R	B13	Standard	D.256	36	4.5°	11.7lbs	130W
8	Beam	Ayrton MagicDot-R	B13	Standard	D.273	35	4.5°	11.7lbs	130W
9	Beam	Ayrton MagicDot-R	B13	Standard	D.290	34	4.5°	11.7lbs	130W
10	Spot	Colorful 150W LED Spot Moving Head Light	B13	16 Channel Mode	D.425	304	15°	25.3lbs	160W
11	Beam	Ayrton MagicDot-R	B14	Standard	D.307	42	4.5°	11.7lbs	130W
12	Beam	Ayrton MagicDot-R	B14	Standard	D.324	41	4.5°	11.7lbs	130W
13	Beam	Ayrton MagicDot-R	B14	Standard	D.341	40	4.5°	11.7lbs	130W
14	Wash	ElectroConcept Q188 RGBWA+UV 6 in 1	B14	AR2.5 Mode	D.496	212	25°	12.1lbs	190W
15	Beam	Ayrton MagicDot-R	B14	Standard	D.358	48	4.5°	11.7lbs	130W
16	Beam	Ayrton MagicDot-R	B14	Standard	D.375	47	4.5°	11.7lbs	130W
17	Beam	Ayrton MagicDot-R	B14	Standard	D.392	46	4.5°	11.7lbs	130W
								228.2lbs	2kW 440W

POD 5

Unit	Purpose	Name	Circuit	Mode	Patch	Channel	Optics	Weight	Rating
1	Wash	ElectroConcept Q188 RGBWA+UV 6 in 1	B7	AR2.5 Mode	B.441	213	25°	12.1lbs	190W
2	SFX	Unknown LED CO2 Jet Machine	B7	Standard Mode	H.33	705	30°	26.4lbs	150W
3	Beam	Ayrton MagicDot-R	B7	Standard	B.1	49	4.5°	11.7lbs	130W
4	Beam	Ayrton MagicDot-R	B7	Standard	B.18	50	4.5°	11.7lbs	130W
5	Beam	Ayrton MagicDot-R	B7	Standard	B.35	51	4.5°	11.7lbs	130W
6	Wash	ElectroConcept Q188 RGBWA+UV 6 in 1	B8	AR2.5 Mode	B.452	215	25°	12.1lbs	190W
7	Beam	Ayrton MagicDot-R	B7	Standard	B.52	55	4.5°	11.7lbs	130W
8	Beam	Ayrton MagicDot-R	B7	Standard	B.69	56	4.5°	11.7lbs	130W
9	Beam	Ayrton MagicDot-R	B7	Standard	B.86	57	4.5°	11.7lbs	130W
10	Spot	Colorful 150W LED Spot Moving Head Light	B7	16 Channel Mode	B.409	305	15°	25.3lbs	160W
11	Beam	Ayrton MagicDot-R	B8	Standard	B.103	61	4.5°	11.7lbs	130W
12	Beam	Ayrton MagicDot-R	B8	Standard	B.120	62	4.5°	11.7lbs	130W
13	Beam	Ayrton MagicDot-R	B8	Standard	B.137	63	4.5°	11.7lbs	130W
14	Wash	ElectroConcept Q188 RGBWA+UV 6 in 1	B8	AR2.5 Mode	B.463	217	25°	12.1lbs	190W
15	Beam	Ayrton MagicDot-R	B8	Standard	B.154	67	4.5°	11.7lbs	130W
16	Beam	Ayrton MagicDot-R	B8	Standard	B.171	68	4.5°	11.7lbs	130W
17	Beam	Ayrton MagicDot-R	B8	Standard	B.188	69	4.5°	11.7lbs	130W
								228.2lbs	2kW 440W

POD 6

Unit	Purpose	Name	Circuit	Mode	Patch	Channel	Optics	Weight	Rating
1	Wash	ElectroConcept Q188 RGBWA+UV 6 in 1	B1	AR2.5 Mode	E.441	214	25°	12.1lbs	190W
2	SFX	Unknown LED CO2 Jet Machine	B1	Standard Mode	H.41	706	30°	26.4lbs	150W
3	Beam	Ayrton MagicDot-R	B1	Standard	E.1	54	4.5°	11.7lbs	130W
4	Beam	Ayrton MagicDot-R	B1	Standard	E.18	53	4.5°	11.7lbs	130W
5	Beam	Ayrton MagicDot-R	B1	Standard	E.35	52	4.5°	11.7lbs	130W
6	Wash	ElectroConcept Q188 RGBWA+UV 6 in 1	B24	AR2.5 Mode	E.452	216	25°	12.1lbs	190W
7	Beam	Ayrton MagicDot-R	B1	Standard	E.52	60	4.5°	11.7lbs	130W
8	Beam	Ayrton MagicDot-R	B1	Standard	E.69	59	4.5°	11.7lbs	130W
9	Beam	Ayrton MagicDot-R	B1	Standard	E.86	58	4.5°	11.7lbs	130W
10	Spot	Colorful 150W LED Spot Moving Head Light	B1	16 Channel Mode	E.409	306	15°	25.3lbs	160W
11	Beam	Ayrton MagicDot-R	B24	Standard	E.103	66	4.5°	11.7lbs	130W
12	Beam	Ayrton MagicDot-R	B24	Standard	E.120	65	4.5°	11.7lbs	130W
13	Beam	Ayrton MagicDot-R	B24	Standard	E.137	64	4.5°	11.7lbs	130W
14	Wash	ElectroConcept Q188 RGBWA+UV 6 in 1	B24	AR2.5 Mode	E.463	218	25°	12.1lbs	190W
15	Beam	Ayrton MagicDot-R	B24	Standard	E.154	72	4.5°	11.7lbs	130W
16	Beam	Ayrton MagicDot-R	B24	Standard	E.171	71	4.5°	11.7lbs	130W
17	Beam	Ayrton MagicDot-R	B24	Standard	E.188	70	4.5°	11.7lbs	130W
								228.2lbs	2kW 440W

POD 7

Unit	Purpose	Name	Circuit	Mode	Patch	Channel	Optics	Weight	Rating
1	Wash	ElectroConcept Q188 RGBWA+UV 6 in 1	B10	AR2.5 Mode	B.474	219	25°	12.1lbs	190W
2	SFX	Unknown LED CO2 Jet Machine	B10	Standard Mode	H.49	707	30°	26.4lbs	150W
3	Beam	Ayrton MagicDot-R	B10	Standard	B.205	73	4.5°	11.7lbs	130W
4	Beam	Ayrton MagicDot-R	B10	Standard	B.222	74	4.5°	11.7lbs	130W
5	Beam	Ayrton MagicDot-R	B10	Standard	B.239	75	4.5°	11.7lbs	130W
6	Wash	ElectroConcept Q188 RGBWA+UV 6 in 1	B9	AR2.5 Mode	B.485	221	25°	12.1lbs	190W
7	Beam	Ayrton MagicDot-R	B10	Standard	B.256	79	4.5°	11.7lbs	130W
8	Beam	Ayrton MagicDot-R	B10	Standard	B.273	80	4.5°	11.7lbs	130W
9	Beam	Ayrton MagicDot-R	B10	Standard	B.290	81	4.5°	11.7lbs	130W
10	Spot	Colorful 150W LED Spot Moving Head Light	B10	16 Channel Mode	B.425	307	15°	25.3lbs	160W
11	Beam	Ayrton MagicDot-R	B9	Standard	B.307	85	4.5°	11.7lbs	130W
12	Beam	Ayrton MagicDot-R	B9	Standard	B.324	86	4.5°	11.7lbs	130W
13	Beam	Ayrton MagicDot-R	B9	Standard	B.341	87	4.5°	11.7lbs	130W
14	Wash	ElectroConcept Q188 RGBWA+UV 6 in 1	B9	AR2.5 Mode	B.496	223	25°	12.1lbs	190W
15	Beam	Ayrton MagicDot-R	B9	Standard	B.358	91	4.5°	11.7lbs	130W
16	Beam	Ayrton MagicDot-R	B9	Standard	B.375	92	4.5°	11.7lbs	130W
17	Beam	Ayrton MagicDot-R	B9	Standard	B.392	93	4.5°	11.7lbs	130W
								228.2lbs	2kW 440W

POD 8

Unit	Purpose	Name	Circuit	Mode	Patch	Channel	Optics	Weight	Rating
1	Wash	ElectroConcept Q188 RGBWA+UV 6 in 1	B12	AR2.5 Mode	E.474	220	25°	12.1lbs	190W
2	SFX	Unknown LED CO2 Jet Machine	B12	Standard Mode	H.57	708	30°	26.4lbs	150W
3	Beam	Ayrton MagicDot-R	B12	Standard	E.205	78	4.5°	11.7lbs	130W
4	Beam	Ayrton MagicDot-R	B12	Standard	E.222	77	4.5°	11.7lbs	130W
5	Beam	Ayrton MagicDot-R	B12	Standard	E.239	76	4.5°	11.7lbs	130W
6	Wash	ElectroConcept Q188 RGBWA+UV 6 in 1	B11	AR2.5 Mode	E.485	222	25°	12.1lbs	190W
7	Beam	Ayrton MagicDot-R	B12	Standard	E.256	84	4.5°	11.7lbs	130W
8	Beam	Ayrton MagicDot-R	B12	Standard	E.273	83	4.5°	11.7lbs	130W
9	Beam	Ayrton MagicDot-R	B12	Standard	E.290	82	4.5°	11.7lbs	130W
10	Spot	Colorful 150W LED Spot Moving Head Light	B12	16 Channel Mode	E.425	308	15°	25.3lbs	160W
11	Beam	Ayrton MagicDot-R	B11	Standard	E.307	90	4.5°	11.7lbs	130W
12	Beam	Ayrton MagicDot-R	B11	Standard	E.324	89	4.5°	11.7lbs	130W
13	Beam	Ayrton MagicDot-R	B11	Standard	E.341	88	4.5°	11.7lbs	130W
14	Wash	ElectroConcept Q188 RGBWA+UV 6 in 1	B11	AR2.5 Mode	E.496	224	25°	12.1lbs	190W
15	Beam	Ayrton MagicDot-R	B11	Standard	E.358	96	4.5°	11.7lbs	130W
16	Beam	Ayrton MagicDot-R	B11	Standard	E.375	95	4.5°	11.7lbs	130W
17	Beam	Ayrton MagicDot-R	B11	Standard	E.392	94	4.5°	11.7lbs	130W
								228.2lbs	2kW 440W

POD 9

Unit	Purpose	Name	Circuit	Mode	Patch	Channel	Optics	Weight	Rating
1	Wash	ElectroConcept Q188 RGBWA+UV 6 in 1	B6	AR2.5 Mode	C.441	225	25°	12.1lbs	190W
2	SFX	Unknown LED CO2 Jet Machine	B6	Standard Mode	H.65	709	30°	26.4lbs	150W
3	Beam	Ayrton MagicDot-R	B6	Standard	C.1	97	4.5°	11.7lbs	130W
4	Beam	Ayrton MagicDot-R	B6	Standard	C.18	98	4.5°	11.7lbs	130W
5	Beam	Ayrton MagicDot-R	B6	Standard	C.35	99	4.5°	11.7lbs	130W
6	Wash	ElectroConcept Q188 RGBWA+UV 6 in 1	B26	AR2.5 Mode	C.452	227	25°	12.1lbs	190W
7	Beam	Ayrton MagicDot-R	B6	Standard	C.52	103	4.5°	11.7lbs	130W
8	Beam	Ayrton MagicDot-R	B6	Standard	C.69	104	4.5°	11.7lbs	130W
9	Beam	Ayrton MagicDot-R	B6	Standard	C.86	105	4.5°	11.7lbs	130W
10	Spot	Colorful 150W LED Spot Moving Head Light	B6	16 Channel Mode	C.409	309	15°	25.3lbs	160W
11	Beam	Ayrton MagicDot-R	B26	Standard	C.103	109	4.5°	11.7lbs	130W
12	Beam	Ayrton MagicDot-R	B26	Standard	C.120	110	4.5°	11.7lbs	130W
13	Beam	Ayrton MagicDot-R	B26	Standard	C.137	111	4.5°	11.7lbs	130W
14	Wash	ElectroConcept Q188 RGBWA+UV 6 in 1	B26	AR2.5 Mode	C.463	229	25°	12.1lbs	190W
15	Beam	Ayrton MagicDot-R	B26	Standard	C.154	115	4.5°	11.7lbs	130W
16	Beam	Ayrton MagicDot-R	B26	Standard	C.171	116	4.5°	11.7lbs	130W
17	Beam	Ayrton MagicDot-R	B26	Standard	C.188	117	4.5°	11.7lbs	130W
								228.2lbs	2kW 440W

POD 10

Unit	Purpose	Name	Circuit	Mode	Patch	Channel	Optics	Weight	Rating
1	Wash	ElectroConcept Q188 RGBWA+UV 6 in 1	B23	AR2.5 Mode	F.441	226	25°	12.1lbs	190W
2	SFX	Unknown LED CO2 Jet Machine	B23	Standard Mode	H.73	710	30°	26.4lbs	150W
3	Beam	Ayrton MagicDot-R	B23	Standard	F.1	102	4.5°	11.7lbs	130W
4	Beam	Ayrton MagicDot-R	B23	Standard	F.18	101	4.5°	11.7lbs	130W
5	Beam	Ayrton MagicDot-R	B23	Standard	F.35	100	4.5°	11.7lbs	130W
6	Wash	ElectroConcept Q188 RGBWA+UV 6 in 1	B3	AR2.5 Mode	F.452	228	25°	12.1lbs	190W
7	Beam	Ayrton MagicDot-R	B23	Standard	F.52	108	4.5°	11.7lbs	130W
8	Beam	Ayrton MagicDot-R	B23	Standard	F.69	107	4.5°	11.7lbs	130W
9	Beam	Ayrton MagicDot-R	B23	Standard	F.86	106	4.5°	11.7lbs	130W
10	Spot	Colorful 150W LED Spot Moving Head Light	B23	16 Channel Mode	F.409	310	15°	25.3lbs	160W
11	Beam	Ayrton MagicDot-R	B3	Standard	F.103	114	4.5°	11.7lbs	130W
12	Beam	Ayrton MagicDot-R	B3	Standard	F.120	113	4.5°	11.7lbs	130W
13	Beam	Ayrton MagicDot-R	B3	Standard	F.137	112	4.5°	11.7lbs	130W
14	Wash	ElectroConcept Q188 RGBWA+UV 6 in 1	B3	AR2.5 Mode	F.463	230	25°	12.1lbs	190W
15	Beam	Ayrton MagicDot-R	B3	Standard	F.154	120	4.5°	11.7lbs	130W
16	Beam	Ayrton MagicDot-R	B3	Standard	F.171	119	4.5°	11.7lbs	130W
17	Beam	Ayrton MagicDot-R	B3	Standard	F.188	118	4.5°	11.7lbs	130W
								228.2lbs	2kW 440W

POD 11

Unit	Purpose	Name	Circuit	Mode	Patch	Channel	Optics	Weight	Rating
1	Wash	ElectroConcept Q188 RGBWA+UV 6 in 1	B25	AR2.5 Mode	C.474	231	25°	12.1lbs	190W
2	Beam	Ayrton MagicDot-R	B25	Standard	C.205	121	4.5°	11.7lbs	130W
3	Beam	Ayrton MagicDot-R	B25	Standard	C.222	122	4.5°	11.7lbs	130W
4	Beam	Ayrton MagicDot-R	B25	Standard	C.239	123	4.5°	11.7lbs	130W
5	Beam	Ayrton MagicDot-R	B25	Standard	C.256	127	4.5°	11.7lbs	130W
6	Beam	Ayrton MagicDot-R	B25	Standard	C.273	128	4.5°	11.7lbs	130W
7	Beam	Ayrton MagicDot-R	B25	Standard	C.290	129	4.5°	11.7lbs	130W
8	Spot	Colorful 150W LED Spot Moving Head Light	B25	16 Channel Mode	C.425	311	15°	25.3lbs	160W
9	Beam	Ayrton MagicDot-R	B5	Standard	C.307	133	4.5°	11.7lbs	130W
10	Beam	Ayrton MagicDot-R	B5	Standard	C.324	134	4.5°	11.7lbs	130W
11	Beam	Ayrton MagicDot-R	B5	Standard	C.341	135	4.5°	11.7lbs	130W
12	DJ back light	ElectroConcept Q188 RGBWA+UV 6 in 1	B5	AR2.5 Mode	C.485	233	25°	12.1lbs	190W
13	Beam	Ayrton MagicDot-R	B5	Standard	C.358	139	4.5°	11.7lbs	130W
14	Beam	Ayrton MagicDot-R	B5	Standard	C.375	140	4.5°	11.7lbs	130W
15	Beam	Ayrton MagicDot-R	B5	Standard	C.392	141	4.5°	11.7lbs	130W
								189.6lbs	2.1KW

POD 12

[illegible]