

Week 5: Deploy the model on Heruko

Name: Elvar Safarzade

Batch Code : LISUM20

Submission date: 05.06.2023

Submission to : Data Glacier

```

-----> Building on the Heroku-22 stack
-----> Determining which buildpack to use for this app
-----> Python app detected
-----> No Python version was specified. Using the buildpack default: python-3.11.3
    To use a different version, see: https://devcenter.heroku.com/articles/python-runtimes
-----> Installing python-3.11.3
-----> Installing pip 23.1.2, setuptools 67.7.2 and wheel 0.40.0
-----> Installing SQLite3
-----> Installing requirements with pip
    Collecting attrs==22.2.0 (from -r requirements.txt (line 1))
      Downloading attrs-22.2.0-py3-none-any.whl (60 kB)
    Collecting blinker==1.6.2 (from -r requirements.txt (line 2))
      Downloading blinker-1.6.2-py3-none-any.whl (13 kB)
    Collecting certifi==2022.12.7 (from -r requirements.txt (line 3))
      Downloading certifi-2022.12.7-py3-none-any.whl (155 kB)
    Collecting charset-normalizer==3.1.0 (from -r requirements.txt (line 4))
      Downloading charset_normalizer-3.1.0-cp311-cp311-
manylinux_2_17_x86_64.manylinux2014_x86_64.whl (197 kB)
    Collecting click==8.1.3 (from -r requirements.txt (line 5))
      Downloading click-8.1.3-py3-none-any.whl (96 kB)
    Collecting colorama==0.4.6 (from -r requirements.txt (line 6))
      Downloading colorama-0.4.6-py2.py3-none-any.whl (25 kB)
    Collecting contourpy==1.0.7 (from -r requirements.txt (line 7))
      Downloading contourpy-1.0.7-cp311-cp311-
manylinux_2_17_x86_64.manylinux2014_x86_64.whl (299 kB)
    Collecting cycycler==0.11.0 (from -r requirements.txt (line 8))
      Downloading cycycler-0.11.0-py3-none-any.whl (6.4 kB)
    Collecting docopt==0.6.2 (from -r requirements.txt (line 9))
      Downloading docopt-0.6.2.tar.gz (25 kB)
      Preparing metadata (setup.py): started
      Preparing metadata (setup.py): finished with status 'done'
    Collecting Flask==2.3.2 (from -r requirements.txt (line 10))
      Downloading Flask-2.3.2-py3-none-any.whl (96 kB)
    Collecting fonttools==4.39.3 (from -r requirements.txt (line 11))
      Downloading fonttools-4.39.3-py3-none-any.whl (1.0 MB)
    Collecting idna==3.4 (from -r requirements.txt (line 12))
      Downloading idna-3.4-py3-none-any.whl (61 kB)
    Collecting iniconfig==2.0.0 (from -r requirements.txt (line 13))
      Downloading iniconfig-2.0.0-py3-none-any.whl (5.9 kB)
    Collecting itsdangerous==2.1.2 (from -r requirements.txt (line 14))
      Downloading itsdangerous-2.1.2-py3-none-any.whl (15 kB)
    Collecting Jinja2==3.1.2 (from -r requirements.txt (line 15))
      Downloading Jinja2-3.1.2-py3-none-any.whl (133 kB)
    Collecting kiwisolver==1.4.4 (from -r requirements.txt (line 16))
      Downloading kiwisolver-1.4.4-cp311-cp311-
manylinux_2_17_x86_64.manylinux2014_x86_64.whl (1.4 MB)
    Collecting MarkupSafe==2.1.2 (from -r requirements.txt (line 17))
      Downloading MarkupSafe-2.1.2-cp311-cp311-
manylinux_2_17_x86_64.manylinux2014_x86_64.whl (27 kB)
    Collecting matplotlib==3.7.1 (from -r requirements.txt (line 18))
      Downloading matplotlib-3.7.1-cp311-cp311-
manylinux_2_17_x86_64.manylinux2014_x86_64.whl (11.6 MB)
    Collecting numpy==1.24.3 (from -r requirements.txt (line 19))
      Downloading numpy-1.24.3-cp311-cp311-
manylinux_2_17_x86_64.manylinux2014_x86_64.whl (17.3 MB)
    Collecting package-name==0.1 (from -r requirements.txt (line 20))
      Downloading package_name-0.1.tar.gz (782 bytes)

```

```
Preparing metadata (setup.py): started
Preparing metadata (setup.py): finished with status 'done'
Collecting packaging==23.0 (from -r requirements.txt (line 21))
  Downloading packaging-23.0-py3-none-any.whl (42 kB)
Collecting pandas==2.0.1 (from -r requirements.txt (line 22))
  Downloading pandas-2.0.1-cp311-cp311-
manylinux_2_17_x86_64.manylinux2014_x86_64.whl (12.2 MB)
Collecting Pillow==9.5.0 (from -r requirements.txt (line 23))
  Downloading Pillow-9.5.0-cp311-cp311-manylinux_2_28_x86_64.whl (3.4 MB)
Collecting pipreqs==0.4.13 (from -r requirements.txt (line 24))
  Downloading pipreqs-0.4.13-py2.py3-none-any.whl (33 kB)
Collecting pluggy==1.0.0 (from -r requirements.txt (line 25))
  Downloading pluggy-1.0.0-py2.py3-none-any.whl (13 kB)
Collecting pyparsing==3.0.9 (from -r requirements.txt (line 26))
  Downloading pyparsing-3.0.9-py3-none-any.whl (98 kB)
Collecting pytest==7.2.2 (from -r requirements.txt (line 27))
  Downloading pytest-7.2.2-py3-none-any.whl (317 kB)
Collecting python-dateutil==2.8.2 (from -r requirements.txt (line 28))
  Downloading python_dateutil-2.8.2-py2.py3-none-any.whl (247 kB)
Collecting pytz==2023.3 (from -r requirements.txt (line 29))
  Downloading pytz-2023.3-py2.py3-none-any.whl (502 kB)
Collecting reqs==0.0.2 (from -r requirements.txt (line 30))
  Downloading reqs-0.0.2-py3-none-any.whl (480 kB)
Collecting requests==2.29.0 (from -r requirements.txt (line 31))
  Downloading requests-2.29.0-py3-none-any.whl (62 kB)
Collecting seaborn==0.12.2 (from -r requirements.txt (line 32))
  Downloading seaborn-0.12.2-py3-none-any.whl (293 kB)
Collecting six==1.16.0 (from -r requirements.txt (line 33))
  Downloading six-1.16.0-py2.py3-none-any.whl (11 kB)
Collecting tzdata==2023.3 (from -r requirements.txt (line 34))
  Downloading tzdata-2023.3-py2.py3-none-any.whl (341 kB)
Collecting urllib3==1.26.15 (from -r requirements.txt (line 35))
  Downloading urllib3-1.26.15-py2.py3-none-any.whl (140 kB)
Collecting Werkzeug==2.3.3 (from -r requirements.txt (line 36))
  Downloading Werkzeug-2.3.3-py3-none-any.whl (242 kB)
Collecting yarg==0.1.9 (from -r requirements.txt (line 37))
  Downloading yarg-0.1.9-py2.py3-none-any.whl (19 kB)
Building wheels for collected packages: docopt, package-name
  Building wheel for docopt (setup.py): started
  Building wheel for docopt (setup.py): finished with status 'done'
  Created wheel for docopt: filename=docopt-0.6.2-py2.py3-none-any.whl
size=13707 sha256=bd6cb947a15548f621a339bae4d9e137b969a366003060157da021d235742bc5
  Stored in directory: /tmp/pip-ephem-wheel-cache-
kzhgbb1f/wheels/1a/b0/8c/4b75c4116c31f83c8f9f047231251e13cc74481cca4a78a9ce
  Building wheel for package-name (setup.py): started
  Building wheel for package-name (setup.py): finished with status 'done'
  Created wheel for package-name: filename=package_name-0.1-py3-none-any.whl
size=1233 sha256=51c2da0d0eec2ae074bdfdfdf4637f9d1ealf0361edda0131f9565fd7daf7324
  Stored in directory: /tmp/pip-ephem-wheel-cache-
kzhgbb1f/wheels/b3/c1/6f/538e951eb00f535f43151173b4c55e463a35c17b9e90ab3b1a
Successfully built docopt package-name
Installing collected packages: pytz, package-name, docopt, urllib3, tzdata, six,
reqs, pyparsing, pluggy, Pillow, packaging, numpy, MarkupSafe, kiwisolver,
itsdangerous, iniconfig, idna, fonttools, cycler, colorama, click, charset-normalizer,
certifi, blinker, attrs, Werkzeug, requests, python-dateutil, pytest, Jinja2,
contourpy, yarg, pandas, matplotlib, Flask, seaborn, pipreqs
Successfully installed Flask-2.3.2 Jinja2-3.1.2 MarkupSafe-2.1.2 Pillow-9.5.0
Werkzeug-2.3.3 attrs-22.2.0 blinker-1.6.2 certifi-2022.12.7 charset-normalizer-3.1.0
click-8.1.3 colorama-0.4.6 contourpy-1.0.7 cycler-0.11.0 docopt-0.6.2 fonttools-4.39.3
idna-3.4 iniconfig-2.0.0 itsdangerous-2.1.2 kiwisolver-1.4.4 matplotlib-3.7.1 numpy-
1.24.3 package-name-0.1 packaging-23.0 pandas-2.0.1 pipreqs-0.4.13 pluggy-1.0.0
pyparsing-3.0.9 pytest-7.2.2 python-dateutil-2.8.2 pytz-2023.3 reqs-0.0.2 requests-
```

```
2.29.0 seaborn-0.12.2 six-1.16.0 tzdata-2023.3 urllib3-1.26.15 yarg-0.1.9
-----> Discovering process types
      Procfile declares types -> web
-----> Compressing...
      Done: 92.3M
-----> Launching...
      Released v4
      https://performag3.herokuapp.com/ deployed to Heroku
```