

Hands-on Lab: Create Tables using SQL Scripts and Load Data into Tables

Estimated time needed: 30 minutes

In this lab, you will learn how to run SQL scripts to create several tables at once, as well as how to load data into tables from .csv files.

Software Used in this Lab


In this lab, you will use <u>IBM Db2 Database</u>. Db2 is a Relational Database Management System (RDBMS) from IBM, designed to store, analyze and retrieve the data efficiently.

To complete this lab you will utilize a Db2 database service on IBM Cloud. If you did not already complete this lab task earlier in this module, you will not yet have access to Db2 on IBM Cloud, and you will need to follow this lab first:

• Hands-on Lab: Sign up for IBM Cloud, Create Db2 service instance and Get started with the Db2 console

Database Used in this Lab

The database used in this lab is an internal database. You will be working on a sample HR database. This HR database schema consists of 5 tables called **EMPLOYEES**, **JOB_HISTORY**, **JOBS**, **DEPARTMENTS** and **LOCATIONS**. Each table has a few rows of sample data. The following diagram shows the tables for the HR database:



Objectives


After completing this lab, you will be able to:

- Create tables using SQL scripts
- Load data into tables

Exercise 1: Create tables using SQL scripts


In this exercise, you will learn how to execute a script containing the CREATE TABLE commands for all the tables rather than create each table manually by typing the DDL commands in the SQL editor.

- 1. Download the script file to your computer:
 - o HR Database Create Tables Script.sql
- 2. Login to IBM Cloud and go to the <u>Resource List</u> where you can find the Db2 service instance that you created in a previous lab under **Services** section. Click on the Db2-xx service. Next, open the Db2 Console by clicking on **Open Console** button. Click on the 3-bar menu icon in the top left corner and go to the **Run SQL** page. The Run SQL tool enables you to run SQL statements.
- 3. Click on the + (Add New Script) icon.



4. Click on From file.

Add new script




- 5. Locate the file **HR_Database_Create_Tables_Script.sql** that you downloaded to your computer earlier and open it.
- 6. Once the statements are in the SQL Editor tool, you can run the queries against the database by selecting the Run All button.


```
IBM Db2 on Cloud
                              Storage: 44%
RUN SQL
    * Untitled - 1
                     * Script_Create_Table... ×
                                                  \oplus
   1
       --DDL statement for table 'HR' database--
   2
   4
   5
      CREATE TABLE EMPLOYEES (
                                     EMP_ID CHAR(9) NOT NULL,
   6
   7
                                     F_NAME VARCHAR(15) NOT NULL,
                                     L_NAME VARCHAR(15) NOT NULL,
   8
   9
                                     SSN CHAR(9),
  10
                                     B_DATE DATE,
  11
                                     SEX CHAR,
  12
                                     ADDRESS VARCHAR(30),
  13
                                     JOB_ID CHAR(9),
                                     SALARY DECIMAL(10,2),
  14
  15
                                     MANAGER_ID CHAR(9),
                                     DEP_ID CHAR(9) NOT NULL,
  16
  17
                                     PRIMARY KEY (EMP_ID));
  18
  19
         CREATE TABLE JOB_HISTORY (
                                     EMPL_ID CHAR(9) NOT NULL,
  20
  21
                                     START_DATE DATE,
                        Remember my last behavior
      Run all
```

- 7. On the right side of the SQL editor window you will see a Result section. Clicking on a query in the Result section will show the execution details of the job like whether it ran successfully, or had any errors or warnings. Ensure your queries ran successfully and created all the tables.
 - **Note:** You may see several errors before the successful creation of the tables. These errors relate to the dropping (removal) of any pre-existing version of these tables. You can ignore these errors.


RUN SQL




8. Now you can look at the tables you created. Navigate to the 3-bar menu icon in the top left corner, select **Explore**, and then click on **Tables**.



9. Select the Schema corresponding to your Db2 userid. It typically starts with 3 letters (not SQL) followed by 5 numbers (but will be different from the **MYG36304** example below). Then on the right side of the screen you should see the 5 newly created tables listed – DEPARTMENTS, EMPLOYEES, JOBS, JOB_HISTORY and LOCATIONS (plus any other tables you may have created in previous labs e.g. PETSALE, PETRESCUE, etc.).



10. Click on any of the tables and you will see its Table Definition (that is, its list of columns, data types, etc).




Exercise 2: Load data into tables


In this exercise, you will learn how data can be loaded into Db2. You could manually insert each row into the table one by one, but that would take a long time. Instead, Db2 (and almost every other database) allows you to load data from .CSV files.

The steps below explain the process of loading data into the tables you created earlier in exercise 1.


- 1. Download the 5 .csv files below to your local computer:
 - o <u>Departments.csv</u>
 - <u>Employees.csv</u>
 - o <u>Jobs.csv</u>
 - Locations.csv
 - JobsHistory.csv
- 2. In the Db2 Console, from the 3-bar menu icon in the top left corner, click **Load**, and then select **Load Data**.



3. On the **Load Data** page that opens, ensure **My Computer** is selected as the source. Click on the **browse files** link.




4. Choose the file **Employees.csv** that you downloaded to your computer and click **Open**.




5. Once the File is selected, click **Next** in the bottom right corner.

LOAD




6. Select the schema for your Db2 Userid (the one where you created the tables earlier). If there are several schemas in the list and you cannot see your Db2 schema, then scroll down the list until you see your schema, and select it.


Select a load target




7. It will show all the tables that have been created in this schema previously, including the Employees table. Select the **EMPLOYEES** table, and in the new Table Definition tab that appears, choose **Overwrite table with new data** (note the warning message), then click **Next**.




8. Since the source data files do not contain any rows with column labels, **turn off** the setting for **Header in first row**. Also, click on the down arrow next to **Date format** and choose **MM/DD/YYYY** since that is how the date is formatted in the source file.



9. Click **Next**. Review the load settings and click **Begin Load** in the bottom right corner.



10. After loading has completed, you will notice that you were successful in loading all 10 rows of the Employees table. If there are any **Errors** or **Warnings**, you can see them on this screen.



11. You can see the data that was loaded by clicking on **View Table**. Alternatively, you can go to **3-bar menu icon** > **Explore** > **Tables** and select the correct Schema. Then click on the **EMPLOYEES** table. Click **View Data** at the bottom.

QCM54853.EMPLOYEES

| | EMP_ID CHARACTER(9) | F_NAME VARCHAR(15) | L_NAME VARCHAR(15) | SSN CHARACTER(9) | B_DATE DATE | SEX CHARACTER(1) | ADDRESS VARCHAR(30) | JOB_ID CHARACTER(9) |
|----|------------------------|-----------------------|-----------------------|---------------------|----------------|---------------------|------------------------|------------------------|
| 1 | E1001 | John | Thomas | 123456 | 1976-01-09 | M | 5631 Rice, OakPark, | 100 |
| 2 | E1002 | Alice | James | 123457 | 1972-07-31 | F | 980 Berry In, Elgin,IL | 200 |
| 3 | E1003 | Steve | Wells | 123458 | 1980-08-10 | M | 291 Springs, Gary,IL | 300 |
| 4 | E1004 | Santosh | Kumar | 123459 | 1985-07-20 | M | 511 Aurora Av, Aurora | 400 |
| 5 | E1005 | Ahmed | Hussain | 123410 | 1981-01-04 | M | 216 Oak Tree, Genev | 500 |
| 6 | E1006 | Nancy | Allen | 123411 | 1978-02-06 | F | 111 Green Pl, Elgin,IL | 600 |
| 7 | E1007 | Mary | Thomas | 123412 | 1975-05-05 | F | 100 Rose Pl, Gary,IL | 650 |
| 8 | E1008 | Bharath | Gupta | 123413 | 1985-05-06 | M | 145 Berry Ln, Naper | 660 |
| 9 | E1009 | Andrea | Jones | 123414 | 1990-07-09 | F | 120 Fall Creek, Gary, | 234 |
| 10 | E1010 | Ann | Jacob | 123415 | 1982-03-30 | F | 111 Britany Springs,E | 220 |

- 12. Now it's your turn to load data to the remaining 4 tables of the HR database **LOCATIONS**, **JOB_HISTORY**, **JOBS**, and **DEPARTMENTS** from the remaining source files.
- 13. Click **Load More Data** and then follow the steps from **Step 3** above again to load the remaining 4 tables.

IMPORTANT Make sure you perform the steps in **Step 8** for each of the 4 remaining file loads.

Congratulations! You have completed this lab, and you are ready for the next topic.

Author(s)

- Rav Ahuja
- Sandip Saha Joy

Other Contributor(s)

•

Changelog

| Date | Version | Changed by | Change Description |
|------------|---------|-----------------|---------------------------------------|
| 2021-07-08 | 2.2 | Malika | Updated screenshot |
| 2020-12-23 | 2.1 | Steve Ryan | ID Review |
| 2020-12-08 | 2.0 | Sandip Saha Joy | Created revised version from DB0201EN |
| 2020 | 1.0 | Rav Ahuja | Created initial version |

© IBM Corporation 2020. All rights reserved.