

Quantitative assessment for each Health facility

1.Type of health facility *

- ☐ Health centre II
- ☐ Health Centre III
- ☒ Health centre IV
- ☐ Hospital

1. Distance of health facility from town council (classify the distance) *

- ☐ < 10km
- ☒ > 10km

Number of hospital beds *

30

1. Availability of dedicated lab and lab technician for diagnosis of NTDs *

- ☒ Yes
- ☐ No

1. Availability of diagnostic tests for intestinal schistosomiasis and STH *☒ Microscopes☒ Dyes☐ Assay strips☐ PCRs☐ Other:**1. Availability of tools to guide diagnosis (Tick if Present) ***☒ clinical guidelines☐ Laboratory protocols☒ Bench aids**1. Reporting of diagnosis and treatment to the Health Management Information System ***☐ Availability of reporting forms at health facility☒ Not Available**1. Availability of essential medicines for management of STH and schistosomiasis ***☐ Praziquantel☒ Albendazole☒ Mebendazole☐ Ivermectin☐ Others

Assessment of available laboratory equipment in the health facilities offering laboratory services

1. Microscope *

☒ Yes

☐ No

*

1. Object and cover slides

☒ Yes

☐ No

Centrifuge *

☒ Yes

☐ NO

*

1. Membrane filters

☒ Yes

☐ No

*

Filter holders☒ Yes☐ No**Syringes ***☒ Yes☐ No

*

Centrifuge tubes☒ Yes☐ No

*

Iodine (5%)☐ Yes☒ No

*

Urine dipstick☒ Yes☐ No

*

Malachite green☐ Yes☒ No

*

Methylene blue☒ Yes☐ No

*

Glycerine solution 50%☒ Yes☐ No

*

Cellophane☐ Yes☒ No

*

Kato Katz template☐ Yes☒ No

*

Spatula☐ Yes☒ No

This content is neither created nor endorsed by Google.

Google Forms

Quantitative assessment for each Health facility

1.Type of health facility *

- ☐ Health centre II
- ☒ Health Centre III
- ☐ Health centre IV
- ☐ Hospital

1. Distance of health facility from town council (classify the distance) *

- ☐ < 10km
- ☒ > 10km

Number of hospital beds *

8

1. Availability of dedicated lab and lab technician for diagnosis of NTDs *

- ☒ Yes
- ☐ No

1. Availability of diagnostic tests for intestinal schistosomiasis and STH *☒ Microscopes☐ Dyes☒ Assay strips☐ PCRs☐ Other:**1. Availability of tools to guide diagnosis (Tick if Present) ***☒ clinical guidelines☒ Laboratory protocols☐ Bench aids**1. Reporting of diagnosis and treatment to the Health Management Information System ***☐ Availability of reporting forms at health facility☒ Not Available**1. Availability of essential medicines for management of STH and schistosomiasis ***☐ Praziquantel☒ Albendazole☒ Mebendazole☐ Ivermectin☐ Others

Assessment of available laboratory equipment in the health facilities offering laboratory services

1. Microscope *

☒ Yes

☐ No

*

1. Object and cover slides

☒ Yes

☐ No

Centrifuge *

☒ Yes

☐ NO

*

1. Membrane filters

☒ Yes

☐ No

*

Filter holders☒ Yes☐ No**Syringes ***☒ Yes☐ No

*

Centrifuge tubes☒ Yes☐ No

*

Iodine (5%)☒ Yes☐ No

*

Urine dipstick☒ Yes☐ No

*

Malachite green☐ Yes☒ No

*

Methylene blue☒ Yes☐ No

*

Glycerine solution 50%☐ Yes☒ No

*

Cellophane☐ Yes☒ No

*

Kato Katz template☐ Yes☒ No

*

Spatula☐ Yes☒ No

This content is neither created nor endorsed by Google.

Google Forms

Quantitative assessment for each Health facility

1.Type of health facility *

- ☐ Health centre II
- ☒ Health Centre III
- ☐ Health centre IV
- ☐ Hospital

1. Distance of health facility from town council (classify the distance) *

- ☐ < 10km
- ☒ > 10km

Number of hospital beds *

32

1. Availability of dedicated lab and lab technician for diagnosis of NTDs *

- ☒ Yes
- ☐ No

1. Availability of diagnostic tests for intestinal schistosomiasis and STH *☒ Microscopes☒ Dyes☐ Assay strips☐ PCRs☐ Other:**1. Availability of tools to guide diagnosis (Tick if Present) ***☒ clinical guidelines☒ Laboratory protocols☒ Bench aids**1. Reporting of diagnosis and treatment to the Health Management Information System ***☒ Availability of reporting forms at health facility☐ Not Available**1. Availability of essential medicines for management of STH and schistosomiasis ***☐ Praziquantel☒ Albendazole☒ Mebendazole☐ Ivermectin☐ Others

Assessment of available laboratory equipment in the health facilities offering laboratory services

1. Microscope *

☒ Yes

☐ No

*

1. Object and cover slides

☒ Yes

☐ No

Centrifuge *

☒ Yes

☐ NO

*

1. Membrane filters

☐ Yes

☒ No

*

Filter holders☐ Yes☒ No**Syringes ***☒ Yes☐ No

*

Centrifuge tubes☒ Yes☐ No

*

Iodine (5%)☐ Yes☒ No

*

Urine dipstick☒ Yes☐ No

*

Malachite green☒ Yes☐ No

*

Methylene blue☒ Yes☐ No

*

Glycerine solution 50%☐ Yes☒ No

*

Cellophane☐ Yes☒ No

*

Kato Katz template☐ Yes☒ No

*

Spatula☒ Yes☐ No

This content is neither created nor endorsed by Google.

Google Forms

Quantitative assessment for each Health facility

1.Type of health facility *

- ☐ Health centre II
- ☒ Health Centre III
- ☐ Health centre IV
- ☐ Hospital

1. Distance of health facility from town council (classify the distance) *

- ☐ < 10km
- ☒ > 10km

Number of hospital beds *

8

1. Availability of dedicated lab and lab technician for diagnosis of NTDs *

- ☒ Yes
- ☐ No

1. Availability of diagnostic tests for intestinal schistosomiasis and STH *☒ Microscopes☒ Dyes☒ Assay strips☐ PCRs☐ Other:**1. Availability of tools to guide diagnosis (Tick if Present) ***☐ clinical guidelines☒ Laboratory protocols☒ Bench aids**1. Reporting of diagnosis and treatment to the Health Management Information System ***☒ Availability of reporting forms at health facility☐ Not Available**1. Availability of essential medicines for management of STH and schistosomiasis ***☐ Praziquantel☒ Albendazole☐ Mebendazole☐ Ivermectin☐ Others

Assessment of available laboratory equipment in the health facilities offering laboratory services

1. Microscope *

☒ Yes

☐ No

*

1. Object and cover slides

☒ Yes

☐ No

Centrifuge *

☒ Yes

☐ NO

*

1. Membrane filters

☐ Yes

☒ No

*

Filter holders☐ Yes☒ No**Syringes ***☒ Yes☐ No

*

Centrifuge tubes☒ Yes☐ No

*

Iodine (5%)☒ Yes☐ No

*

Urine dipstick☐ Yes☒ No

*

Malachite green☐ Yes☒ No

*

Methylene blue☒ Yes☐ No

*

Glycerine solution 50%☐ Yes☒ No

*

Cellophane☐ Yes☒ No

*

Kato Katz template☐ Yes☒ No

*

Spatula☒ Yes☐ No

This content is neither created nor endorsed by Google.

Google Forms

Quantitative assessment for each Health facility

1.Type of health facility *

- ☐ Health centre II
- ☒ Health Centre III
- ☐ Health centre IV
- ☐ Hospital

1. Distance of health facility from town council (classify the distance) *

- ☐ < 10km
- ☒ > 10km

Number of hospital beds *

0

1. Availability of dedicated lab and lab technician for diagnosis of NTDs *

- ☒ Yes
- ☐ No

1. Availability of diagnostic tests for intestinal schistosomiasis and STH *☒ Microscopes☐ Dyes☐ Assay strips☐ PCRs☐ Other:**1. Availability of tools to guide diagnosis (Tick if Present) ***☒ clinical guidelines☐ Laboratory protocols☐ Bench aids**1. Reporting of diagnosis and treatment to the Health Management Information System ***☒ Availability of reporting forms at health facility☐ Not Available**1. Availability of essential medicines for management of STH and schistosomiasis ***☐ Praziquantel☒ Albendazole☒ Mebendazole☐ Ivermectin☐ Others

Assessment of available laboratory equipment in the health facilities offering laboratory services

1. Microscope *

☒ Yes

☐ No

*

1. Object and cover slides

☒ Yes

☐ No

Centrifuge *

☒ Yes

☐ NO

*

1. Membrane filters

☐ Yes

☒ No

*

Filter holders☐ Yes☒ No**Syringes ***☒ Yes☐ No

*

Centrifuge tubes☒ Yes☐ No

*

Iodine (5%)☒ Yes☐ No

*

Urine dipstick☒ Yes☐ No

*

Malachite green☐ Yes☒ No

*

Methylene blue☒ Yes☐ No

*

Glycerine solution 50%☐ Yes☒ No

*

Cellophane☐ Yes☒ No

*

Kato Katz template☐ Yes☒ No

*

Spatula☐ Yes☒ No

This content is neither created nor endorsed by Google.

Google Forms

Quantitative assessment for each Health facility

1.Type of health facility *

- ☐ Health centre II
- ☒ Health Centre III
- ☐ Health centre IV
- ☐ Hospital

1. Distance of health facility from town council (classify the distance) *

- ☐ < 10km
- ☒ > 10km

Number of hospital beds *

60

1. Availability of dedicated lab and lab technician for diagnosis of NTDs *

- ☒ Yes
- ☐ No

1. Availability of diagnostic tests for intestinal schistosomiasis and STH *☒ Microscopes☐ Dyes☐ Assay strips☐ PCRs☐ Other:**1. Availability of tools to guide diagnosis (Tick if Present) ***☒ clinical guidelines☒ Laboratory protocols☒ Bench aids**1. Reporting of diagnosis and treatment to the Health Management Information System ***☒ Availability of reporting forms at health facility☐ Not Available**1. Availability of essential medicines for management of STH and schistosomiasis ***☐ Praziquantel☒ Albendazole☒ Mebendazole☐ Ivermectin☐ Others

Assessment of available laboratory equipment in the health facilities offering laboratory services

1. Microscope *

☒ Yes

☐ No

*

1. Object and cover slides

☒ Yes

☐ No

Centrifuge *

☒ Yes

☐ NO

*

1. Membrane filters

☒ Yes

☐ No

*

Filter holders☐ Yes☒ No**Syringes ***☒ Yes☐ No

*

Centrifuge tubes☒ Yes☐ No

*

Iodine (5%)☒ Yes☐ No

*

Urine dipstick☒ Yes☐ No

*

Malachite green☐ Yes☒ No

*

Methylene blue☒ Yes☐ No

*

Glycerine solution 50%☐ Yes☒ No

*

Cellophane☐ Yes☒ No

*

Kato Katz template☐ Yes☒ No

*

Spatula☐ Yes☒ No

This content is neither created nor endorsed by Google.

Google Forms

Quantitative assessment for each Health facility

1.Type of health facility *

- ☐ Health centre II
- ☒ Health Centre III
- ☐ Health centre IV
- ☐ Hospital

1. Distance of health facility from town council (classify the distance) *

- ☐ < 10km
- ☒ > 10km

Number of hospital beds *

30

1. Availability of dedicated lab and lab technician for diagnosis of NTDs *

- ☒ Yes
- ☐ No

1. Availability of diagnostic tests for intestinal schistosomiasis and STH *☒ Microscopes☒ Dyes☐ Assay strips☐ PCRs☐ Other:**1. Availability of tools to guide diagnosis (Tick if Present) ***☒ clinical guidelines☒ Laboratory protocols☐ Bench aids**1. Reporting of diagnosis and treatment to the Health Management Information System ***☒ Availability of reporting forms at health facility☐ Not Available**1. Availability of essential medicines for management of STH and schistosomiasis ***☐ Praziquantel☒ Albendazole☒ Mebendazole☐ Ivermectin☐ Others

Assessment of available laboratory equipment in the health facilities offering laboratory services

1. Microscope *

☒ Yes

☐ No

*

1. Object and cover slides

☒ Yes

☐ No

Centrifuge *

☒ Yes

☐ NO

*

1. Membrane filters

☐ Yes

☒ No

*

Filter holders☐ Yes☒ No**Syringes ***☒ Yes☐ No

*

Centrifuge tubes☒ Yes☐ No

*

Iodine (5%)☐ Yes☒ No

*

Urine dipstick☒ Yes☐ No

*

Malachite green☐ Yes☒ No

*

Methylene blue☒ Yes☐ No

*

Glycerine solution 50%☐ Yes☒ No

*

Cellophane☐ Yes☒ No

*

Kato Katz template☐ Yes☒ No

*

Spatula☐ Yes☒ No

This content is neither created nor endorsed by Google.

Google Forms

Quantitative assessment for each Health facility

1.Type of health facility *

- ☐ Health centre II
- ☐ Health Centre III
- ☒ Health centre IV
- ☐ Hospital

1. Distance of health facility from town council (classify the distance) *

- ☒ < 10km
- ☐ > 10km

Number of hospital beds *

70

1. Availability of dedicated lab and lab technician for diagnosis of NTDs *

- ☒ Yes
- ☐ No

1. Availability of diagnostic tests for intestinal schistosomiasis and STH *☒ Microscopes☒ Dyes☐ Assay strips☐ PCRs☐ Other:**1. Availability of tools to guide diagnosis (Tick if Present) ***☒ clinical guidelines☒ Laboratory protocols☒ Bench aids**1. Reporting of diagnosis and treatment to the Health Management Information System ***☐ Availability of reporting forms at health facility☒ Not Available**1. Availability of essential medicines for management of STH and schistosomiasis ***☐ Praziquantel☒ Albendazole☒ Mebendazole☐ Ivermectin☐ Others

Assessment of available laboratory equipment in the health facilities offering laboratory services

1. Microscope *

☒ Yes

☐ No

*

1. Object and cover slides

☒ Yes

☐ No

Centrifuge *

☒ Yes

☐ NO

*

1. Membrane filters

☐ Yes

☒ No

*

Filter holders☐ Yes☒ No**Syringes ***☒ Yes☐ No

*

Centrifuge tubes☒ Yes☐ No

*

Iodine (5%)☐ Yes☒ No

*

Urine dipstick☒ Yes☐ No

*

Malachite green☐ Yes☒ No

*

Methylene blue☒ Yes☐ No

*

Glycerine solution 50%☐ Yes☒ No

*

Cellophane☐ Yes☒ No

*

Kato Katz template☐ Yes☒ No

*

Spatula☐ Yes☒ No

This content is neither created nor endorsed by Google.

Google Forms