

Dimmer Schedule _ QPAC Concert Hall												
Rack 1 (DimMA)_ Roof Dimmer Room (Fridge)												
CRATE	MODULE	DIMMER RACK								FIXTURE		
		CIRCUIT #	LOCATION	CHANNAL ID	PATCH	UNIVERSE	ADDRESS	MODE	RATED(W)	ID	TYPE	LOAD(W)
1	1	1	BAY1 PS		513	202	1		2400			
		2	BAY1 PS	5131	514	202	2	Switch	2400	131	RJ Zep 661SX WW 11° - 26°	330
		3	BAY1 PS	5132	515	202	3	Switch	2400	132	RJ Zep 661SX WW 11° - 26°	330
		4	BAY1 PS	5133	516	202	4	Switch	2400	133	RJ Zep 661SX WW 11° - 26°	330
	2	5	BAY1 C	5134	517	202	5	Switch	2400	134	RJ Zep 661SX WW 11° - 26°	330
		6	BAY1 C	5135	518	202	6	Switch	2400	135	RJ Zep 661SX WW 11° - 26°	330
		7	BAY1 C	5136	519	202	7	Switch	2400	136	RJ Zep 661SX WW 11° - 26°	330
		8	BAY1 C	5137	520	202	8	Switch	2400	137	RJ Zep 661SX WW 11° - 26°	330
	3	9	BAY1 OP	5138	521	202	9	Switch	2400	138	RJ Zep 661SX WW 11° - 26°	330
		10	BAY1 OP	5139	522	202	10	Switch	2400	139	RJ Zep 661SX WW 11° - 26°	330
		11	BAY1 OP	5140	523	202	11	Switch	2400	140	RJ Zep 661SX WW 11° - 26°	330
		12	BAY1 OP		524	202	12		2400			
2	1	13	BAY2 PS	5125	525	202	13	Switch	2400	125	RJ Zep 661SX WW 11° - 26°	330
		14	BAY2 PS	5179					2400			
		15	BAY2 PS	5180					2400			
		16	BAY2 PS	5126	528	202	16	Switch	2400	126	RJ Zep 661SX WW 11° - 26°	330
	2	17	BAY2 C	5127	529	202	17	Switch	2400	127	RJ Zep 661SX WW 11° - 26°	330
		18	BAY2 C	5181					2400			
		19	BAY2 C	5182					2400			
		20	BAY2 C	5128	532	202	20	Switch	2400	128	RJ Zep 661SX WW 11° - 26°	330
	3	21	BAY2 OP	5129	533	202	21	Switch	2400	129	RJ Zep 661SX WW 11° - 26°	330
		22	BAY2 OP	5183					2400			
		23	BAY2 OP	5184					2400			
		24	BAY2 OP	5130	536	202	24	Switch	2400	130	RJ Zep 661SX WW 11° - 26°	330
3	1	25	BAY3 PS	5173					2400			
		26	BAY3 PS	5119	538	202	26	Switch	2400	119	RJ Zep 661SX WW 11° - 26°	330
		27	BAY3 PS	5120	539	202	27	Switch	2400	120	RJ Zep 661SX WW 11° - 26°	330
		28	BAY3 PS	5174					2400			
	2	29	BAY3 C	5175					2400			
		30	BAY3 C	5121	542	202	30	Switch	2400	121	RJ Zep 661SX WW 11° - 26°	330
		31	BAY3 C	5122	543	202	31	Switch	2400	122	RJ Zep 661SX WW 11° - 26°	330
		32	BAY3 C	5176					2400			
	3	33	BAY3 OP	5177					2400			
		34	BAY3 OP	5123	546	202	34	Switch	2400	123	RJ Zep 661SX WW 11° - 26°	330
		35	BAY3 OP	5124	547	202	35	Switch	2400	124	RJ Zep 661SX WW 11° - 26°	330
		36	BAY3 OP	5178					2400			
4	1	37	BAY4 F/PS	5113	549	202	37	Switch	2400	113	RJ Zep 661SX WW 11° - 26°	330
		38	BAY4 F/PS		550	202	38		2400			
		39	BAY4 PS	5114	551	202	39	Switch	2400	114	RJ Zep 661SX WW 11° - 26°	330
		40	BAY4 PS		552	202	40		2400			
	2	41	BAY4 C/PS	5115	553	202	41	Switch	2400	115	RJ Zep 661SX WW 11° - 26°	330
		42	BAY4 C/PS		554	202	42		2400			
		43	BAY4 C/OP	5116	555	202	43	Switch	2400	116	RJ Zep 661SX WW 11° - 26°	330
		44	BAY4 C/OP		556	202	44		2400			
	3	45	BAY4 OP	5117	557	202	45	Switch	2400	117	RJ Zep 661SX WW 11° - 26°	330
		46	BAY4 OP		558	202	46		2400			
		47	BAY4 F/OP	5118	559	202	47	Switch	2400	118	RJ Zep 661SX WW 11° - 26°	330
		48	BAY4 F/OP		560	202	48		2400			
5	1	49	BAY5 F/PS		561	202	49		2400			
		50	BAY5 F/PS		562	202	50		2400			
		51	BAY5 C/PS	5169					2400			
		52	BAY5 C/PS	5109	564	202	52	Switch	2400	109	RJ Zep 661SX WW 11° - 26°	330
	2	53	BAY5 C/PS	5110	565	202	53	Switch	2400	110	RJ Zep 661SX WW 11° - 26°	330
		54	BAY5 C/PS	5170					2400			
		55	BAY5 C/PS	41	567	202	55	Dim	2400	41	ETC Source Four Par	575
		56	BAY5 C/OP	5171					2400			
	3	57	BAY5 C/OP	5111	569	202	57	Switch	2400	111	RJ Zep 661SX WW 11° - 26°	330
		58	BAY5 C/OP	5112	570	202	58	Switch	2400	112	RJ Zep 661SX WW 11° - 26°	330
		59	BAY5 C/OP	5172					2400			
		60	BAY5 C/OP	41	572	202	60	Dim	2400	41	ETC Source Four Par	575
6	1	61	BAY5 F/OP		573	202	61		2400			
		62	BAY5 F/OP		574	202	62		2400			
		63	BAY6 F/PS		575	202	63		2400			
		64	BAY6 F/PS		576	202	64		2400			
	2	65	BAY6 PS	5165					2400			
		66	BAY6 PS	42	578	202	66	Dim	2400	42	ETC Source Four Par	575
		67	BAY6 C/PS	5166					2400			
		68	BAY6 C/PS	42	580	202	68	Dim	2400	42	ETC Source Four Par	575
	3	69	BAY6 C/OP	5167					2400			
		70	BAY6 C/OP	42	582	202	70	Dim	2400	42	ETC Source Four Par	575
		71	BAY6 OP	5168					2400			
		72	BAY6 OP	42	584	202	72	Dim	2400	42	ETC Source Four Par	575

Dimmer Schedule _ QPAC Concert Hall												
Rack 1A (DimMA)_ Roof Dimmer Room (Fridge)												
CRATE	MODULE	DIMMER RACK								FIXTURE		
		CIRCUIT #	LOCATION	CHANNAL ID	PATCH	UNIVERSE	ADDRESS	MODE	RATED(W)	ID	TYPE	LOAD(W)
7	1	73	BAY6 F/OP		585	202	73		2400			
		74	BAY6 F/OP		586	202	74		2400			
		75	BAY7 F/PS		587	202	75		2400			
		76	BAY7 F/PS		588	202	76		2400			
	2	77	BAY7 C/PS	5105	589	202	77	Switch	2400	105	RJ Zep 661SX WW 11° -26°	330
		78	BAY7 C/PS	5161					2400			
		79	BAY7 C/PS	5162					2400			
		80	BAY7 C/PS	5106	592	202	80	Switch	2400	106	RJ Zep 661SX WW 11° -26°	330
	3	81	BAY7 C/PS		593	202	81		2400			
		82	BAY7 C/OP	5107	594	202	82	Switch	2400	107	RJ Zep 661SX WW 11° -26°	330
		83	BAY7 C/OP	5163					2400			
		84	BAY7 C/OP	5164					2400			
8	1	85	BAY7 C/OP	5108	597	202	85	Switch	2400	108	RJ Zep 661SX WW 11° -26°	330
		86	BAY7 C/OP		598	202	86		2400			
		87	BAY7 F/OP		599	202	87		2400			
		88	BAY7 F/OP		600	202	88		2400			
	2	89	BAY8 F/PS		601	202	89		2400			
		90	BAY8 F/PS	43	602	202	90	Dim	2400	43	ETC Source Four Par	575
		91	BAY8 PS	5101	603	202	91	Switch	2400	101	RJ Zep 661SX WW 11° -26°	330
		92	BAY8 PS	43	604	202	92	Dim	2400	43	ETC Source Four Par	575
	3	93	BAY8 C/PS	5102	605	202	93	Switch	2400	102	RJ Zep 661SX WW 11° -26°	330
		94	BAY8 C/PS	43	606	202	94	Dim	2400	43	ETC Source Four Par	575
		95	BAY8 C/OP	5103	607	202	95	Switch	2400	103	RJ Zep 661SX WW 11° -26°	330
		96	BAY8 C/OP	43	608	202	96	Dim	2400	43	ETC Source Four Par	575
9	1	97	BAY8 OP	5104	609	202	97	Switch	2400	104	RJ Zep 661SX WW 11° -26°	330
		98	BAY8 OP	43	610	202	98	Dim	2400	43	ETC Source Four Par	575
		99	BAY8 F/OP		611	202	99		2400			
		100	BAY8 F/OP	43	612	202	100	Dim	2400	43	ETC Source Four Par	575
	2	101	BAY9 PS	44	613	202	101	Dim	2400	44	ETC Source Four Par	575
		102	BAY9 C	44	614	202	102	Dim	2400	44	ETC Source Four Par	575
		103	BAY9 C		615	202	103		2400			
		104	BAY9 OP	44	616	202	104	Dim	2400	44	ETC Source Four Par	575
	3	105	BAY10 F/PS	45	617	202	105	Dim	2400	45	ETC Source Four Par	575
		106	BAY10 F/PS		618	202	106		2400			
		107	BAY10 PS	45	619	202	107	Dim	2400	45	ETC Source Four Par	575
		108	BAY10 PS		620	202	108		2400			
10	1	109	BAY10 C/PS	45	621	202	109	Dim	2400	45	ETC Source Four Par	575
		110	BAY10 C/PS		622	202	110		2400			
		111	BAY10 C/OP	45	623	202	111	Dim	2400	45	ETC Source Four Par	575
		112	BAY10 C/OP		624	202	112		2400			
	2	113	BAY10 OP	45	625	202	113	Dim	2400	45	ETC Source Four Par	575
		114	BAY10 OP		626	202	114		2400			
		115	BAY10 F/OP	45	627	202	115	Dim	2400	45	ETC Source Four Par	575
		116	BAY10 F/OP		628	202	116		2400			
	3	117	BAY11 PS	5061					2400			
		118	BAY11 PS	5001	630	202	118	Switch	2400	1	RJ Zep 661SX WW 11° -26°	330
		119	BAY11 PS	5002	631	202	119	Switch	2400	2	RJ Zep 661SX WW 11° -26°	330
		120	BAY11 PS	5062					2400			
11	1	121	BAY11 PS	46	633	202	121	Dim	2400	46	ETC Source Four Par	575
		122	BAY11 C	5063					2400			
		123	BAY11 C	5003	635	202	123	Switch	2400	3	RJ Zep 661SX WW 11° -26°	330
		124	BAY11 C	5004	636	202	124	Switch	2400	4	RJ Zep 661SX WW 11° -26°	330
	2	125	BAY11 C	5064					2400			
		126	BAY11 C	46	638	202	126	Dim	2400	46	ETC Source Four Par	575
		127	BAY11 OP	5065					2400			
		128	BAY11 OP	5005	640	202	128	Switch	2400	5	RJ Zep 661SX WW 11° -26°	330
	3	129	BAY11 OP	5006	641	202	129	Switch	2400	6	RJ Zep 661SX WW 11° -26°	330
		130	BAY11 OP	5066					2400			
		131	BAY11 OP	46	643	202	131	Dim	2400	46	ETC Source Four Par	575
		132	BAY12 PS	5007	644	202	132	Switch	2400	7	RJ Zep 661SX WW 11° -26°	330
12	1	133	BAY12 PS	5067					2400			
		134	BAY12 PS	5068					2400			
		135	BAY12 PS	5008	647	202	135	Switch	2400	8	RJ Zep 661SX WW 11° -26°	330
		136	BAY12 PS	47	648	202	136	Dim	2400	47	ETC Source Four Par	575
	2	137	BAY12 C	5009	649	202	137	Switch	2400	9	RJ Zep 661SX WW 11° -26°	330
		138	BAY12 C	5069					2400			
		139	BAY12 C	5070					2400			
		140	BAY12 C	5010	652	202	140	Switch	2400	10	RJ Zep 661SX WW 11° -26°	330
	3	141	BAY12 C	47	653	202	141	Dim	2400	47	ETC Source Four Par	575
		142	BAY12 OP	5011	654	202	142	Switch	2400	11	RJ Zep 661SX WW 11° -26°	330
		143	BAY12 OP	5071					2400			
		144	BAY12 OP	5072					2400			

Dimmer Schedule _ QPAC Concert Hall												
Rack 2 (DimMA)_ Roof Dimmer Room (Fridge)												
DIMMER RACK										FIXTURE		
CRATE	MODULE	CIRCUIT #	LOCATION	CHANNAL ID	PATCH	UNIVERSE	ADDRESS	MODE	RATED(W)	ID	TYPE	LOAD(W)
1	1	145	BAY12 OP	5012	657	202	145	Switch	2400	12	RJ Zep 661SX WW 11° -26°	330
		146	BAY12 OP	47	658	202	146	Dim	2400	47	ETC Source Four Par	575
		147	Organ Loft PS	5073	659	202	147		2400			
		148	Organ Loft PS	5013	660	202	148	Switch	2400	13	RJ Zep 663SX WW 28° -54°	330
	2	149	Organ Loft PS	5074	661	202	149		2400			
		150	Organ Loft OP	5075	662	202	150		2400			
		151	Organ Loft OP	5014	663	202	151	Switch	2400	14	RJ Zep 663SX WW 28° -54°	330
		152	Organ Loft OP	5076	664	202	152		2400			
	3	153	Organ Loft						2400			
		154	Organ Loft						2400			
		155	Organ Loft						2400			
		156	Organ Loft						2400			
2	1	157	Socapex A1	601	157	201	157		2400		Orange box	
		158	Socapex A2	602	158	201	158		2400		Orange box	
		159	Socapex A3	603	159	201	159		2400		Orange box	
		160	Socapex A4	604	160	201	160		2400		Orange box	
	2	161	Socapex A5	605	161	201	161		2400		Orange box	
		162	Socapex A6	606	162	201	162		2400		Orange box	
		163	Socapex B1	611	163	201	163		2400		Orange box	
		164	Socapex B2	612	164	201	164		2400		Orange box	
	3	165	Socapex B3	613	165	201	165		2400		Orange box	
		166	Socapex B4	614	166	201	166		2400		Orange box	
		167	Socapex B5	615	167	201	167		2400		Orange box	
		168	Socapex B6	616	168	201	168		2400		Orange box	
3	1	169	Socapex C1	621	169	201	169		2400		Orange box	
		170	Socapex C2	622	170	201	170		2400		Orange box	
		171	Socapex C3	623	171	201	171		2400		Orange box	
		172	Socapex C4	624	172	201	172		2400		Orange box	
	2	173	Socapex C5	625	173	201	173		2400		Orange box	
		174	Socapex C6	626	174	201	174		2400		Orange box	
		175	Socapex D1	631	175	201	175		2400		Orange box	
		176	Socapex D2	632	176	201	176		2400		Orange box	
	3	177	Socapex D3	633	177	201	177		2400		Orange box	
		178	Socapex D4	634	178	201	178		2400		Orange box	
		179	Socapex D5	635	179	201	179		2400		Orange box	
		180	Socapex D6	636	180	201	180		2400		Orange box	
4	1	181	Socapex E1	641	181	201	181		2400		Orange box	
		182	Socapex E2	642	182	201	182		2400		Orange box	
		183	Socapex E3	643	183	201	183		2400		Orange box	
		184	Socapex E4	644	184	201	184		2400		Orange box	
	2	185	Socapex E5	645	185	201	185		2400		Orange box	
		186	Socapex E6	646	186	201	186		2400		Orange box	
		187	Socapex F1	651	187	201	187		2400		Orange box	
		188	Socapex F2	652	188	201	188		2400		Orange box	
	3	189	Socapex F3	653	189	201	189		2400		Orange box	
		190	Socapex F4	654	190	201	190		2400		Orange box	
		191	Socapex F5	655	191	201	191		2400		Orange box	
		192	Socapex F6	656	192	201	192		2400		Orange box	
5	1	193	Socapex G1	661	193	201	193		2400		Orange box	
		194	Socapex G2	662	194	201	194		2400		Orange box	
		195	Socapex G3	663	195	201	195		2400		Orange box	
		196	Socapex G4	664	196	201	196		2400		Orange box	
	2	197	Socapex G5	665	197	201	197		2400		Orange box	
		198	Socapex G6	666	198	201	198		2400		Orange box	
		199	Socapex H1	671	199	201	199		2400		Orange box	
		200	Socapex H2	672	200	201	200		2400		Orange box	
	3	201	Socapex H3	673	201	201	201		2400		Orange box	
		202	Socapex H4	674	202	201	202		2400		Orange box	
		203	Socapex H5	675	203	201	203		2400		Orange box	
		204	Socapex H6	676	204	201	204		2400		Orange box	
6	1	205	Socapex I1	681	205	201	205		2400		Orange box	
		206	Socapex I2	682	206	201	206		2400		Orange box	
		207	Socapex I3	683	207	201	207		2400		Orange box	
		208	Socapex I4	684	208	201	208		2400		Orange box	
	2	209	Socapex I5	685	209	201	209		2400		Orange box	
		210	Socapex I6	686	210	201	210		2400		Orange box	
		211	Socapex J1	691	211	201	211		2400		Orange box	
		212	Socapex J2	692	212	201	212		2400		Orange box	
	3	213	Socapex J3	693	213	201	213		2400		Orange box	
		214	Socapex J4	694	214	201	214		2400		Orange box	
		215	Socapex J5	695	215	201	215		2400		Orange box	
		216	Socapex J6	696	216	201	216		2400		Orange box	

Dimmer Schedule _ QPAC Concert Hall

Rack 2A (DimMA)_ Roof Dimmer Room (Fridge)												
DIMMER RACK										FIXTURE		
CRATE	MODULE	CIRCUIT #	LOCATION	CHANNAL ID	PATCH	UNIVERSE	ADDRESS	MODE	RATED(W)	ID	TYPE	LOAD(W)
7	1	217	Trumpeter's Balcony Mid PS		217	201	217		2400			
		218	Trumpeter's Balcony Mid PS		218	201	218		2400			
		219	Trumpeter's Balcony Mid PS		219	201	219		2400			
		220	Trumpeter's Balcony Mid PS		220	201	220		2400			
	2	221	Trumpeter's Balcony High PS	5149	221	201	221	Switch	2400	149	RJ Zep 661SX WW 11° -26°	330
		222	Trumpeter's Balcony High PS	5150	222	201	222	Switch	2400	150	RJ Zep 661SX WW 11° -26°	330
		223	Trumpeter's Balcony High PS	5151	223	201	223	Switch	2400	151	RJ Zep 661SX WW 11° -26°	330
		224	Trumpeter's Balcony High PS	5152	224	201	224	Switch	2400	152	RJ Zep 661SX WW 11° -26°	330
	3	225	Trumpeter's Balcony High PS	5301	225	201	225	Switch	2400	301-304	ShowPro HexPar 12 (4)	332
		226	Trumpeter's Balcony High PS	185	226	201	226	Dim	2400	185	Selecon Arena Fresnel CP92	2000
227		Trumpeter's Balcony High PS	186	227	201	227	Dim	2400	186	Selecon Arena Fresnel CP92	2000	
228		Trumpeter's Balcony High PS	271	228	201	228	Dim	2400	271	ETC Source Four 19° 575w	575	
8	1	229	Trumpeter's Balcony High PS	272	229	201	229	Dim	2400	272	ETC Source Four 26° 750w (2)	1500
		230	Trumpeter's Balcony High PS	273	230	201	230	Dim	2400	273	ETC Source Four 19° 750w	750
		231	Trumpeter's Balcony High PS	274	231	201	231	Dim	2400	274	ETC Source Four 19° 750w	750
		232	Trumpeter's Balcony High PS		232	201	232		2400			
	2	233	Trumpeter's Balcony High PS	5081					2400			
		234	Trumpeter's Balcony High PS	5082					2400			
		235	Trumpeter's Balcony High PS		235	201	235		2400			
		236	Trumpeter's Balcony High PS		236	201	236		2400			
	3	237	Trumpeter's Balcony High PS		237	201	237		2400			
		238	Trumpeter's Balcony High PS		238	201	238		2400			
239		Trumpeter's Slot Top PS	5141	239	201	239	Switch	2400	141	RJ Zep 661SX WW 11° -26°	330	
240		Trumpeter's Slot Top PS	5142	240	201	240	Switch	2400	142	RJ Zep 661SX WW 11° -26°	330	
9	1	241	Trumpeter's Slot Top PS	5145	241	201	241	Switch	2400	145	RJ Zep 661SX WW 11° -26°	330
		242	Trumpeter's Slot Top PS	5146	242	201	242	Switch	2400	146	RJ Zep 661SX WW 11° -26°	330
		243	Trumpeter's Slot Top PS		243	201	243		2400			
		244	Trumpeter's Slot Top PS		244	201	244		2400			
	2	245	Trumpeter's Slot Mid PS		245	201	245		2400			
		246	Trumpeter's Slot Mid PS		246	201	246		2400			
		247	Trumpeter's Slot Mid PS		247	201	247		2400			
		248	Trumpeter's Slot Mid PS		248	201	248		2400			
	3	249	Trumpeter's Slot Mid PS		249	201	249		2400			
		250	Trumpeter's Slot Mid PS		250	201	250		2400			
251		Trumpeter's Slot Mid PS		251	201	251		2400				
252		Trumpeter's Slot Mid PS		252	201	252		2400				
10	1	253	Trumpeter's Balcony Mid OP		253	201	253		2400			
		254	Trumpeter's Balcony Mid OP		254	201	254		2400			
		255	Trumpeter's Balcony Mid OP		255	201	255		2400			
		256	Trumpeter's Balcony Mid OP		256	201	256		2400			
	2	257	Trumpeter's Balcony High OP	5153	257	201	257	Switch	2400	153	RJ Zep 661SX WW 11° -26°	330
		258	Trumpeter's Balcony High OP	5154	258	201	258	Switch	2400	154	RJ Zep 661SX WW 11° -26°	330
		259	Trumpeter's Balcony High OP	5155	259	201	259	Switch	2400	155	RJ Zep 661SX WW 11° -26°	330
		260	Trumpeter's Balcony High OP	5156	260	201	260	Switch	2400	156	RJ Zep 661SX WW 11° -26°	330
	3	261	Trumpeter's Balcony High OP	5305	261	201	261	Switch	2400	305-308	ShowPro HexPar 12 (4)	332
		262	Trumpeter's Balcony High OP	187	262	201	262	Dim	2400	187	Selecon Arena Fresnel CP92	2000
263		Trumpeter's Balcony High OP	188	263	201	263	Dim	2400	188	Selecon Arena Fresnel CP92	2000	
264		Trumpeter's Balcony High OP	275	264	201	264	Dim	2400	275	ETC Source Four 19° 575w	575	
11	1	265	Trumpeter's Balcony High OP	276	265	201	265	Dim	2400	276	ETC Source Four 26° 750w (2)	1500
		266	Trumpeter's Balcony High OP	277	266	201	266	Dim	2400	277	ETC Source Four 19° 750w	750
		267	Trumpeter's Balcony High OP	278	267	201	267	Dim	2400	278	ETC Source Four 19° 750w	750
		268	Trumpeter's Balcony High OP		268	201	268		2400			
	2	269	Trumpeter's Balcony High OP	5083					2400			
		270	Trumpeter's Balcony High OP	5084					2400			
		271	Trumpeter's Balcony High OP		271	201	271		2400			
		272	Trumpeter's Balcony High OP		272	201	272		2400			
	3	273	Trumpeter's Balcony High OP		273	201	273		2400			
		274	Trumpeter's Balcony High OP		274	201	274		2400			
275		Trumpeter's Slot Top OP	5143	275	201	275	Switch	2400	143	RJ Zep 661SX WW 11° -26°	330	
276		Trumpeter's Slot Top OP	5144	276	201	276	Switch	2400	144	RJ Zep 661SX WW 11° -26°	330	
12	1	277	Trumpeter's Slot Top OP	5147	277	201	277	Switch	2400	147	RJ Zep 661SX WW 11° -26°	330
		278	Trumpeter's Slot Top OP	5148	278	201	278	Switch	2400	148	RJ Zep 661SX WW 11° -26°	330
		279	Trumpeter's Slot Top OP		279	201	279		2400			
		280	Trumpeter's Slot Top OP		280	201	280		2400			
	2	281	Trumpeter's Slot Mid OP		281	201	281		2400			
		282	Trumpeter's Slot Mid OP		282	201	282		2400			
		283	Trumpeter's Slot Mid OP		283	201	283		2400			
		284	Trumpeter's Slot Mid OP		284	201	284		2400			
	3	285	Trumpeter's Slot Mid OP		285	201	285		2400			
		286	Trumpeter's Slot Mid OP		286	201	286		2400			
287		Trumpeter's Slot Mid OP		287	201	287		2400				
288		Trumpeter's Slot Mid OP		288	201	288		2400				

Dimmer Schedule _ QPAC Concert Hall

Rack 5 (DimMA)_ Slot Level4 PS												
DIMMER RACK										FIXTURE		
CRATE	MODULE	CIRCUIT #	LOCATION	CHANNAL ID	PATCH	UNIVERSE	ADDRESS	MODE	RATED(W)	ID	TYPE	LOAD(W)
1	1	289	Slot Level 4 DS PS	5015	289	201	289	Switch	2400	15	RJ Zep 661SX WW 11° -26°	330
		290		5016	290	201	290	Switch	2400	16	RJ Zep 661SX WW 11° -26°	330
		291		5027	291	201	291	Switch	2400	27	RJ Zep 661SX WW 11° -26°	330
		292		5028	292	201	292	Switch	2400	28	RJ Zep 661SX WW 11° -26°	330
	2	293			293	201	293		2400			
		294			294	201	294		2400			
		295		201	295	201	295	Dim	2400	201	Selecon Pacific Zoom 12° -28° GLC	1000
		296		202	296	201	296	Dim	2400	202	Selecon Pacific Zoom 12° -28° GLC	1000
	3	297	Slot Level 3 DS PS	209	297	201	297	Dim	2400	209	Selecon Pacific Zoom 12° -28° GLC	1000
		298		210	298	201	298	Dim	2400	210	Selecon Pacific Zoom 12° -28° GLC	1000
		299		217	299	201	299	Dim	2400	217	Selecon Pacific Zoom 12° -28° GLC	1000
		300		218	300	201	300	Dim	2400	218	Selecon Pacific Zoom 12° -28° GLC	1000
2	1	301	Slot Level 2 DS PS	5309	301	201	301	Switch	2400	309-311	ShowPro HexPar 12 (3)	249
		302		225	302	201	302	Dim	2400	225	Selecon Pacific Zoom 14° -35° GLC	1000
		303		231	303	201	303	Dim	2400	231	Selecon Pacific Zoom 14° -35° GLC	1000
		304		237	304	201	304	Dim	2400	237	Selecon Pacific Zoom 12° -28° GLC	1000
	2	305			305	201	305		2400			
		306			306	201	306		2400			
		307		243	307	201	307	Dim	2400	243	Selecon Pacific Zoom 12° -28° GLC	1000
		308		244	308	201	308	Dim	2400	244	Selecon Pacific Zoom 12° -28° GLC	1000
	3	309	Slot Level 1 DS PS	255	309	201	309	Dim	2400	255	Selecon Pacific Zoom 14° -35° GLC	1000
		310		256	310	201	310	Dim	2400	256	Selecon Pacific Zoom 14° -35° GLC	1000
		311			311	201	311		2400			
		312			312	201	312		2400			
3	1	313	Slot Level 4 MS PS	5019	313	201	313	Switch	2400	19	RJ Zep 661SX WW 11° -26°	330
		314		5020	314	201	314	Switch	2400	20	RJ Zep 661SX WW 11° -26°	330
		315		5031	315	201	315	Switch	2400	31	RJ Zep 661SX WW 11° -26°	330
		316		5032	316	201	316	Switch	2400	32	RJ Zep 661SX WW 11° -26°	330
	2	317		5701	317	201	317	Switch	2400	701	ShowPro Flood EX36	288
		318			318	201	318		2400			
		319		205	319	201	319	Dim	2400	205	Selecon Pacific Zoom 12° -28° GLC	1000
		320		206	320	201	320	Dim	2400	206	Selecon Pacific Zoom 12° -28° GLC	1000
	3	321	Slot Level 3 MS PS	213	321	201	321	Dim	2400	213	Selecon Pacific Zoom 12° -28° GLC	1000
		322		214	322	201	322	Dim	2400	214	Selecon Pacific Zoom 12° -28° GLC	1000
		323		221	323	201	323	Dim	2400	221	Selecon Pacific Zoom 12° -28° GLC	1000
		324		222	324	201	324	Dim	2400	222	Selecon Pacific Zoom 12° -28° GLC	1000
4	1	325	Slot Level 2 MS PS	5315	325	201	325	Switch	2400	315-317	ShowPro HexPar 12 (3)	249
		326		227	326	201	326	Dim	2400	227	Selecon Pacific Zoom 14° -35° GLC	1000
		327		233	327	201	327	Dim	2400	233	Selecon Pacific Zoom 14° -35° GLC	1000
		328		239	328	201	328	Dim	2400	239	Selecon Pacific Zoom 12° -28° GLC	1000
	2	329		5702	329	201	329	Switch	2400	702	ShowPro Flood EX36	288
		330			330	201	330		2400			
		331		247	331	201	331	Dim	2400	247	Selecon Pacific Zoom 12° -28° GLC	1000
		332		248	332	201	332	Dim	2400	248	Selecon Pacific Zoom 12° -28° GLC	1000
	3	333	Slot Level 1 MS PS	259	333	201	333	Dim	2400	259	Selecon Pacific Zoom 14° -35° GLC	1000
		334		260	334	201	334	Dim	2400	260	Selecon Pacific Zoom 14° -35° GLC	1000
		335			335	201	335		2400			
		336			336	201	336		2400			
5	1	337	Slot Level 4 US PS	5023	337	201	337	Switch	2400	23	RJ Zep 661SX WW 11° -26°	330
		338		5024	338	201	338	Switch	2400	24	RJ Zep 661SX WW 11° -26°	330
		339		5035	339	201	339	Switch	2400	35	RJ Zep 661SX WW 11° -26°	330
		340		5036	340	201	340	Switch	2400	36	RJ Zep 661SX WW 11° -26°	330
	2	341		5077					2400			
		342		5078					2400			
		343		5039	343	201	343	Switch	2400	39	RJ Zep 661SX WW 11° -26°	330
		344			344	201	344		2400			
	3	345	Slot Level 3 US PS		345	201	345		2400			
		346			346	201	346		2400			
		347			347	201	347		2400			
		348			348	201	348		2400			
6	1	349	Slot Level 2 US PS	5321	349	201	349	Switch	2400	321-322	ShowPro HexPar 12 (2)	166
		350		229	350	201	350	Dim	2400	229	Selecon Pacific Zoom 14° -35° GLC	1000
		351		235	351	201	351	Dim	2400	235	Selecon Pacific Zoom 14° -35° GLC	1000
		352		241	352	201	352	Dim	2400	241	Selecon Pacific Zoom 12° -28° GLC	1000
	2	353			353	201	353		2400			
		354			354	201	354		2400			
		355		251	355	201	355	Dim	2400	251	Selecon Pacific Zoom 12° -28° GLC	1000
		356		252	356	201	356	Dim	2400	252	Selecon Pacific Zoom 12° -28° GLC	1000
	3	357	Slot Level 1 US PS	263	357	201	357	Dim	2400	263	Selecon Pacific Zoom 14° -35° GLC	1000
		358		264	358	201	358	Dim	2400	264	Selecon Pacific Zoom 14° -35° GLC	1000
		359			359	201	359		2400			
		360			360	201	360		2400			

Dimmer Schedule _ QPAC Concert Hall												
Rack 6 (DimMA)_ Slot Level4 OP												
DIMMER RACK										FIXTURE		
CRATE	MODULE	CIRCUIT #	LOCATION	CHANNAL ID	PATCH	UNIVERSE	ADDRESS	MODE	RATED(W)	ID	TYPE	LOAD(W)
1	1	361	Slot Level 4 DS OP	5017	361	201	361	Switch	2400	17	RJ Zep 661SX WW 11°-26°	330
		362		5018	362	201	362	Switch	2400	18	RJ Zep 661SX WW 11°-26°	330
		363		5029	363	201	363	Switch	2400	29	RJ Zep 661SX WW 11°-26°	330
		364		5030	364	201	364	Switch	2400	30	RJ Zep 661SX WW 11°-26°	330
	2	365			365	201	365		2400			
		366			366	201	366		2400			
		367		203	367	201	367	Dim	2400	203	Selecon Pacific Zoom 12°-28° GLC	1000
		368		204	368	201	368	Dim	2400	204	Selecon Pacific Zoom 12°-28° GLC	1000
	3	369	Slot Level 3 DS OP	211	369	201	369	Dim	2400	211	Selecon Pacific Zoom 12°-28° GLC	1000
		370		212	370	201	370	Dim	2400	212	Selecon Pacific Zoom 12°-28° GLC	1000
		371		219	371	201	371	Dim	2400	219	Selecon Pacific Zoom 12°-28° GLC	1000
		372		220	372	201	372	Dim	2400	220	Selecon Pacific Zoom 12°-28° GLC	1000
2	1	373	Slot Level 2 DS OP	226	373	201	373	Dim	2400	226	Selecon Pacific Zoom 14°-35° GLC	1000
		374		5312	374	201	374	Switch	2400	312-314	ShowPro HexPar 12 (3)	249
		375		232	375	201	375	Dim	2400	232	Selecon Pacific Zoom 14°-35° GLC	1000
		376		238	376	201	376	Dim	2400	238	Selecon Pacific Zoom 12°-28° GLC	1000
		377			377	201	377		2400			
	2	378			378	201	378		2400			
		379		245	379	201	379	Dim	2400	245	Selecon Pacific Zoom 12°-28° GLC	1000
		380		246	380	201	380	Dim	2400	246	Selecon Pacific Zoom 12°-28° GLC	1000
		381		257	381	201	381	Dim	2400	257	Selecon Pacific Zoom 14°-35° GLC	1000
	3	382	Slot Level 1 DS OP	258	382	201	382	Dim	2400	258	Selecon Pacific Zoom 14°-35° GLC	1000
		383			383	201	383		2400			
		384			384	201	384		2400			
3	1	385	Slot Level 4 MS OP	5021	385	201	385	Switch	2400	21	RJ Zep 661SX WW 11°-26°	330
		386		5022	386	201	386	Switch	2400	22	RJ Zep 661SX WW 11°-26°	330
		387		5033	387	201	387	Switch	2400	33	RJ Zep 661SX WW 11°-26°	330
		388		5034	388	201	388	Switch	2400	34	RJ Zep 661SX WW 11°-26°	330
		389		5703	389	201	389	Switch	2400	703	ShowPro Flood EX36	288
	2	390			390	201	390		2400			
		391		207	391	201	391	Dim	2400	207	Selecon Pacific Zoom 12°-28° GLC	1000
		392		208	392	201	392	Dim	2400	208	Selecon Pacific Zoom 12°-28° GLC	1000
		393		215	393	201	393	Dim	2400	215	Selecon Pacific Zoom 12°-28° GLC	1000
	3	394	Slot Level 3 MS OP	216	394	201	394	Dim	2400	216	Selecon Pacific Zoom 12°-28° GLC	1000
		395		223	395	201	395	Dim	2400	223	Selecon Pacific Zoom 12°-28° GLC	1000
		396		224	396	201	396	Dim	2400	224	Selecon Pacific Zoom 12°-28° GLC	1000
4	1	397	Slot Level 2 MS OP	5318	397	201	397	Switch	2400	318-320	ShowPro HexPar 12 (3)	249
		398		228	398	201	398	Dim	2400	228	Selecon Pacific Zoom 14°-35° GLC	1000
		399		234	399	201	399	Dim	2400	234	Selecon Pacific Zoom 14°-35° GLC	1000
		400		240	400	201	400	Dim	2400	240	Selecon Pacific Zoom 12°-28° GLC	1000
		401		5704	401	201	401	Switch	2400	704	ShowPro Flood EX36	288
	2	402			402	201	402		2400			
		403		249	403	201	403	Dim	2400	249	Selecon Pacific Zoom 12°-28° GLC	1000
		404		250	404	201	404	Dim	2400	250	Selecon Pacific Zoom 12°-28° GLC	1000
		405		261	405	201	405	Dim	2400	261	Selecon Pacific Zoom 14°-35° GLC	1000
	3	406	Slot Level 1 MS OP	262	406	201	406	Dim	2400	262	Selecon Pacific Zoom 14°-35° GLC	1000
		407			407	201	407		2400			
		408			408	201	408		2400			
5	1	409	Slot Level 4 US OP	5025	409	201	409	Switch	2400	25	RJ Zep 661SX WW 11°-26°	330
		410		5026	410	201	410	Switch	2400	26	RJ Zep 661SX WW 11°-26°	330
		411		5037	411	201	411	Switch	2400	37	RJ Zep 661SX WW 11°-26°	330
		412		5038	412	201	412	Switch	2400	38	RJ Zep 661SX WW 11°-26°	330
		413		5079					2400			
	2	414		5080					2400			
		415		5040	415	201	415	Switch	2400	40	RJ Zep 661SX WW 11°-26°	330
		416			416	201	416		2400			
		417			417	201	417		2400			
	3	418	Slot Level 3 US OP		418	201	418		2400			
		419			419	201	419		2400			
		420			420	201	420		2400			
6	1	421	Slot Level 2 US OP	5323	421	201	421	Switch	2400	323-324	ShowPro HexPar 12 (2)	166
		422		230	422	201	422	Dim	2400	230	Selecon Pacific Zoom 14°-35° GLC	1000
		423		236	423	201	423	Dim	2400	236	Selecon Pacific Zoom 14°-35° GLC	1000
		424		242	424	201	424	Dim	2400	242	Selecon Pacific Zoom 12°-28° GLC	1000
	2	425			425	201	425		2400			
		426			426	201	426		2400			
		427		253	427	201	427	Dim	2400	253	Selecon Pacific Zoom 12°-28° GLC	1000
		428		254	428	201	428	Dim	2400	254	Selecon Pacific Zoom 12°-28° GLC	1000
	3	429	Slot Level 1 US OP	265	429	201	429	Dim	2400	265	Selecon Pacific Zoom 14°-35° GLC	1000
		430		266	430	201	430	Dim	2400	266	Selecon Pacific Zoom 14°-35° GLC	1000
		431		998	431	201	431	Switch	2400	998	Hazer Fan	100
		432		5999	432	201	432	Switch	2400	999	MDG ATMe Hazer	715

Dimmer Schedule _ QPAC Concert Hall

Rack 7 (DimMA) _ Basement Dimmer Room												
DIMMER RACK										FIXTURE		
CRATE	MODULE	CIRCUIT #	LOCATION	CHANNAL ID	PATCH	UNIVERSE	ADDRESS	MODE	RATED(W)	ID	TYPE	LOAD(W)
1	1	433	Front Balcony Rail	281	433	201	433	Dim	2400	281	ETC Source Four 19° 750w	750
		434		282	434	201	434	Dim	2400	282	ETC Source Four 19° 750w	750
		435		283	435	201	435	Dim	2400	283	ETC Source Four 19° 750w	750
		436		284	436	201	436	Dim	2400	284	ETC Source Four 19° 750w	750
	2	437		285	437	201	437	Dim	2400	285	ETC Source Four 19° 750w	750
		438		286	438	201	438	Dim	2400	286	ETC Source Four 19° 750w	750
		439		287	439	201	439	Dim	2400	287	ETC Source Four 19° 750w	750
		440		288	440	201	440	Dim	2400	288	ETC Source Four 19° 750w	750
	3	441		289	441	201	441	Dim	2400	289	ETC Source Four 5° 750w	750
		442	Choir Balcony DS PS	289	442	201	442	Dim	2400	289	ETC Source Four 5° 750w	750
		443			443	201	443		2400			
		444			444	201	444		2400			
2	1	445	Choir Balcony DS PS		445	201	445		2400			
		446			446	201	446		2400			
		447	Choir Balcony US PS		447	201	447		2400			
		448			448	201	448		2400			
	2	449			449	201	449		2400			
		450			450	201	450		2400			
		451	Choir Balcony DS OP		451	201	451		2400			
		452			452	201	452		2400			
	3	453			453	201	453		2400			
		454			454	201	454		2400			
		455	Choir Balcony US OP		455	201	455		2400			
		456			456	201	456		2400			
3	1	457	Choir Balcony US OP		457	201	457		2400			
		458			458	201	458		2400			
	2	459	Floor Trap S8		459	201	459		2400			
		460			460	201	460		2400			
		461			461	201	461		2400			
		462			462	201	462		2400			
	3	463	Floor Trap S10		463	201	463		2400			
		464			464	201	464		2400			
		465			465	201	465		2400			
		466			466	201	466		2400			
	3	467	Floor Trap S12		467	201	467		2400			
		468			468	201	468		2400			
4	1	469	Floor Trap S12		469	201	469		2400			
		470			470	201	470		2400			
		471			471	201	471		2400			
		472			472	201	472		2400			
	2	473	Floor Trap S16		473	201	473		2400			
		474			474	201	474		2400			
		475			475	201	475		2400			
		476			476	201	476		2400			
	3	477			477	201	477		2400			
		478			478	201	478		2400			
		479			479	201	479		2400			
		480			480	201	480		2400			
5	1	481	Floor Trap S16		481	201	481		2400			
		482	Floor Trap S1		482	201	482		2400			
		483			483	201	483		2400			
		484			484	201	484		2400			
	2	485			485	201	485		2400			
		486			486	201	486		2400			
		487	Floor Trap S9		487	201	487		2400			
		488			488	201	488		2400			
	3	489			489	201	489		2400			
		490			490	201	490		2400			
		491	Floor Trap S11		491	201	491		2400			
		492			492	201	492		2400			
6	1	493	Floor Trap S11		493	201	493		2400			
		494			494	201	494		2400			
	2	495	Floor Trap S13		495	201	495		2400			
		496			496	201	496		2400			
		497			497	201	497		2400			
		498			498	201	498		2400			
	3	499			499	201	499		2400			
		500			500	201	500		2400			
		501			501	201	501		2400			
		502			502	201	502		2400			
	3	503			503	201	503		2400			
		504			504	201	504		2400			

Dimmer Schedule _ QPAC Concert Hall

Front Balcony Rail Dimmer Rack (Rack8)												
DIMMER RACK										FIXTURE		
ID	OUTPUT	CIRCUIT #	LOCATION	CHANNAL ID	PATCH	UNIVERSE	ADDRESS	MODE	RATED(W)	ID	TYPE	LOAD(W)
1	1	433	Front Balcony Rail	281	433	201	433	Dim	2400	281	ETC Source Four 19° 750w x2	1500
		434										
		435										
		436		280	436	201	436	Dim	2400	280	Selecon Acclaim Fresnel FRE	650
		437		282	437	201	193	Dim	2400	282	ETC Source Four 19° 750w x2	1500
		438		283	438	201	194	Dim	2400	283	ETC Source Four 19° 750w x2	1500
	2	439	Front Balcony Rail	289	439	201	280	Dim	2400	289	ETC Source Four 5° 750w x2	1500
		440										
		441										
		442		284	442	201	284	Dim	2400	284	ETC Source Four 19° 750w x2	1500
		443										
		444										

8150

TEKO 1-3 _ Roof												
TEKO										FIXTURE		
ID	OUTPUT	CIRCUIT #	LOCATION	CHANNAL ID	PATCH	UNIVERSE	ADDRESS	MODE	RATED(W)	ID	TYPE	LOAD(W)
1	1	1		6001		202	401		2400			
		2		6002		202	402		2400			
		3		6003		202	403		2400			
		4		6004		202	404		2400			
		5		6005		202	405		2400			
		6		6006		202	406		2400			
	2	7		6007		202	407		2400			
		8		6008		202	408		2400			
		9		6009		202	409		2400			
		10		6010		202	410		2400			
		11		6011		202	411		2400			
		12		6012		202	412		2400			
2	1	1		6013		202	413		2400			
		2		6014		202	414		2400			
		3		6015		202	415		2400			
		4		6016		202	416		2400			
		5		6017		202	417		2400			
		6		6018		202	418		2400			
	2	7		6019		202	419		2400			
		8		6020		202	420		2400			
		9		6021		202	421		2400			
		10		6022		202	422		2400			
		11		6023		202	423		2400			
		12		6024		202	424		2400			
3	1	1		6025		202	425		2400			
		2		6026		202	426		2400			
		3		6027		202	427		2400			
		4		6028		202	428		2400			
		5		6029		202	429		2400			
		6		6030		202	430		2400			
	2	7		6031		202	431		2400			
		8		6032		202	432		2400			
		9		6033		202	433		2400			
		10		6034		202	434		2400			
		11		6035		202	435		2400			
		12		6036		202	436		2400			

0

Dimmer Schedule _ QPAC Concert Hall

TEKO 4-6(Roof) , 7(Trumpeter's Balcony High PS), 8(Trumpeter's Balcony High OP)												
TEKO										FIXTURE		
ID	OUTPUT	CIRCUIT #	LOCATION	CHANNAL ID	PATCH	UNIVERSE	ADDRESS	MODE	RATED(W)	ID	TYPE	LOAD(W)
4	1	1	BAY2 PS	5179		202	14	Switch	2400	179-180	ETC Source Four Series2 T-HD 14° (2)	416
		2	BAY2 C	5181		202	18	Switch	2400	181-182	ETC Source Four Series2 T-HD 14° (2)	416
		3	BAY2 OP	5183		202	22	Switch	2400	183-184	ETC Source Four Series2 T-HD 14° (2)	416
		4	BAY3 PS	5173		202	25	Switch	2400	173-174	ETC Source Four Series2 T-HD 14° (2)	416
		5	BAY3 C	5175		202	29	Switch	2400	175-176	ETC Source Four Series2 T-HD 14° (2)	416
		6	BAY3 OP	5177		202	33	Switch	2400	177-178	ETC Source Four Series2 T-HD 14° (2)	416
	2	7	BAY5 C/PS	5169		202	51	Switch	2400	169-170	ETC Source Four Series2 T-HD 19° (2)	416
		8	BAY5 C/OP	5171		202	56	Switch	2400	171-172	ETC Source Four Series2 T-HD 19° (2)	416
		9	BAY6 PS	5165		202	65	Switch	2400	165	ETC Source Four Series2 T-HD 19°	208
		10	BAY6 C/PS	5166		202	67	Switch	2400	166	ETC Source Four Series2 T-HD 19°	208
		11	BAY6 C/OP	5167		202	69	Switch	2400	167	ETC Source Four Series2 T-HD 19°	208
		12	BAY6 OP	5168		202	71	Switch	2400	168	ETC Source Four Series2 T-HD 19°	208
5	1	1	BAY7 C/PS	5161		202	78	Switch	2400	161-162	ETC Source Four Series2 T-HD 19° (2)	416
		2	BAY7 C/OP	5163		202	83	Switch	2400	163-164	ETC Source Four Series2 T-HD 19° (2)	416
		3										
		4										
		5										
		6										
	2	7										
		8										
		9										
		10										
		11										
		12										
6	1	1	Slot Level 4 US PS	5077		201	341	Switch	2400	77-78	ETC Source Four Series2 T-HD 14° (2)	416
		2	Slot Level 4 US OP	5079		201	399	Switch	2400	79-80	ETC Source Four Series2 T-HD 14° (2)	416
		3	Organ Loft PS	5073		202	147	Switch	2400	73-74	ETC Source Four Series2 T-HD 19° (2)	416
		4	Organ Loft OP	5075		202	150	Switch	2400	75-76	ETC Source Four Series2 T-HD 19° (2)	416
		5										
		6										
	2	7	BAY3 PS	5061		202	117	Switch	2400	61-62	ETC Source Four Series2 T-HD 19° (2)	416
		8	BAY3 C	5063		202	122	Switch	2400	63-64	ETC Source Four Series2 T-HD 19° (2)	416
		9	BAY3 OP	5065		202	127	Switch	2400	65-66	ETC Source Four Series2 T-HD 19° (2)	416
		10	BAY4 PS	5067		202	133	Switch	2400	67-68	ETC Source Four Series2 T-HD 19° (2)	416
		11	BAY4 C	5069		202	138	Switch	2400	69-70	ETC Source Four Series2 T-HD 19° (2)	416
		12	BAY4 OP	5071		202	143	Switch	2400	71-72	ETC Source Four Series2 T-HD 19° (2)	416
7	1	1	Trumpeter's Balcony High PS	5081		202	233	Switch	2400	81-84	ETC Source Four Series2 T-HD 26° (4)	832
		2										
		3										
		4										
		5										
		6										
	2	7										
		8										
		9										
		10										
		11										
		12										
8	1	1	Trumpeter's Balcony High OP	5085		202	269	Switch	2400	85-88	ETC Source Four Series2 T-HD 26° (4)	832
		2										
		3										
		4										
		5										
		6										
	2	7										
		8										
		9										
		10										
		11										
		12										