```
cs421=> \d clients
          Table "cs421g24.clients"
 Column I
                                   Modifiers
                   Type
cid
          integer
                                   not null
         | character varying(30) |
 email
                                   not null
         | character varying(20)
 phone
                                   not null
                                   not null
 address | text
 account | character varying(30) |
                                   not null
Indexes:
    "clients pkey" PRIMARY KEY, btree (cid)
Referenced by:
    TABLE "companies" CONSTRAINT "companies_cid_fkey" FOREIGN KEY (cid) REFERENCES clients(cid)
   TABLE "individuals" CONSTRAINT "individuals_cid_fkey" FOREIGN KEY (cid) REFERENCES clients(cid)
   TABLE "prescriptions" CONSTRAINT "prescriptions cid fkey" FOREIGN KEY (cid) REFERENCES clients(cid
   TABLE "subscriptions" CONSTRAINT "subscriptions cid fkey" FOREIGN KEY (cid) REFERENCES clients(cid
```

```
cs421=> \d companies
          Table "cs421q24.companies"
 Column
                                     Modifiers
                     Type
 cid
           | integer
                                     not null
          | character varying(30) | not null
 compname
numemploy | integer
                                     not null
Indexes:
    "companies pkey" PRIMARY KEY, btree (cid)
Check constraints:
    "companies numemploy check" CHECK (numemploy > 0)
Foreign-key constraints:
    "companies cid fkey" FOREIGN KEY (cid) REFERENCES clients(cid)
cs421=> \d covers
   Table "cs421g24.covers"
Column | Type
                  | Modifiers
 planid | integer | not null
duid
        | integer | not null
Indexes:
    "covers pkey" PRIMARY KEY, btree (planid, duid)
Foreign-key constraints:
    "covers_duid_fkey" FOREIGN KEY (duid) REFERENCES drugs(duid)
    "covers planid fkey" FOREIGN KEY (planid) REFERENCES insuranceplans(planid)
```

```
cs421=> \d drugs
              Table "cs421g24.drugs"
    Column
                                         Modifiers
                         Type
 duid
              | integer
                                         not null
 dname
                character varying(200)
                                         not null
 manufacturer | character varying(200)
                                         not null
 price
                                         not null
              money
Indexes:
    "drugs pkey" PRIMARY KEY, btree (duid)
Referenced by:
    TABLE "covers" CONSTRAINT "covers duid fkey" FOREIGN KEY (duid) REFERENCES drugs(duid)
   TABLE "prescriptioncontents" CONSTRAINT "prescriptioncontents_duid_fkey" FOREIGN KEY (duid) REFERE
NCES drugs(duid)
    TABLE "receiptdrugs" CONSTRAINT "receiptdrugs duid fkey" FOREIGN KEY (duid) REFERENCES drugs(duid)
```

```
cs421=> \d healthfacilities
     Table "cs421g24.healthfacilities"
 Column |
                   Type
                                  Modifiers
         | integer
 hid
                                   not null
 hname
           character varying(30) |
                                   not null
 address |
          text
                                   not null
 phone
           character varying(20)
                                   not null
                                   not null
 ftype
           text
Indexes:
    "healthfacilities pkey" PRIMARY KEY, btree (hid)
Referenced by:
    TABLE "worksat" CONSTRAINT "worksat_hid_fkey" FOREIGN KEY (hid) REFERENCES healthfacilities(hid)
```

```
cs421=> \d healthpractitioners
        Table "cs421g24.healthpractitioners"
                                        | Modifiers
     Column
                          Type
did
                 bigint
                                          not null
                | character varying(30) | not null
 fname
                 character varying(30)
 lname
                                        I not null
                 character varying(20) | not null
 phone
                 character varying(60) | not null
 email
specialization | character varying(60) | not null
Indexes:
    "healthpractitioner_pkey" PRIMARY KEY, btree (did)
Referenced by:
   TABLE "pharmacists" CONSTRAINT "pharmacists did fkey" FOREIGN KEY (did) REFERENCES healthpractitio
ners(did)
   TABLE "prescriptions" CONSTRAINT "prescriptions did fkey" FOREIGN KEY (did) REFERENCES healthpract
itioners(did)
   TABLE "worksat" CONSTRAINT "worksat did fkey" FOREIGN KEY (did) REFERENCES healthpractitioners(did
```

```
cs421=> \d individuals;
         Table "cs421g24.individuals"
  Column
                     Туре
                                    | Modifiers
 cid
           | integer
                                    not null
 fname
             character varying(30) | not null
            character varying(30) | not null
 lname
 birthdate | date
                                     not null
 gender
           | gender
Indexes:
    "individuals pkey" PRIMARY KEY, btree (cid)
Check constraints:
    "individuals_cid_check" CHECK (cid > 0)
Foreign-key constraints:
    "individuals cid fkey" FOREIGN KEY (cid) REFERENCES clients(cid)
```

```
Table "cs421g24.insuranceclaims"
Column | Type
                  | Modifiers
 icid
         integer | not null
                    not null
 date
          date
 rid
         integer | not null
Indexes:
    "insuranceclaims_pkey" PRIMARY KEY, btree (icid)
Foreign-key constraints:
    "insuranceclaims_rid_fkey" FOREIGN KEY (rid) REFERENCES receipts(rid)
Referenced by:
    TABLE "reimbursed" CONSTRAINT "reimbursed_icid_fkey" FOREIGN KEY (icid) REFERENCES insuranceclaims
(icid)
```

cs421=> \d insuranceclaims

```
cs421=> \d insuranceplans
      Table "cs421g24.insuranceplans"
 Column |
                                    Modifiers
                    Type
 planid
          | integer
                                    not null
            text
                                    not null
coverage
                                    not null
 price
            money
            character varying(30) | not null
pname
Indexes:
    "insuranceplans pkey" PRIMARY KEY, btree (planid)
Referenced by:
   TABLE "covers" CONSTRAINT "covers planid fkey" FOREIGN KEY (planid) REFERENCES insuranceplans(plan
id)
   TABLE "subscriptions" CONSTRAINT "subscriptions_planid_fkey" FOREIGN KEY (planid) REFERENCES insur-
anceplans(planid)
```

```
cs421=> \d prescriptions
Table "cs421g24.prescriptions"
                     | Modifiers
 Column
           | Type
 pid
            integer | not null
 cid
            integer
 did
            bigint
 startdate |
            date
                       not null
enddate
                      not null
           | date
Indexes:
    "prescriptions pkey" PRIMARY KEY, btree (pid)
Foreign-key constraints:
    "prescriptions cid fkey" FOREIGN KEY (cid) REFERENCES clients(cid)
    "prescriptions did fkey" FOREIGN KEY (did) REFERENCES healthpractitioners(did)
Referenced by:
   TABLE "prescriptioncontents" CONSTRAINT "prescriptioncontents pid fkey" FOREIGN KEY (pid) REFERENC
ES prescriptions(pid)
   TABLE "receipts" CONSTRAINT "receipts prescriptions fk" FOREIGN KEY (pid) REFERENCES prescriptions
(pid)
```

```
cs421=> \d receipts
    Table "cs421g24.receipts"
   Column
            Type
                      | Modifiers
 rid
             integer |
                       not null
 did
              bigint
                        not null
              date
 date
                        not null
 totalprice |
                        not null
             money
pid
             integer |
                        not null
Indexes:
    "receipts_pkey" PRIMARY KEY, btree (rid)
Foreign-key constraints:
    "receipts_pid_fkey" FOREIGN KEY (did) REFERENCES pharmacists(did)
    "receipts prescriptions fk" FOREIGN KEY (pid) REFERENCES prescriptions(pid)
Referenced by:
    TABLE "insuranceclaims" CONSTRAINT "insuranceclaims rid fkey" FOREIGN KEY (rid) REFERENCES receipt
s(rid)
    TABLE "receiptdrugs" CONSTRAINT "receiptdrugs rid fkey" FOREIGN KEY (rid) REFERENCES receipts(rid)
```

```
cs421=> \d reimbursed
Table "cs421g24.reimbursed"
 Column | Type | Modifiers
subid
        | integer
icid
        | integer | not null
 amount
        money
                  | not null
data
        date
                   not null
Indexes:
   "reimbursed_pkey" PRIMARY KEY, btree (icid)
Foreign-key constraints:
    "reimbursed icid fkey" FOREIGN KEY (icid) REFERENCES insuranceclaims(icid)
    "reimbursed_subid_fkey" FOREIGN KEY (subid) REFERENCES subscriptions(subid)
```

```
cs421=> \d subscriptions
Table "cs421g24.subscriptions"
  Column
                     | Modifiers
              Type
           | integer | not null
subid
cid
            integer
planid
            integer
startdate |
                       not null
            date
                       not null
enddate
           I date
Indexes:
    "subscriptions pkey" PRIMARY KEY, btree (subid)
Foreign-key constraints:
    "subscriptions cid fkey" FOREIGN KEY (cid) REFERENCES clients(cid)
    "subscriptions_planid_fkey" FOREIGN KEY (planid) REFERENCES insuranceplans(planid)
Referenced by:
   TABLE "reimbursed" CONSTRAINT "reimbursed subid fkey" FOREIGN KEY (subid) REFERENCES subscriptions
(subid)
```

```
cs421=> \d worksat
Table "cs421g24.worksat"

Column | Type | Modifiers

did | bigint | not null
hid | integer | not null
Indexes:
    "worksat_pkey" PRIMARY KEY, btree (did, hid)

Foreign-key constraints:
    "worksat_did_fkey" FOREIGN KEY (did) REFERENCES healthpractitioners(did)
    "worksat_hid_fkey" FOREIGN KEY (hid) REFERENCES healthfacilities(hid)
```