

```
Field 'id' expected a number but got {'id': 1, 'sous_parties': [{'id': 1, 'lignes_details': [{'id': 1, 'quantity': 0, 'custom_price': '10.00'}, {'id': 2, 'quantity': '35', 'custom_price': '11.00'}, {'id': 3, 'quantity': 0, 'custom_price': '11.00'}, {'id': 4, 'quantity': 0, 'custom_price': '11.00'}, {'id': 5, 'quantity': 0, 'custom_price': '10.00'}, {'id': 6, 'quantity': 0, 'custom_price': '10.00'}, {'id': 7, 'quantity': '33', 'custom_price': '11.00'}, {'id': 8, 'quantity': 0, 'custom_price': '10.00'}]}]}
```

Traceback [Switch to copy-and-paste view](#)

```
2123.         return int(value)
                ^^^^^^^^^^^
...

```

The above exception (int() argument must be a string, a bytes-like object or a real number, not 'dict') was the direct cause of the following exception:

```
55. response = get_response(request)
           ^^^^^^^^^^^^^^^^^^^^^^^^^^^^^
```

```
197.         response = wrapped_callback(request, *callback_args, **callback_kwargs)
                                ^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^
```

```
147.      partie = get_object_or_404(Partie, id=partie_id)
           ^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^
```

```
86.         return queryset.get(*args, **kwargs)
           ^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^
...

```

[illegible]

```
1476.         return self._filter_or_exclude(False, args, kwargs)
           ^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^
```

C:\Users\de11 xps 9550\AppData\Local\Programs\Python\Python313\Lib\site-packages\django\db\models\query.py, line 1494, in _filter_or_exclude

1494.

clone_filter_or_exclude_inplace(negate, args, kwargs)

^^

...

► Local vars

C:\Users\dell xps 9550\AppData\Local\Programs\Python\Python313\Lib\site-packages\django\db\models\query.py, line 1501, in _filter_or_exclude_inplace

1501.

self._query.add_q(Q(*args, **kwargs))

^^

...

► Local vars

C:\Users\dell xps 9550\AppData\Local\Programs\Python\Python313\Lib\site-packages\django\db\models\sql\query.py, line 1609, in add_q

1609.

clause, _ = self._add_q(q_object, self.used_aliases)

^^

...

► Local vars

C:\Users\dell xps 9550\AppData\Local\Programs\Python\Python313\Lib\site-packages\django\db\models\sql\query.py, line 1641, in _add_q

1641.

child_clause, needed_inner = self.build_filter(

...

► Local vars

C:\Users\dell xps 9550\AppData\Local\Programs\Python\Python313\Lib\site-packages\django\db\models\sql\query.py, line 1555, in build_filter

1555.

condition = self.build_lookup(lookups, col, value)

^^

...

► Local vars

C:\Users\dell xps 9550\AppData\Local\Programs\Python\Python313\Lib\site-packages\django\db\models\sql\query.py, line 1385, in build_lookup

1385.

lookup = lookup_class(lhs, rhs)

^^

...

► Local vars

C:\Users\dell xps 9550\AppData\Local\Programs\Python\Python313\Lib\site-packages\django\db\models\lookups.py, line 30, in __init__

30.

self.rhs = self.get_prep_lookup()

^^

...

► Local vars

C:\Users\dell xps 9550\AppData\Local\Programs\Python\Python313\Lib\site-packages\django\db\models\lookups.py, line 369, in get_prep_lookup

369.

return super().get_prep_lookup()

^^

...

► Local vars

C:\Users\dell xps 9550\AppData\Local\Programs\Python\Python313\Lib\site-packages\django\db\models\lookups.py, line 88, in get_prep_lookup

88.

return self.lhs.output_field.get_prep_value(self.rhs)

^^

...

► Local vars

C:\Users\dell xps 9550\AppData\Local\Programs\Python\Python313\Lib\site-packages\django\db\models\fields__init__.py, line 2125, in get_prep_value

2125.

raise e.__class__(

^^^^^^^^

...

► Local vars

Request information

USER AnonymousUser

GET	Variable	Value
	devis	'{"numero": "DEV-003-24", "chantier": 2, "client": [null], "price_ht": "748.00", "description": "", "parties": [{"id": 1, "sous_parties": [{"id": 1, "lignes_details": [{"id": 1, "quantity": 0, "custom_price": "10.00"}, {"id": 2, "quantity": 35, "custom_price": "11.00"}, {"id": 3, "quantity": 0, "custom_price": "11.00"}, {"id": 4, "quantity": 0, "custom_price": "11.00"}, {"id": 5, "quantity": 0, "custom_price": "10.00"}, {"id": 6, "quantity": 0, "custom_price": "10.00"}, {"id": 7, "quantity": 33, "custom_price": "11.00"}, {"id": 8, "quantity": 0, "custom_price": "10.00"}]}]}]}'

POST No POST data

FILES No FILES data

COOKIES No cookie data

META	Variable	Value
	ALLUSERSPROFILE	'C:\\ProgramData'
	APPDATA	'C:\\Users\\dell xps 9550\\AppData\\Roaming'
	CHROME_CRASHPAD_PIPE_NAME	'\\\\.\\pipe\\crashpad_13860_XHHPU0OCQEWWQVBB'
	COLORTERM	'truecolor'
	COMMONPROGRAMFILES	'C:\\Program Files\\Common Files'
	COMMONPROGRAMFILES(X86)	'C:\\Program Files (x86)\\Common Files'
	COMMONPROGRAMW6432	'C:\\Program Files\\Common Files'
	COMPUTERNAME	'DESKTOP-IBI8A7H'
	COMSPEC	'C:\\WINDOWS\\system32\\cmd.exe'
	CONTENT_LENGTH	''
	CONTENT_TYPE	'text/plain'
	DJANGO_SETTINGS_MODULE	'Application.settings'
	DRIVERDATA	'C:\\Windows\\System32\\Drivers\\DriverData'

Variable	Value
FPS_BROWSER_APP_PROFILE_STRING	'Internet Explorer'
FPS_BROWSER_USER_PROFILE_STRING	'Default'
GATEWAY_INTERFACE	'CGI/1.1'
GIT_ASKPASS	'*****'
HOMEDRIVE	'C:'
HOMEPATH	'\\Users\\dell xps 9550'
HTTP_ACCEPT	'text/html,application/xhtml+xml,application/xml;q=0.9,image/avif,image/webp,image/apng,*/*;q=0.8,application/signed-exchange;v=b3;q=0.7'
HTTP_ACCEPT_ENCODING	'gzip, deflate, br, zstd'
HTTP_ACCEPT_LANGUAGE	'fr-FR,fr;q=0.9'
HTTP_CONNECTION	'keep-alive'
HTTP_HOST	'127.0.0.1:8000'
HTTP_SEC_CH-UA	'"Chromium";v="129", "Not=A?Brand";v="8"'
HTTP_SEC_CH-UA-MOBILE	'?0'
HTTP_SEC_CH-UA-PLATFORM	'"Windows"'
HTTP_SEC_FETCH_DEST	'document'
HTTP_SEC_FETCH_MODE	'navigate'
HTTP_SEC_FETCH_SITE	'none'
HTTP_SEC_FETCH_USER	'?1'
HTTP_UPGRADE_INSECURE_REQUESTS	'1'
HTTP_USER_AGENT	('Mozilla/5.0 (Windows NT 10.0; Win64; x64) AppleWebKit/537.36 (KHTML, like 'Gecko) HeadlessChrome/129.0.0.0 Safari/537.36')
LANG	'en-US.UTF-8'
LOCALAPPDATA	'C:\\Users\\dell xps 9550\\AppData\\Local'
LOGONSERVER	'\\\\DESKTOP-IBI8A7H'
NUMBER_OF_PROCESSORS	'8'
ONEDRIVE	'C:\\Users\\dell xps 9550\\OneDrive'
ORIGINAL_XDG_CURRENT_DESKTOP	'undefined'
OS	'Windows_NT'
PATH	('C:\\WINDOWS\\system32;C:\\WINDOWS;C:\\WINDOWS\\System32\\Wbem;C:\\WINDOWS\\System32\\WindowsPowerShell\\v1.0\\;C:\\WINDOWS\\System32\\OpenSSH\\;C:\\Program Files\\Git\\cmd;C:\\Program Files\\nodejs\\;C:\\Program Files (x86)\\NVIDIA Corporation\\PhysX\\Common;c:\\Users\\dell xps 9550\\AppData\\Local\\Programs\\cursor\\resources\\app\\bin;C:\\Program Files\\NVIDIA Corporation\\NVIDIA app\\NvDLISR;C:\\Users\\dell xps 9550\\AppData\\Local\\Programs\\Python\\Python313\\Scripts\\;C:\\Users\\dell xps 9550\\AppData\\Local\\Programs\\Python\\Python313\\;C:\\Users\\dell xps 9550\\AppData\\Local\\Programs\\Python\\Launcher\\;C:\\Users\\dell xps 9550\\AppData\\Local\\Microsoft\\WindowsApps;C:\\Users\\dell xps 9550\\AppData\\Local\\Programs\\Microsoft VS Code\\bin;C:\\Users\\dell xps 9550\\AppData\\Roaming\\npm')
PATHEXT	'.COM;.EXE;.BAT;.CMD;.VBS;.VBE;.JS;.JSE;.WSF;.WSH;.MSC;.CPL'
PATH_INFO	'/api/preview-devis/'
PROCESSOR_ARCHITECTURE	'AMD64'
PROCESSOR_IDENTIFIER	'Intel64 Family 6 Model 94 Stepping 3, GenuineIntel'
PROCESSOR_LEVEL	'6'
PROCESSOR_REVISION	'5e03'
PROGRAMDATA	'C:\\ProgramData'
PROGRAMFILES	'C:\\Program Files'
PROGRAMFILES(X86)	'C:\\Program Files (x86)'
PROGRAMW6432	'C:\\Program Files'
PSMODULEPATH	('C:\\Users\\dell xps 9550\\Documents\\WindowsPowerShell\\Modules;C:\\Program Files\\WindowsPowerShell\\Modules;C:\\WINDOWS\\system32\\WindowsPowerShell\\v1.0\\Modules')
PUBLIC	'C:\\Users\\Public'
QUERY_STRING	'devis=%7B%22numero%22:%22DEV-003-24%22,%22chantier%22:2,%22client%22:[null],%22price_ht%22:%22748.00%22,%22description%22:%22%22,%22parties%22:[%7B%22id%22:1,%22sous_parties%22:[%7B%22id%22:1,%22lignes_details%22:[%7B%22id%22:1,%22quantity%22:0,%22custom_price%22:%2210.00%22%7D,%7B%22id%22:2,%22quantity%22:%2235%22,%22custom_price%22:%2211.00%22%7D,%7B%22id%22:3,%22quantity%22:0,%22custom_price%22:%2211.00%22%7D,%7B%22id%22:4,%22quantity%22:0,%22custom_price%22:%2211.00%22%7D,%7B%22id%22:5,%22quantity%22:0,%22custom_price%22:%2210.00%22%7D,%7B%22id%22:6,%22quantity%22:0,%22custom_price%22:%2210.00%22%7D,%7B%22id%22:7,%22quantity%22:%2233%22,%22custom_price%22:%2211.00%22%7D,%7B%22id%22:8,%22quantity%22:0,%22custom_price%22:%2210.00%22%7D]%7D]%7D'
REMOTE_ADDR	'127.0.0.1'
REMOTE_HOST	''
REQUEST_METHOD	'GET'
RUN_MAIN	'true'
SCRIPT_NAME	''
SERVER_NAME	'DESKTOP-IBI8A7H'
SERVER_PORT	'8000'
SERVER_PROTOCOL	'HTTP/1.1'
SERVER_SOFTWARE	'WSGIServer/0.2'
SESSIONNAME	'Console'
SYSTEMDRIVE	'C:'
SYSTEMROOT	'C:\\WINDOWS'
TEMP	'C:\\Users\\DELLXP~1\\AppData\\Local\\Temp'
TERM_PROGRAM	'vscode'
TERM_PROGRAM_VERSION	'0.43.6'
TMP	'C:\\Users\\DELLXP~1\\AppData\\Local\\Temp'
USERDOMAIN	'DESKTOP-IBI8A7H'
USERDOMAIN_ROAMINGPROFILE	'DESKTOP-IBI8A7H'
USERNAME	'dell xps 9550'
USERPROFILE	'C:\\Users\\dell xps 9550'
VSCODE_GIT_ASKPASS_EXTRA_ARGS	'*****'
VSCODE_GIT_ASKPASS_MAIN	'*****'
VSCODE_GIT_ASKPASS_NODE	'*****'
VSCODE_GIT_IPC_HANDLE	'\\\\.\\pipe\\vscode-git-6362803003-sock'
VSCODE_INJECTION	'1'
VSCODE_NONCE	'8b348c42-e791-4143-8881-d4828d1f7c77'
VSCODE_STABLE	'1'
WINDIR	'C:\\WINDOWS'
ZES_ENABLE_SYSMAN	'1'
wsgi.errors	<_io.TextIOWrapper name='<stderr>' mode='w' encoding='utf-8'>

Variable	Value
wsgi.file_wrapper	<class 'wsgiref.util.FileWrapper'>
wsgi.input	<django.core.handlers.wsgi.LimitedStream object at 0x0000023237E0E410>
wsgi.multiprocess	False
wsgi.multithread	True
wsgi.run_once	False
wsgi.url_scheme	'http'
wsgi.version	(1, 0)

Settings

Using settings module Application.settings

Setting	Value
ABSOLUTE_URL_OVERRIDES	{}
ADMINS	[]
ALLOWED_HOSTS	[]
APPEND_SLASH	True
AUTHENTICATION_BACKENDS	['django.contrib.auth.backends.ModelBackend']
AUTH_PASSWORD_VALIDATORS	'*****'
AUTH_USER_MODEL	'auth.User'
BASE_DIR	WindowsPath('C:/Users/dell xps 9550/Desktop/Projet/P3000/Application')
CACHES	{'default': {'BACKEND': 'django.core.cache.backends.locmem.LocMemCache'}}
CACHE_MIDDLEWARE_ALIAS	'default'
CACHE_MIDDLEWARE_KEY_PREFIX	'*****'
CACHE_MIDDLEWARE_SECONDS	600
CORS_ALLOWED_ORIGINS	['http://localhost:3000']
CORS_ALLOW_CREDENTIALS	True
CSRF_COOKIE_AGE	31449600
CSRF_COOKIE_DOMAIN	None
CSRF_COOKIE_HTTPONLY	False
CSRF_COOKIE_NAME	'csrftoken'
CSRF_COOKIE_PATH	'/'
CSRF_COOKIE_SAMESITE	'Lax'
CSRF_COOKIE_SECURE	False
CSRF_FAILURE_VIEW	'django.views.csrf.csrf_failure'
CSRF_HEADER_NAME	'HTTP_X_CSRFTOKEN'
CSRF_TRUSTED_ORIGINS	['http://localhost:3000']
CSRF_USE_SESSIONS	False
DATABASES	{'default': {'ATOMIC_REQUESTS': False, 'AUTOCOMMIT': True, 'CONN_HEALTH_CHECKS': False, 'CONN_MAX_AGE': 0, 'ENGINE': 'django.db.backends.sqlite3', 'HOST': '', 'NAME': WindowsPath('C:/Users/dell xps 9550/Desktop/Projet/P3000/Application/db.sqlite3'), 'OPTIONS': {}, 'PASSWORD': '*****', 'PORT': '', 'TEST': {'CHARSET': None, 'COLLATION': None, 'MIGRATE': True, 'MIRROR': None, 'NAME': None}, 'TIME_ZONE': None, 'USER': ''}}
DATABASE_ROUTERS	[]
DATA_UPLOAD_MAX_MEMORY_SIZE	2621440
DATA_UPLOAD_MAX_NUMBER_FIELDS	1000
DATA_UPLOAD_MAX_NUMBER_FILES	100
DATETIME_FORMAT	'N j, Y, P'
DATETIME_INPUT_FORMATS	['%Y-%m-%d %H:%M:%S', '%Y-%m-%d %H:%M:%S.%f', '%Y-%m-%d %H:%M', '%m/%d/%Y %H:%M:%S', '%m/%d/%Y %H:%M:%S.%f', '%m/%d/%Y %H:%M', '%m/%d/%y %H:%M:%S', '%m/%d/%y %H:%M:%S.%f', '%m/%d/%y %H:%M']
DATE_FORMAT	'N j, Y'
DATE_INPUT_FORMATS	['%Y-%m-%d', '%m/%d/%Y', '%m/%d/%y', '%b %d %Y', '%b %d, %Y', '%d %b %Y', '%d %b, %Y', '%B %d %Y', '%B %d, %Y', '%d %B %Y', '%d %B, %Y']
DEBUG	True
DEBUG_PROPAGATE_EXCEPTIONS	False
DECIMAL_SEPARATOR	'.'
DEFAULT_AUTO_FIELD	'django.db.models.BigAutoField'
DEFAULT_CHARSET	'utf-8'
DEFAULT_EXCEPTION_REPORTER	'django.views.debug.ExceptionReporter'
DEFAULT_EXCEPTION_REPORTER_FILTER	'django.views.debug.SafeExceptionReporterFilter'
DEFAULT_FROM_EMAIL	'webmaster@localhost'
DEFAULT_INDEX_TABLESPACE	''
DEFAULT_TABLESPACE	''
DISALLOWED_USER_AGENTS	[]
EMAIL_BACKEND	'django.core.mail.backends.smtp.EmailBackend'
EMAIL_HOST	'localhost'
EMAIL_HOST_PASSWORD	'*****'
EMAIL_HOST_USER	''
EMAIL_PORT	25

Setting	Value
EMAIL_SSL_CERTFILE	None
EMAIL_SSL_KEYFILE	'*****'
EMAIL_SUBJECT_PREFIX	'[Django] '
EMAIL_TIMEOUT	None
EMAIL_USE_LOCALTIME	False
EMAIL_USE_SSL	False
EMAIL_USE_TLS	False
FILE_UPLOAD_DIRECTORY_PERMISSIONS	None
FILE_UPLOAD_HANDLERS	['django.core.files.uploadhandler.MemoryFileUploadHandler', 'django.core.files.uploadhandler.TemporaryFileUploadHandler']
FILE_UPLOAD_MAX_MEMORY_SIZE	2621440
FILE_UPLOAD_PERMISSIONS	420
FILE_UPLOAD_TEMP_DIR	None
FIRST_DAY_OF_WEEK	0
FIXTURE_DIRS	[]
FORCE_SCRIPT_NAME	None
FORMAT_MODULE_PATH	None
FORMS_URLFIELD_ASSUME_HTTPS	False
FORM_RENDERER	'django.forms.renderers.DjangoTemplates'
IGNORABLE_404_URLS	[]
INSTALLED_APPS	['django.contrib.admin', 'django.contrib.auth', 'django.contrib.contenttypes', 'django.contrib.sessions', 'django.contrib.messages', 'django.contrib.staticfiles', 'api.apps.ApiConfig', 'rest_framework', 'frontend.apps.FrontendConfig', 'corsheaders']
INTERNAL_IPS	[]
LANGUAGES	[('af', 'Afrikaans'), ('ar', 'Arabic'), ('ar-dz', 'Algerian Arabic'), ('ast', 'Asturian'), ('az', 'Azerbaijani'), ('bg', 'Bulgarian'), ('be', 'Belarusian'), ('bn', 'Bengali'), ('br', 'Breton'), ('bs', 'Bosnian'), ('ca', 'Catalan'), ('ckb', 'Central Kurdish (Sorani)'), ('cs', 'Czech'), ('cy', 'Welsh'), ('da', 'Danish'), ('de', 'German'), ('dsb', 'Lower Sorbian'), ('el', 'Greek'), ('en', 'English'), ('en-au', 'Australian English'), ('en-gb', 'British English'), ('eo', 'Esperanto'), ('es', 'Spanish'), ('es-ar', 'Argentinian Spanish'), ('es-co', 'Colombian Spanish'), ('es-mx', 'Mexican Spanish'), ('es-ni', 'Nicaraguan Spanish'), ('es-ve', 'Venezuelan Spanish'), ('et', 'Estonian'), ('eu', 'Basque'), ('fa', 'Persian'), ('fi', 'Finnish'), ('fr', 'French'), ('fy', 'Frisian'), ('ga', 'Irish'), ('gd', 'Scottish Gaelic'), ('gl', 'Galician'), ('he', 'Hebrew'), ('hi', 'Hindi'), ('hr', 'Croatian'), ('hsb', 'Upper Sorbian'), ('hu', 'Hungarian'), ('hy', 'Armenian'), ('ia', 'Interlingua'), ('id', 'Indonesian'), ('ig', 'Igbo'), ('io', 'Ido'), ('is', 'Icelandic'), ('it', 'Italian'), ('ja', 'Japanese'), ('ka', 'Georgian'), ('kab', 'Kabyile'), ('kk', 'Kazakh'), ('km', 'Khmer'), ('kn', 'Kannada'), ('ko', 'Korean'), ('ky', 'Kyrgyz'), ('lb', 'Luxembourgish'), ('lt', 'Lithuanian'), ('lv', 'Latvian'), ('mk', 'Macedonian'), ('ml', 'Malayalam'), ('mn', 'Mongolian'), ('mr', 'Marathi'), ('ms', 'Malay'), ('my', 'Burmese'), ('nb', 'Norwegian Bokmål'), ('ne', 'Nepali'), ('nl', 'Dutch'), ('nn', 'Norwegian Nynorsk'), ('os', 'Ossetic'), ('pa', 'Punjabi'), ('pl', 'Polish'), ('pt', 'Portuguese'),

Setting	Value
	('pt-br', 'Brazilian Portuguese'), ('ro', 'Romanian'), ('ru', 'Russian'), ('sk', 'Slovak'), ('sl', 'Slovenian'), ('sq', 'Albanian'), ('sr', 'Serbian'), ('sr-latn', 'Serbian Latin'), ('sv', 'Swedish'), ('sw', 'Swahili'), ('ta', 'Tamil'), ('te', 'Telugu'), ('tg', 'Tajik'), ('th', 'Thai'), ('tk', 'Turkmen'), ('tr', 'Turkish'), ('tt', 'Tatar'), ('udm', 'Udmurt'), ('ug', 'Uyghur'), ('uk', 'Ukrainian'), ('ur', 'Urdu'), ('uz', 'Uzbek'), ('vi', 'Vietnamese'), ('zh-hans', 'Simplified Chinese'), ('zh-hant', 'Traditional Chinese'))
LANGUAGES_BIDI	['he', 'ar', 'ar-dz', 'ckb', 'fa', 'ug', 'ur']
LANGUAGE_CODE	'en-us'
LANGUAGE_COOKIE_AGE	None
LANGUAGE_COOKIE_DOMAIN	None
LANGUAGE_COOKIE_HTTPONLY	False
LANGUAGE_COOKIE_NAME	'django_language'
LANGUAGE_COOKIE_PATH	'/'
LANGUAGE_COOKIE_SAMESITE	None
LANGUAGE_COOKIE_SECURE	False
LOCALE_PATHS	[]
LOGGING	{}
LOGGING_CONFIG	'logging.config.dictConfig'
LOGIN_REDIRECT_URL	'/accounts/profile/'
LOGIN_URL	'/accounts/login/'
LOGOUT_REDIRECT_URL	None
MANAGERS	[]
MEDIA_ROOT	''
MEDIA_URL	'/'
MESSAGE_STORAGE	'django.contrib.messages.storage.fallback.FallbackStorage'
MIDDLEWARE	['corsheaders.middleware.CorsMiddleware', 'django.middleware.common.CommonMiddleware', 'django.middleware.security.SecurityMiddleware', 'django.contrib.sessions.middleware.SessionMiddleware', 'django.contrib.auth.middleware.AuthenticationMiddleware', 'django.contrib.messages.middleware.MessageMiddleware', 'django.middleware.clickjacking.XFrameOptionsMiddleware']
MIGRATION_MODULES	{}
MONTH_DAY_FORMAT	'F j'
NUMBER_GROUPING	0
PASSWORD_HASHERS	'*****'
PASSWORD_RESET_TIMEOUT	'*****'
PREPEND_WWW	False
ROOT_URLCONF	'Application.urls'
SECRET_KEY	'*****'
SECRET_KEY_FALLBACKS	'*****'
SECURE_CONTENT_TYPE_NOSNIFF	True
SECURE_CROSS_ORIGIN_OPENER_POLICY	'same-origin'
SECURE_HSTS_INCLUDE_SUBDOMAINS	False
SECURE_HSTS_PRELOAD	False
SECURE_HSTS_SECONDS	0
SECURE_PROXY_SSL_HEADER	None
SECURE_REDIRECT_EXEMPT	[]
SECURE_REFERRER_POLICY	'same-origin'
SECURE_SSL_HOST	None
SECURE_SSL_REDIRECT	False
SERVER_EMAIL	'root@localhost'
SESSION_CACHE_ALIAS	'default'
SESSION_COOKIE_AGE	1209600
SESSION_COOKIE_DOMAIN	None
SESSION_COOKIE_HTTPONLY	True
SESSION_COOKIE_NAME	'sessionid'
SESSION_COOKIE_PATH	'/'
SESSION_COOKIE_SAMESITE	'Lax'
SESSION_COOKIE_SECURE	False
SESSION_ENGINE	'django.contrib.sessions.backends.db'
SESSION_EXPIRE_AT_BROWSER_CLOSE	False
SESSION_FILE_PATH	None
SESSION_SAVE_EVERY_REQUEST	False
SESSION_SERIALIZER	'django.contrib.sessions.serializers.JSONSerializer'
SETTINGS_MODULE	'Application.settings'
SHORT_DATETIME_FORMAT	'm/d/Y P'
SHORT_DATE_FORMAT	'm/d/Y'
SIGNING_BACKEND	'django.core.signing.TimestampSigner'
SILENCED_SYSTEM_CHECKS	[]
STATICFILES_DIRS	[]
STATICFILES_FINDERS	['django.contrib.staticfiles.finders.FileSystemFinder', 'django.contrib.staticfiles.finders.AppDirectoriesFinder']
STATIC_ROOT	None
STATIC_URL	'/static/'

Setting	Value
STORAGES	{'default': {'BACKEND': 'django.core.files.storage.FileSystemStorage'}, 'staticfiles': {'BACKEND': 'django.contrib.staticfiles.storage.StaticFilesStorage'}}
TEMPLATES	[{'APP_DIRS': True, 'BACKEND': 'django.template.backends.django.DjangoTemplates', 'DIRS': [], 'OPTIONS': {'context_processors': [<div> <div></div> <div>django.template.context_processors.debug</div> <div></div> <div>django.template.context_processors.request</div> <div></div> <div>django.contrib.auth.context_processors.auth</div> <div></div> <div>django.contrib.messages.context_processors.messages</div> </div> ']}]}
TEST_NON_SERIALIZED_APPS	[]
TEST_RUNNER	'django.test.runner.DiscoverRunner'
THOUSAND_SEPARATOR	','
TIME_FORMAT	'p'
TIME_INPUT_FORMATS	['%H:%M:%S', '%H:%M:%S.%f', '%H:%M']
TIME_ZONE	'UTC'
USE_I18N	True
USE_THOUSAND_SEPARATOR	False
USE_TZ	True
USE_X_FORWARDED_HOST	False
USE_X_FORWARDED_PORT	False
WSGI_APPLICATION	'Application.wsgi.application'
X_FRAME_OPTIONS	'DENY'
YEAR_MONTH_FORMAT	'F Y'

You're seeing this error because you have `DEBUG = True` in your Django settings file. Change that to `False`, and Django will display a standard page generated by the handler for this status code.