

# TypeError at /api/preview-devis/

Field 'id' expected a number but got {'id': 1, 'sous\_parties': [{'id': 1, 'lignes\_details': [{'id': 1, 'quantity': '1', 'custom\_price': '10.00'}, {'id': 2, 'quantity': '1', 'custom\_price': '11.00'}, {'id': 3, 'quantity': '1', 'custom\_price': '11.00'}, {'id': 4, 'quantity': '-1', 'custom\_price': '11.00'}, {'id': 5, 'quantity': '1', 'custom\_price': '10.00'}, {'id': 6, 'quantity': '1', 'custom\_price': '10.00'}, {'id': 7, 'quantity': '1', 'custom\_price': '11.00'}, {'id': 8, 'quantity': '1', 'custom\_price': '10.00'}]}]}

Request Method:	GET
Request URL:	http://127.0.0.1:8000/api/preview-devis/?devis=%7B%22numero%22:%22DEV-005-24%22,%22chantier%22:8,%22client%22:[null],%22price_ht%22:%2210.00%22,%22quantite%22:1,%22sous_parties%22:[{"id":1,"lignes_details":[{"id":1,"quantity":1,"custom_price":10.00}, {"id":2,"quantity":1,"custom_price":11.00}, {"id":3,"quantity":1,"custom_price":11.00}, {"id":4,"quantity":-1,"custom_price":11.00}, {"id":5,"quantity":1,"custom_price":10.00}, {"id":6,"quantity":1,"custom_price":10.00}, {"id":7,"quantity":1,"custom_price":11.00}, {"id":8,"quantity":1,"custom_price":10.00}]}]}
Django Version:	5.1.1
Exception Type:	TypeError
Exception Value:	Field 'id' expected a number but got {'id': 1, 'sous_parties': [{'id': 1, 'lignes_details': [{'id': 1, 'quantity': '1', 'custom_price': '10.00'}, {'id': 2, 'quantity': '1', 'custom_price': '11.00'}, {'id': 3, 'quantity': '1', 'custom_price': '11.00'}, {'id': 4, 'quantity': '-1', 'custom_price': '11.00'}, {'id': 5, 'quantity': '1', 'custom_price': '10.00'}, {'id': 6, 'quantity': '1', 'custom_price': '10.00'}, {'id': 7, 'quantity': '1', 'custom_price': '11.00'}, {'id': 8, 'quantity': '1', 'custom_price': '10.00'}]}]}
Exception Location:	C:\Users\de11 xps 9550\AppData\Local\Programs\Python\Python313\Lib\site-packages\django\db\models\fields\__init__.py, line 2125, in get_prep_value
Raised during:	api.views.preview_devis
Python Executable:	C:\Users\de11 xps 9550\AppData\Local\Programs\Python\Python313\python.exe
Python Version:	3.13.0
Python Path:	['C:\\Users\\de11 xps 9550\\Desktop\\Projet\\P3000\\Application', 'C:\\Users\\de11 xps 9550\\AppData\\Local\\Programs\\Python\\Python313\\python313.zip', 'C:\\Users\\de11 xps 9550\\AppData\\Local\\Programs\\Python\\Python313\\DLLs', 'C:\\Users\\de11 xps 9550\\AppData\\Local\\Programs\\Python\\Python313\\Lib', 'C:\\Users\\de11 xps 9550\\AppData\\Local\\Programs\\Python\\Python313', 'C:\\Users\\de11 xps 9550\\AppData\\Local\\Programs\\Python\\Python313\\Lib\\site-packages']
Server time:	Fri, 20 Dec 2024 17:53:22 +0000

## Traceback [Switch to copy-and-paste view](#)

```
C:\Users\de11 xps 9550\AppData\Local\Programs\Python\Python313\Lib\site-packages\django\db\models\fields\__init__.py, line 2123, in get_prep_value
2123.         return int(value)
           ^^^^^^^^^^^^^
▶ Local vars
```

The above exception (int() argument must be a string, a bytes-like object or a real number, not 'dict') was the direct cause of the following exception:

```
C:\Users\de11 xps 9550\AppData\Local\Programs\Python\Python313\Lib\site-packages\django\core\handlers\exception.py, line 55, in inner
55.         response = get_response(request)
           ^^^^^^^^^^^^^^^^^^^^^^^^^^^^^
▶ Local vars
```

```
C:\Users\de11 xps 9550\AppData\Local\Programs\Python\Python313\Lib\site-packages\django\core\handlers\base.py, line 197, in _get_response
197.         response = wrapped_callback(request, *callback_args, **callback_kwargs)
           ^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^
▶ Local vars
```

```
C:\Users\de11 xps 9550\Desktop\Projet\P3000\Application\api\views.py, line 148, in preview_devis
148.         partie = get_object_or_404(Partie, id=partie_id)
           ^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^
▶ Local vars
```

```
C:\Users\de11 xps 9550\AppData\Local\Programs\Python\Python313\Lib\site-packages\django\shortcuts.py, line 86, in get_object_or_404
86.         return queryset.get(*args, **kwargs)
           ^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^
▶ Local vars
```

```
C:\Users\de11 xps 9550\AppData\Local\Programs\Python\Python313\Lib\site-packages\django\db\models\query.py, line 635, in get
635.         clone = self._chain() if self.query.combinator else self.filter(*args, **kwargs)
           ^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^
▶ Local vars
```

```
C:\Users\de11 xps 9550\AppData\Local\Programs\Python\Python313\Lib\site-packages\django\db\models\query.py, line 1476, in filter
1476.         return self._filter_or_exclude(False, args, kwargs)
           ^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^
▶ Local vars
```

```
C:\Users\de11 xps 9550\AppData\Local\Programs\Python\Python313\Lib\site-packages\django\db\models\query.py, line 1494, in _filter_or_exclude
```

1494.

clone\_filter\_or\_exclude\_inplace(negate, args, kwargs)

^^

▶ Local vars

C:\Users\dell xps 9550\AppData\Local\Programs\Python\Python313\Lib\site-packages\django\db\models\query.py, line 1501, in \_filter\_or\_exclude\_inplace

1501.

self\_query.add\_q(Q(\*args, \*\*kwargs))

^^

▶ Local vars

C:\Users\dell xps 9550\AppData\Local\Programs\Python\Python313\Lib\site-packages\django\db\models\sql\query.py, line 1609, in add\_q

1609.

clause, \_ = self.\_add\_q(q\_object, self.used\_aliases)

^^

▶ Local vars

C:\Users\dell xps 9550\AppData\Local\Programs\Python\Python313\Lib\site-packages\django\db\models\sql\query.py, line 1641, in \_add\_q

1641.

child\_clause, needed\_inner = self.build\_filter(

^^

▶ Local vars

C:\Users\dell xps 9550\AppData\Local\Programs\Python\Python313\Lib\site-packages\django\db\models\sql\query.py, line 1555, in build\_filter

1555.

condition = self.build\_lookup(lookups, col, value)

^^

▶ Local vars

C:\Users\dell xps 9550\AppData\Local\Programs\Python\Python313\Lib\site-packages\django\db\models\sql\query.py, line 1385, in build\_lookup

1385.

lookup = lookup\_class(lhs, rhs)

^^

▶ Local vars

C:\Users\dell xps 9550\AppData\Local\Programs\Python\Python313\Lib\site-packages\django\db\models\lookups.py, line 30, in \_\_init\_\_

30.

self.rhs = self.get\_prep\_lookup()

^^

▶ Local vars

C:\Users\dell xps 9550\AppData\Local\Programs\Python\Python313\Lib\site-packages\django\db\models\lookups.py, line 369, in get\_prep\_lookup

369.

return super().get\_prep\_lookup()

^^

▶ Local vars

C:\Users\dell xps 9550\AppData\Local\Programs\Python\Python313\Lib\site-packages\django\db\models\lookups.py, line 88, in get\_prep\_lookup

88.

return self.lhs.output\_field.get\_prep\_value(self.rhs)

^^

▶ Local vars

C:\Users\dell xps 9550\AppData\Local\Programs\Python\Python313\Lib\site-packages\django\db\models\fields\_\_init\_\_.py, line 2125, in get\_prep\_value

2125.

raise e.\_\_class\_\_(

^^^^^^^^

▶ Local vars

## Request information

USER

AnonymousUser

GET

Variable	Value
devis	'{"numero": "DEV-005-24", "chantier": 8, "client": [null], "price_ht": "62.00", "description": "", "parties": [{"id": 1, "sous_parties": [{"id": 1, "lignes_details": [{"id": 1, "quantity": "1", "custom_price": "10.00"}, {"id": 2, "quantity": "1", "custom_price": "11.00"}, {"id": 3, "quantity": "1", "custom_price": "11.00"}, {"id": 4, "quantity": "-1", "custom_price": "11.00"}, {"id": 5, "quantity": "1", "custom_price": "10.00"}, {"id": 6, "quantity": "1", "custom_price": "10.00"}, {"id": 7, "quantity": "1", "custom_price": "11.00"}, {"id": 8, "quantity": "1", "custom_price": "10.00"}]}]}

POST

No POST data

FILES

No FILES data

COOKIES

No cookie data

META

Variable	Value
ALLUSERSPROFILE	'C:\\ProgramData'
APPDATA	'C:\\Users\\dell xps 9550\\AppData\\Roaming'
CHROME_CRASHPAD_PIPE_NAME	'\\\\.\\pipe\\crashpad_16676_DXDKZWFUEOUFUVSI'
COLORTERM	'truecolor'
COMMONPROGRAMFILES	'C:\\Program Files\\Common Files'
COMMONPROGRAMFILES(X86)	'C:\\Program Files (x86)\\Common Files'
COMMONPROGRAMW6432	'C:\\Program Files\\Common Files'
COMPUTERNAME	'DESKTOP-IBI8A7H'
COMSPEC	'C:\\WINDOWS\\system32\\cmd.exe'
CONTENT_LENGTH	''
CONTENT_TYPE	'text/plain'
DJANGO_SETTINGS_MODULE	'Application.settings'
DRIVERDATA	'C:\\Windows\\System32\\Drivers\\DriverData'

Variable	Value
FPS_BROWSER_APP_PROFILE_STRING	'Internet Explorer'
FPS_BROWSER_USER_PROFILE_STRING	'Default'
GATEWAY_INTERFACE	'CGI/1.1'
GIT_ASKPASS	'*****'
HOMEDRIVE	'C:'
HOMEPATH	'\\Users\\dell xps 9550'
HTTP_ACCEPT	'text/html,application/xhtml+xml,application/xml;q=0.9,image/avif,image/webp,image/apng,*/*;q=0.8,application/signed-exchange;v=b3;q=0.7'
HTTP_ACCEPT_ENCODING	'gzip, deflate, br, zstd'
HTTP_ACCEPT_LANGUAGE	'fr-FR,fr;q=0.9'
HTTP_CONNECTION	'keep-alive'
HTTP_HOST	'127.0.0.1:8000'
HTTP_SEC_CH-UA	'"Chromium";v="129", "Not=A?Brand";v="8"'
HTTP_SEC_CH-UA-MOBILE	'?0'
HTTP_SEC_CH-UA-PLATFORM	'"Windows"'
HTTP_SEC_FETCH_DEST	'document'
HTTP_SEC_FETCH_MODE	'navigate'
HTTP_SEC_FETCH_SITE	'none'
HTTP_SEC_FETCH_USER	'?1'
HTTP_UPGRADE_INSECURE_REQUESTS	'1'
HTTP_USER_AGENT	('Mozilla/5.0 (Windows NT 10.0; Win64; x64) AppleWebKit/537.36 (KHTML, like 'Gecko) HeadlessChrome/129.0.0.0 Safari/537.36')
LANG	'en-US.UTF-8'
LOCALAPPDATA	'C:\\Users\\dell xps 9550\\AppData\\Local'
LOGONSERVER	'\\\\DESKTOP-IBI8A7H'
NUMBER_OF_PROCESSORS	'8'
ONEDRIVE	'C:\\Users\\dell xps 9550\\OneDrive'
ORIGINAL_XDG_CURRENT_DESKTOP	'undefined'
OS	'Windows_NT'
PATH	('C:\\WINDOWS\\system32;C:\\WINDOWS;C:\\WINDOWS\\System32\\Wbem;C:\\WINDOWS\\System32\\WindowsPowerShell\\v1.0\\;C:\\WINDOWS\\System32\\OpenSSH\\;C:\\Program Files\\Git\\cmd;C:\\Program Files\\nodejs\\;C:\\Program Files (x86)\\NVIDIA Corporation\\PhysX\\Common;c:\\Users\\dell xps 9550\\AppData\\Local\\Programs\\cursor\\resources\\app\\bin;C:\\Program Files\\NVIDIA Corporation\\NVIDIA app\\NvDLISR;C:\\Users\\dell xps 9550\\AppData\\Local\\Programs\\Python\\Python313\\Scripts\\;C:\\Users\\dell xps 9550\\AppData\\Local\\Programs\\Python\\Python313\\;C:\\Users\\dell xps 9550\\AppData\\Local\\Programs\\Python\\Launcher\\;C:\\Users\\dell xps 9550\\AppData\\Local\\Microsoft\\WindowsApps;C:\\Users\\dell xps 9550\\AppData\\Local\\Programs\\Microsoft VS Code\\bin;C:\\Users\\dell xps 9550\\AppData\\Roaming\\npm')
PATHEXT	'.COM;.EXE;.BAT;.CMD;.VBS;.VBE;.JS;.JSE;.WSF;.WSH;.MSC;.CPL'
PATH_INFO	'/api/preview-devis/'
PROCESSOR_ARCHITECTURE	'AMD64'
PROCESSOR_IDENTIFIER	'Intel64 Family 6 Model 94 Stepping 3, GenuineIntel'
PROCESSOR_LEVEL	'6'
PROCESSOR_REVISION	'5e03'
PROGRAMDATA	'C:\\ProgramData'
PROGRAMFILES	'C:\\Program Files'
PROGRAMFILES(X86)	'C:\\Program Files (x86)'
PROGRAMW6432	'C:\\Program Files'
PSMODULEPATH	('C:\\Users\\dell xps 9550\\Documents\\WindowsPowerShell\\Modules;C:\\Program Files\\WindowsPowerShell\\Modules;C:\\WINDOWS\\system32\\WindowsPowerShell\\v1.0\\Modules')
PUBLIC	'C:\\Users\\Public'
QUERY_STRING	'devis=%7B%22numero%22:%22DEV-005-24%22,%22chantier%22:8,%22client%22:[null],%22price_ht%22:%2262.00%22,%22description%22:%22%22,%22parties%22:[%7B%22id%22:1,%22sous_parties%22:[%7B%22id%22:1,%22lignes_details%22:[%7B%22id%22:1,%22quantity%22:%221%22,%22custom_price%22:%2210.00%22%7D,%7B%22id%22:2,%22quantity%22:%221%22,%22custom_price%22:%2211.00%22%7D,%7B%22id%22:3,%22quantity%22:%221%22,%22custom_price%22:%2211.00%22%7D,%7B%22id%22:4,%22quantity%22:%22-1%22,%22custom_price%22:%2211.00%22%7D,%7B%22id%22:5,%22quantity%22:%221%22,%22custom_price%22:%2210.00%22%7D,%7B%22id%22:6,%22quantity%22:%221%22,%22custom_price%22:%2210.00%22%7D,%7B%22id%22:7,%22quantity%22:%221%22,%22custom_price%22:%2211.00%22%7D,%7B%22id%22:8,%22quantity%22:%221%22,%22custom_price%22:%2210.00%22%7D]%7D]%7D%27'
REMOTE_ADDR	'127.0.0.1'
REMOTE_HOST	''
REQUEST_METHOD	'GET'
RUN_MAIN	'true'
SCRIPT_NAME	''
SERVER_NAME	'DESKTOP-IBI8A7H'
SERVER_PORT	'8000'
SERVER_PROTOCOL	'HTTP/1.1'
SERVER_SOFTWARE	'WSGI Server/0.2'
SESSIONNAME	'Console'
SYSTEMDRIVE	'C:'
SYSTEMROOT	'C:\\WINDOWS'
TEMP	'C:\\Users\\DELLXP~1\\AppData\\Local\\Temp'
TERM_PROGRAM	'vscode'
TERM_PROGRAM_VERSION	'0.44.5'
TMP	'C:\\Users\\DELLXP~1\\AppData\\Local\\Temp'
USERDOMAIN	'DESKTOP-IBI8A7H'
USERDOMAIN_ROAMINGPROFILE	'DESKTOP-IBI8A7H'
USERNAME	'dell xps 9550'
USERPROFILE	'C:\\Users\\dell xps 9550'
VSCODE_GIT_ASKPASS_EXTRA_ARGS	'*****'
VSCODE_GIT_ASKPASS_MAIN	'*****'
VSCODE_GIT_ASKPASS_NODE	'*****'
VSCODE_GIT_IPC_HANDLE	'\\\\.\\pipe\\vscode-git-6362803003-sock'
VSCODE_INJECTION	'1'
VSCODE_NONCE	'8b348c42-e791-4143-8881-d4828d1f7c77'
VSCODE_STABLE	'1'
WINDIR	'C:\\WINDOWS'
ZES_ENABLE_SYSMAN	'1'



Setting	Value
EMAIL_PORT	25
EMAIL_SSL_CERTFILE	None
EMAIL_SSL_KEYFILE	'*****'
EMAIL_SUBJECT_PREFIX	'[Django] '
EMAIL_TIMEOUT	None
EMAIL_USE_LOCALTIME	False
EMAIL_USE_SSL	False
EMAIL_USE_TLS	False
FILE_UPLOAD_DIRECTORY_PERMISSIONS	None
FILE_UPLOAD_HANDLERS	['django.core.files.uploadhandler.MemoryFileUploadHandler', 'django.core.files.uploadhandler.TemporaryFileUploadHandler']
FILE_UPLOAD_MAX_MEMORY_SIZE	2621440
FILE_UPLOAD_PERMISSIONS	420
FILE_UPLOAD_TEMP_DIR	None
FIRST_DAY_OF_WEEK	0
FIXTURE_DIRS	[]
FORCE_SCRIPT_NAME	None
FORMAT_MODULE_PATH	None
FORMS_URLFIELD_ASSUME_HTTPS	False
FORM_RENDERER	'django.forms.renderers.DjangoTemplates'
IGNORABLE_404_URLS	[]
INSTALLED_APPS	['django.contrib.admin', 'django.contrib.auth', 'django.contrib.contenttypes', 'django.contrib.sessions', 'django.contrib.messages', 'django.contrib.staticfiles', 'api.apps.ApiConfig', 'rest_framework', 'frontend.apps.FrontendConfig', 'corsheaders']
INTERNAL_IPS	[]
LANGUAGES	[('af', 'Afrikaans'), ( 'ar', 'Arabic'), ( 'ar-dz', 'Algerian Arabic'), ( 'ast', 'Asturian'), ( 'az', 'Azerbaijani'), ( 'bg', 'Bulgarian'), ( 'be', 'Belarusian'), ( 'bn', 'Bengali'), ( 'br', 'Breton'), ( 'bs', 'Bosnian'), ( 'ca', 'Catalan'), ( 'ckb', 'Central Kurdish (Sorani)'), ( 'cs', 'Czech'), ( 'cy', 'Welsh'), ( 'da', 'Danish'), ( 'de', 'German'), ( 'dsb', 'Lower Sorbian'), ( 'el', 'Greek'), ( 'en', 'English'), ( 'en-au', 'Australian English'), ( 'en-gb', 'British English'), ( 'eo', 'Esperanto'), ( 'es', 'Spanish'), ( 'es-ar', 'Argentinian Spanish'), ( 'es-co', 'Colombian Spanish'), ( 'es-mx', 'Mexican Spanish'), ( 'es-ni', 'Nicaraguan Spanish'), ( 'es-ve', 'Venezuelan Spanish'), ( 'et', 'Estonian'), ( 'eu', 'Basque'), ( 'fa', 'Persian'), ( 'fi', 'Finnish'), ( 'fr', 'French'), ( 'fy', 'Frisian'), ( 'ga', 'Irish'), ( 'gd', 'Scottish Gaelic'), ( 'gl', 'Galician'), ( 'he', 'Hebrew'), ( 'hi', 'Hindi'), ( 'hr', 'Croatian'), ( 'hsb', 'Upper Sorbian'), ( 'hu', 'Hungarian'), ( 'hy', 'Armenian'), ( 'ia', 'Interlingua'), ( 'id', 'Indonesian'), ( 'ig', 'Igbo'), ( 'io', 'Ido'), ( 'is', 'Icelandic'), ( 'it', 'Italian'), ( 'ja', 'Japanese'), ( 'ka', 'Georgian'), ( 'kab', 'Kabyle'), ( 'kk', 'Kazakh'), ( 'km', 'Khmer'), ( 'kn', 'Kannada'), ( 'ko', 'Korean'), ( 'ky', 'Kyrgyz'), ( 'lb', 'Luxembourgish'), ( 'lt', 'Lithuanian'), ( 'lv', 'Latvian'), ( 'mk', 'Macedonian'), ( 'ml', 'Malayalam'), ( 'mn', 'Mongolian'), ( 'mr', 'Marathi'), ( 'ms', 'Malay'), ( 'my', 'Burmese'), ( 'nb', 'Norwegian Bokmål'), ( 'ne', 'Nepali'), ( 'nl', 'Dutch'), ( 'nn', 'Norwegian Nynorsk'), ( 'os', 'Ossetic'), ( 'pa', 'Punjabi'), ( 'pl', 'Polish'),

Setting	Value
	( 'pt', 'Portuguese'), ('pt-br', 'Brazilian Portuguese'), ('ro', 'Romanian'), ('ru', 'Russian'), ('sk', 'Slovak'), ('sl', 'Slovenian'), ('sq', 'Albanian'), ('sr', 'Serbian'), ('sr-latn', 'Serbian Latin'), ('sv', 'Swedish'), ('sw', 'Swahili'), ('ta', 'Tamil'), ('te', 'Telugu'), ('tg', 'Tajik'), ('th', 'Thai'), ('tk', 'Turkmen'), ('tr', 'Turkish'), ('tt', 'Tatar'), ('udm', 'Udmurt'), ('ug', 'Uyghur'), ('uk', 'Ukrainian'), ('ur', 'Urdu'), ('uz', 'Uzbek'), ('vi', 'Vietnamese'), ('zh-hans', 'Simplified Chinese'), ('zh-hant', 'Traditional Chinese'))
LANGUAGES_BIDI	['he', 'ar', 'ar-dz', 'ckb', 'fa', 'ug', 'ur']
LANGUAGE_CODE	'en-us'
LANGUAGE_COOKIE_AGE	None
LANGUAGE_COOKIE_DOMAIN	None
LANGUAGE_COOKIE_HTTPONLY	False
LANGUAGE_COOKIE_NAME	'django_language'
LANGUAGE_COOKIE_PATH	'/'
LANGUAGE_COOKIE_SAMESITE	None
LANGUAGE_COOKIE_SECURE	False
LOCALE_PATHS	[]
LOGGING	{}
LOGGING_CONFIG	'logging.config.dictConfig'
LOGIN_REDIRECT_URL	'/accounts/profile/'
LOGIN_URL	'/accounts/login/'
LOGOUT_REDIRECT_URL	None
MANAGERS	[]
MEDIA_ROOT	''
MEDIA_URL	'/'
MESSAGE_STORAGE	'django.contrib.messages.storage.fallback.FallbackStorage'
MIDDLEWARE	['corsheaders.middleware.CorsMiddleware', 'django.middleware.common.CommonMiddleware', 'django.middleware.security.SecurityMiddleware', 'django.contrib.sessions.middleware.SessionMiddleware', 'django.contrib.auth.middleware.AuthenticationMiddleware', 'django.contrib.messages.middleware.MessageMiddleware', 'django.middleware.clickjacking.XFrameOptionsMiddleware']
MIGRATION_MODULES	{}
MONTH_DAY_FORMAT	'F j'
NUMBER_GROUPING	0
PASSWORD_HASHERS	'*****'
PASSWORD_RESET_TIMEOUT	'*****'
PREPEND_WWW	False
ROOT_URLCONF	'Application.urls'
SECRET_KEY	'*****'
SECRET_KEY_FALLBACKS	'*****'
SECURE_CONTENT_TYPE_NOSNIFF	True
SECURE_CROSS_ORIGIN_OPENER_POLICY	'same-origin'
SECURE_HSTS_INCLUDE_SUBDOMAINS	False
SECURE_HSTS_PRELOAD	False
SECURE_HSTS_SECONDS	0
SECURE_PROXY_SSL_HEADER	None
SECURE_REDIRECT_EXEMPT	[]
SECURE_REFERRER_POLICY	'same-origin'
SECURE_SSL_HOST	None
SECURE_SSL_REDIRECT	False
SERVER_EMAIL	'root@localhost'
SESSION_CACHE_ALIAS	'default'
SESSION_COOKIE_AGE	1209600
SESSION_COOKIE_DOMAIN	None
SESSION_COOKIE_HTTPONLY	True
SESSION_COOKIE_NAME	'sessionid'
SESSION_COOKIE_PATH	'/'
SESSION_COOKIE_SAMESITE	'Lax'
SESSION_COOKIE_SECURE	False
SESSION_ENGINE	'django.contrib.sessions.backends.db'
SESSION_EXPIRE_AT_BROWSER_CLOSE	False
SESSION_FILE_PATH	None
SESSION_SAVE_EVERY_REQUEST	False
SESSION_SERIALIZER	'django.contrib.sessions.serializers.JSONSerializer'
SETTINGS_MODULE	'Application.settings'
SHORT_DATETIME_FORMAT	'm/d/Y P'
SHORT_DATE_FORMAT	'm/d/Y'
SIGNING_BACKEND	'django.core.signing.TimestampSigner'
SILENCED_SYSTEM_CHECKS	[]
STATICFILES_DIRS	[]
STATICFILES_FINDERS	['django.contrib.staticfiles.finders.FileSystemFinder', 'django.contrib.staticfiles.finders.AppDirectoriesFinder']
STATIC_ROOT	None

Setting	Value
STATIC_URL	'/static/'
STORAGES	{'default': {'BACKEND': 'django.core.files.storage.FileSystemStorage'}, 'staticfiles': {'BACKEND': 'django.contrib.staticfiles.storage.StaticFilesStorage'}}
TEMPLATES	[{'APP_DIRS': True, 'BACKEND': 'django.template.backends.django.DjangoTemplates', 'DIRS': [], 'OPTIONS': {'context_processors': ['django.template.context_processors.debug', 'django.template.context_processors.request', 'django.contrib.auth.context_processors.auth', 'django.contrib.messages.context_processors.messages']}}]
TEST_NON_SERIALIZED_APPS	[]
TEST_RUNNER	'django.test.runner.DiscoverRunner'
THOUSAND_SEPARATOR	','
TIME_FORMAT	'p'
TIME_INPUT_FORMATS	['%H:%M:%S', '%H:%M:%S.%f', '%H:%M']
TIME_ZONE	'UTC'
USE_I18N	True
USE_THOUSAND_SEPARATOR	False
USE_TZ	True
USE_X_FORWARDED_HOST	False
USE_X_FORWARDED_PORT	False
WSGI_APPLICATION	'Application.wsgi.application'
X_FRAME_OPTIONS	'DENY'
YEAR_MONTH_FORMAT	'F Y'

You're seeing this error because you have `DEBUG = True` in your Django settings file. Change that to `False`, and Django will display a standard page generated by the handler for this status code.