LABORATORY 14

REQUIREMENTS

- 1. Add a multiple undo functionality for the operations "add", "remove", "update" in your repository. Implement this functionality using **inheritance and polymorphism.** You will have an "Undo" button on your GUI, or a key combination to undo the operations.
- 2. Create a new window which presents the contents of your:
 - adoption list
 - movie watch list
 - shopping basket
 - tutorial watch list

This window will contain a list view/table view with all the elements in your list. You must use Qt View/Model components (QListView/QTableView). Create your own model — a class which inherits from QAbstractListModel or QAbstractTableModel.


This window will be opened from your GUI main window.

ADDITIONAL REQUIREMENTS - BONUS POSSIBILITY (0.1 P)

Solve **any** of the following requirements to get the 0.1 bonus (you can solve all of them if you want, but you will get the bonus even if you only solve one of them):

- 1. Add a multiple undo functionality for your adoption list/movie watch list/shopping basket/tutorial watch list. We have to be able to test it using your GUI application.
- 2. Add a multiple redo functionality for your repository. We have to be able to test it using your GUI application.
- 3. Use custom delegates in Qt. In one of the columns of the Qt table view that shows the elements in your adoption list/movie watch list/shopping basket/tutorial watch list, display an image of the dog/trench coat (for problems 1 and 3), or a play button (for problems 2 and 4) which can play the movie trailer or the tutorial. Please see two examples on the following page.

Example – Lecture 11



Example - Seminar 6

