

## WEIGHT LOSS - NEW CONSULTATION



Patient Name \_\_\_\_\_

Date of Birth : \_\_\_\_\_ Date of procedure: \_\_\_\_\_

Physician / Medical Director: ☐ Allie Angel MD MHA ☐ Sergio Angel MD MH

### Current Status

Current weight? \_\_\_\_\_

Current height? \_\_\_\_\_

Calculated BMI: \_\_\_\_\_

Waist circumference (In): \_\_\_\_\_

### Lifestyle & Habits

Typical daily diet: \* *Please describe what you typically eat in a day, including breakfast, lunch, dinner, snacks, and beverages.*

---

---

---

Approximate Daily Calorie Intake \_\_\_\_\_

Do you follow a specific diet? ☐ No specific diet ☐ Ketogenic / Keto ☐ Mediterranean diet ☐ Vegetarian ☐ High-protein diet ☐ Low-carb  
☐ Intermittent fasting ☐ Calorie-restricted diet ☐ Vegan

### Physical Activity

Do you currently exercise? ☐ YES ☐ NO

Current Exercise Program *Describe the type of exercise, frequency, and approximate duration.*

---

---

---

### Sleep

Average Hours of Sleep per Night \_\_\_\_\_

Previous Weight Loss Attempts Have you tried to lose weight before? \* ☐ Yes ☐ No ☐ Other or not applicable

Have you tried weight loss programs before? ☐ Calorie restriction ☐ Commercial weight loss program ☐ Nutritionist / Dietitian

☐ Over-the-counter weight loss products ☐ Intermittent fasting ☐ Exercise program ☐ Prescription weight loss medication ☐ Bariatric surgery

☐ Keto / Low-carb ☐ Other If other, what type? \* \_\_\_\_\_

Most successful attempt: \* \_\_\_\_\_

What has made weight loss difficult for you? ☐ Hunger / Increased appetite ☐ Cravings ☐ Emotional eating ☐ Portion control ☐ Stress

☐ Lack of time ☐ Difficulty exercising ☐ Medical condition ☐ Medication-related weight gain ☐ Lack of motivation ☐ Financial limitations

☐ Difficulty maintaining weight loss ☐ Family / social environment

Barriers to weight loss:

---

---

---

Symptoms Review (check all that apply): ☐ Fatigue ☐ Shortness of breath ☐ Snoring / sleep apnea ☐ Joint pain ☐ Depression / anxiety

☐ Other Symptoms \_\_\_\_\_

### Psychosocial Evaluation

## WEIGHT LOSS - NEW CONSULTATION



Do you feel motivated to make lifestyle changes? \*

☐ Yes, very motivated ☐ Somewhat ☐ No

Do you have family or social support for your weight loss journey? \* ☐ Yes ☐ No ☐ Other or not applicable

Desired Goal Weight (lbs): \_\_\_\_\_

Timeframe for achieving goal: \* \_\_\_\_\_

### SUBJECTIVE

---

---

---

**OBJECTIVE Blood Pressure** *Format: \_\_\_\_ / \_\_\_\_ mmHg*

---

---

---

**Heart Rate** *Number Unit: bpm* \_\_\_\_\_

**Respiratory Rate** *Number Unit: breaths/min* \_\_\_\_\_

### ASSESSMENT Weight Classification / Assessment

☐ Overweight ☐ Obesity Class I ☐ Obesity Class II ☐ Obesity Class III ☐ Weight-related comorbidity present

☐ Initial weight management evaluation ☐ Other: \_\_\_\_\_.

### Provider Assessment Notes

---

---

---

### PLAN

#### Treatment Approach - Weight Management Plan

☐ Lifestyle modification

☐ Nutrition counseling

☐ Calorie-reduced nutrition plan

☐ Increase protein intake

☐ Increase physical activity

☐ Resistance / strength training

☐ Sleep optimization

☐ Food tracking

☐ Behavioral modification

☐ Pharmacologic treatment

☐ Dietitian / Nutrition referral

☐ Other

#### Focus on the following dietary changes:

☐ No more than 3 carb servings per day -- a carb is anything that contains sugar: 1 serving is 1 slice of bread or 1/3 cup of pasta, rice, potatoes etc. Alcohol is considered a carb. Avoid calories in drinks. Meat, vegetables, & cheese. No more than 1 diet soda per day - more than this causes just as much weight gain as regular sodas do. Aim to get 60-80 grams of protein every day.

## WEIGHT LOSS - NEW CONSULTATION



### Calorie meal plan provided to patient

- ☐ 1200 Calorie meal plan
- ☐ 1500 Calorie meal plan
- ☐ 1800 Calorie meal plan

### Medications - A/P

Injectables: Wegovy, Saxenda, Zepbound.

Pills: Foundayo, Wegovy pill

Patient mentions no family or personal hx of MEN type 2, medullary thyroid cancer and pancreatitis

### Patient counseled on the following: Zepbound

Patient mentions no family or personal hx of MEN type 2, medullary thyroid cancer and pancreatitis. Zepbound works in the brain to decrease your food intake and increase your satiety (feeling full). Zepbound is a once a week injectable that comes in a prefilled multidose pen.

Do not take Zepbound if you have a family history or a personal history of medullary thyroid cancer or MEN type 2. Please use with caution if you have had a personal history of pancreatitis. Patient denies any history of this.

You may experience nausea and vomiting with the initial dose and with each titration of the medication. Notify your provider if these side effects become too bothersome. Other side effects include headache, vomiting, and upset stomach. Dosage: Zepbound 2.5 mg once a week x 4 weeks, then titrate to 5 mg once a week x 4 weeks => 7.5 mg once a week x 4 weeks => 10 mg once a week x 4 weeks => 12.5 mg once a week x 4 weeks => 15 mg once a week x 4 weeks. Can remain at the current dose if patient is actively losing weight, or if side effects are significant. Which will require an increase in dosage.

### Wegovy

Wegovy is a titration dose medication.

-Will start at 0.25 mg once a week for 4 weeks

-then increase to 0.5 mg for 4 weeks

-then increase to 1 mg once a week for 4 weeks.

Then will increase to 1.7 mg once a week for 4 weeks

-Then increase to max dose of 2.4 mg once a week.

### Medication Selected / Prescribed

---

### Current / Starting Dose

---

### Medication Plan

- ☐ Start medication ☐ Continue current dose ☐ Decrease dose ☐ Hold medication ☐ Discontinue medication ☐ Switch medication
- ☐ No medication change

### Relevant Contraindications / Medical History Reviewed

- ☐ Reviewed – No contraindications reported ☐ Relevant precaution / history identified ☐ Not applicable

### Relevant Contraindication / Precaution Notes

---

Counseling Medication Counseling Reviewed With Patient ☐ YES ☐ NO ☐ NO APPLICABLE

**Lifestyle Counseling Reviewed**

☐ Nutrition / calorie reduction

☐ Protein intake

☐ Hydration

☐ Physical activity

☐ Resistance training

☐ Sleep

☐ Alcohol reduction

☐ Food tracking / MyFitnessPal

☐ Family / social support

☐ Accountability strategies

☐ Protein supplementation

**Encouraged to get at least 30 minutes of exercise most days of the week -- exercise will not only help with weight loss, it will help with overall general health.**

Goal is 150-300min of exercise per week

For home workouts, look into "PopSugar" or "BodyProject" workout videos on YouTube

To lose weight, you need at least 150 minutes of exercise each week - however, in order to MAINTAIN weight loss, you need at least 300 minutes of exercise a week

Get a set of 3-5lb weights.

Do 10 sets of bicep curls, tricep curls, and over head presses. Do this at least once per day, ideally 2-3 x per day - try doing 10 squats or 10 jumping jacks every time you go to the bathroom.

Add 5 minutes of ab/core workouts once a day (sit-ups, push-ups, planks, bicycle crunches, side-to-side toe touches, etc)

Adding weights will help build muscle, increase calorie burn, and help tone as weight loss occurs.

**Follow-Up Plan**

☐ 4 weeks ☐ 6 weeks ☐ 8 weeks ☐ 12 weeks ☐ Other

**Provider Plan Notes**

---

**Physician signature** ☐ I confirm that this signature is legally binding.