


Monthly changes overview



- Month 
- ☐ January
 - ☐ February
 - ☐ March
 - ☐ April
 - ☐ May
 - ☐ June
 - ☐ August
 - ☒ September
 - ☐ October
 - ☐ November
 - ☐ December


Parameter Changes by Hour and Month

Parameter

Average pH


Parameter by Month

SelectedMeasure MaxSelectedMeasure MinSelectedMeasure




Parameter by Hour

SelectedMeasure MaxSelectedMeasure MinSelectedMeasure



Month - over - Month Changes of Parameters



Year	Month	Average Water Direction	Average Water Speed	Chlorophyll	Dissolved Oxygen	pH	Salinity	Specific Conductance	Temperature	Turbidity
0	2023 August									
1	2023 September	-5.45	9.33	1.81	-1.76	-0.82	0.85	0.33	6.73	14.18
2	2023 October	-1.48	34.40	-17.22	-4.88	-0.48	0.86	1.66	8.79	38.37
3	2023 November	11.74	198.58	-3.12	-3.64	-0.30	-0.86	-0.88	5.41	33.11
4	2023 December	-0.35	11.09	-26.81	-3.20	-0.46	-1.76	-1.46	11.39	-70.03
5	2024 January	2.52	-15.26	175.49	5.87	0.02	-13.21	-20.04	-1.37	193.98
6	2024 February	-11.79	-40.87	-22.10	-2.39	0.43	-7.27	0.91	3.82	4.14
7	2024 March	7.08	75.19	-32.56	2.96	1.16	4.04	5.48	-8.63	-24.54
8	2024 April	1.16	7.36	64.55	-5.03	0.57	4.42	3.95	0.20	100.21
9	2024 May	3.34	14.96	-44.70	10.71	0.09	-5.67	-5.30	-20.41	63.96
10	2024 June	5.25	-19.39	-19.39	0.36	0.41	1.59	1.41	-11.11	-64.55