

- **مفتاح**
 - مفتاح API عام يُستخدم لاستدعاء جميع طلبات API.
 - **استخدامه مجاني** paV29H2gm56kvLP
- **لغة | لغة عامية | لغة عامية**
 - رمز اللغة iso_639_1.
 - لغة الواجهة (flang)
 - اللغة العامية (اللغة الأصلية)
 - (تعني جميع اللغات "showall" حيث) "showall" تساوي "slang may" لاحظ أن كلمة "
 - **يحتوي كل عنصر من عناصر IslamHouse على لغة مصدر واحدة (اللغة الأصلية)**
ويمكن أن يحتوي على لغة واحدة واحدة أو أكثر (ترجمات العناصر)

ويسمى يسوي على وجه خاص، أو مر، ترجم، ...

- النوع | نوع العنصر

- وصف أنواع العناصر
- أمثلة: [... ,showall, video, audio, book].
- قد يساوي عرض الكل (عرض الكل = جميع أنواع item_type أو type لاحظ أن: واجهة برمجة التطبيقات)

- عطوف

- وصف الشخص (المؤلف) ونوعه (كاتب، مترجم، ناقد، إلخ)
- أمثلة: [عرض الكل، المصدر، الناشر، المؤلف، المترجم، ...]
- (جميع الأنواع = showall) "showall" تساوي "kind may" لاحظ أن كلمة "

- المعرّف | معرف الفئة | معرف المؤلف

- تُستخدم لجلب عنصر أو فئة أو مؤلف معين.

- عدد صحيح.

- نوع الفرز

- يمثل وضع الفرز.
- أمثلة: [... ,countdesc, countasc].

- فترة

- فترة لإجراء ترشيح أكثر تحديداً.
- أمثلة: [الكل، السنة، الشهر، الأسبوع، اليوم].

- رقم الصفحة

- ترقيم الصفحات: رقم الصفحة الحالية.

- عدد صحيح.

- حد

- . هو 50 سجلاً الحد الأقصى لعدد العناصر المسترجعة في الاستجابة

- عدد صحيح.

- شكل
 - `format` يمثل تنسيق نتيجة الاستجابة.
 - `json` التنسيق المدعوم فقط.

Categories and types

GET All Types

<https://api3.islamhouse.com/v3/paV29H2gm56kvLPy/main/sitecontent/ar/ar/json>

- Provides all supported API item types.

Request:

Syntax: {endpoint}/{key}/main/sitecontent/{flang}/{slang}/{format}

<https://api3.islamhouse.com/v3/paV29H2gm56kvLPy/main/sitecontent/ar/ar/json>

Response:

- Get a collection of all types.
- Get the items count of each type.
- Get API URL for each type.

GET All categories

<https://api3.islamhouse.com/v3/paV29H2gm56kvLPy/categories/showall/ar/json>

Request:

Syntax: {endpoint}/{key}/categories/showall/{flang}/{format}

<https://api3.islamhouse.com/v3/paV29H2gm56kvLPy/categories/showall/ar/json>

Response:

- Get collection of categories basic info.
 - Get API URL for sub category of each parent category (if exists).
-

GET All categories tree

<https://api3.islamhouse.com/v3/paV29H2gm56kvLPy/main/get-object-category-tree/ar/json>

- Get categories tree with their children.

Request:

Syntax: {endpoint}/{key}/main/get-object-category-tree/{flang}/{format}

<https://api3.islamhouse.com/v3/paV29H2gm56kvLPy/main/get-object-category-tree/ar/json>

Response:

- Get a collection of all detailed category information.
 - Get nested collection of categories with their children.
-

GET Child categories

<https://api3.islamhouse.com/v3/paV29H2gm56kvLPy/categories/viewcat/5366/ar/ar/json>

- Get all child categories of a parent category.

Request:

Syntax: {endpoint}/{key}/categories/viewcat/{categoryId}/{flang}/{slang}/{format}

<https://api3.islamhouse.com/v3/paV29H2gm56kvLPy/categories/viewcat/5366/ar/ar/json>

Response:

- Get basic details of children collection
 - View API URL of each descendants (if exists).
-

GET Single category (basic)

<https://api3.islamhouse.com/v3/paV29H2gm56kvLPy/categories/viewitem/5366/ar/json>

- Get single category basic information.

Request:

Syntax: {endpoint}/{key}/categories/viewitem/{categoryId}/{flang}/{format}

<https://api3.islamhouse.com/v3/paV29H2gm56kvLPy/categories/viewitem/5366/ar/json>

Response:

- JSON object represents basic category information.

GET Single category (With subs)

<https://api3.islamhouse.com/v3/paV29H2gm56kvLPy/main/get-sub-categories/1/ar/json>

- Get single category with its children.

Request:

Syntax: {endpoint}/{key}/main/get-sub-categories/{categoryId}/{flang}/{format}

<https://api3.islamhouse.com/v3/paV29H2gm56kvLPy/main/get-sub-categories/5366/ar/json>

Response:

- JSON object represents category information.
- Nested collection of sub categories.

GET Available types (By category ID)

<https://api3.islamhouse.com/v3/paV29H2gm56kvLPy/main/get-category-types-available/5366/ar/ar/json>

- Describes types of a certain category ID.

Request:

Syntax: {endpoint}/{key}/main/get-categroy-types-avaliabe/{categoryId}/{flang}/{slang}/{format}

<https://api3.islamhouse.com/v3/paV29H2gm56kvLPy/main/get-categroy-types-avaliabe/5366/ar/ar/json>

Response:

- Get item counts for each type.
- API URL for each type.

GET Source languages (By category ID)

<https://api3.islamhouse.com/v3/paV29H2gm56kvLPy/main/get-category-source-languages/5366/showall/ar/json>

- Get category available source languages.

Request:

Syntax: {endpoint}/{key}/main/get-category-source-languages/{categoryId}/{type}/{flang}/{format}

<https://api3.islamhouse.com/v3/paV29H2gm56kvLPy/main/get-category-source-languages/5366/showall/ar/json>

Describe the response:

- Collection of source languages.

Items (list items)

Requests related to items listings (get items by type, author, category, date, language ... etc)

GET List Items by type and language

<https://api3.islamhouse.com/v3/paV29H2gm56kvLPy/main/showall/ar/showall/1/25/json>

Get list of items by **type**, **interface language** (flang) and **source language** (slang). with **pagination** options.

Request:

Request:

Syntax: {endpoint}/{key}/main/{type}/{flang}/{slang}/{pageNum}/{limit}/{format}

<https://api3.islamhouse.com/v3/paV29H2gm56kvLPy/main/showall/ar/showall/1/25/json>

Response:

- Collection of items matching the specified criteria.

GET List Items by author id

<https://api3.islamhouse.com/v3/paV29H2gm56kvLPy/main/get-author-items/6891/showall/ar/ar/1/20/json>

- Get list of items by **author id**, **type**, **interface language** (flang) and **source language** (slang). with **pagination** options.

Request:

Syntax: {endpoint}/{key}/main/get-author-items/{authorId}/{type}/{flang}/{slang}/{pageNum}/{limit}/{format}

<https://api3.islamhouse.com/v3/paV29H2gm56kvLPy/main/get-author-items/6891/showall/ar/ar/1/20/json>

Response:

- Collection of items matching the specified criteria.

GET List Items by category id

<https://api3.islamhouse.com/v3/paV29H2gm56kvLPy/main/get-category-items/5366/showall/ar/ar/1/20/json>

- Get list of items by **category id**, **type**, **interface language** (flang) and **source language** (slang). with **pagination** options.

Request:

Syntax: {endpoint}/{key}/main/get-category-items/{categoryId}/{type}/{flang}/{slang}/{pageNum}/{limit}/{format}

<https://api3.islamhouse.com/v3/paV29H2gm56kvLPy/main/get-category-items/5366/showall/ar/ar/1/20/json>

Response:

- Collection of items matching the specified criteria.
-

GET List items by date (recent additions)

<https://api3.islamhouse.com/v3/paV29H2gm56kvLPy/main/get-latest/month/showall/ar/ar/1/25/json>

- Get list of items by **period** (day, week, month, year or all) **type**, **interface language** (flang) and **source language** (slang). with pagination options.

Request:

Syntax: {endpoint}/{key}/main/get-latest/{period}/{type}/{flang}/{slang}/{pageNum}/{limit}/{format}

<https://api3.islamhouse.com/v3/paV29H2gm56kvLPy/main/get-latest/month/showall/ar/ar/1/25/json>

Response:

- Collection of items matching the specified criteria.
-

GET Highlighted Items

<https://api3.islamhouse.com/v3/paV29H2gm56kvLPy/main/get-highlights/ar/ar/json>

- Get list of highlighted (featured) items by **interface language** (flang) and **source language** (slang).

Request:

Syntax: {endpoint}/{key}/main/get-highlights/{flang}/{slang}/{format}

<https://api3.islamhouse.com/v3/paV29H2gm56kvLPy/main/get-highlights/ar/ar/json>

Response:

- Collection of items matching the specified criteria.
-

GET Items count

<https://api3.islamhouse.com/v3/paV29H2gm56kvLPy/main/get-language-items-count/videos/ar/ar/json>

Request:

Syntax: {endpoint}/{key}/main/get-language-items-count/{item_type}/{flang}/{slang}/{format}

<https://api3.islamhouse.com/v3/paV29H2gm56kvLPy/main/get-language-items-count/videos/ar/ar/json>

Describe the request:

- Represents count of certain items.

Describe the response:

- Count of items filtered by `item_type` and `lang`.

Item (single item details)

List of requests that get single item details

GET Item details

<https://api3.islamhouse.com/v3/paV29H2gm56kvLPy/main/get-item/2522/ar/json>

- Get item details by id in the specified **interface language** (flang).

Request:

Syntax: {endpoint}/{key}/main/get-item/{id}/{flang}/{format}

<https://api3.islamhouse.com/v3/paV29H2gm56kvLPy/main/get-item/2522/ar/json>

Response:

- Item details in the specified interface language

GET Item attachments

<https://api3.islamhouse.com/v3/paV29H2gm56kvLPy/main/check-attachment/1891/json>

- Get item attachments (this endpoint may be rarely used as the attachments already returned as part of the item-details endpoint).

Request:

Syntax: {endpoint}/{key}/main/check-attachment/{id}/{format}

<https://api3.islamhouse.com/v3/paV29H2gm56kvLPy/main/check-attachment/1891/json>

Response:

- specified item's attachments
-

GET Item category(ies) tree

<https://api3.islamhouse.com/v3/paV29H2gm56kvLPy/main/get-item-tree/2522/ar/json>

- Get item's category(ies) details in the specified **interface language** (flang), please note the item may be assigned to multiple categories.

Request:

Syntax: {endpoint}/{key}/main/get-item-tree/{id}/{flang}/{format}

<https://api3.islamhouse.com/v3/paV29H2gm56kvLPy/main/get-item-tree/2522/ar/json>

Response:

- Collection of item's category tree, all categories related to single node will have the same `prefix` attribute.
-

GET Item card translations

<https://api3.islamhouse.com/v3/paV29H2gm56kvLPy/main/get-item-card-translations/1/ar/json>

- Get item title and description translation in the specified **interface language** (flang), this endpoint maybe rarely used as it can be replaced with the get-item endpoint which returns all item details.

Request:

Syntax: {endpoint}/{key}/main/get-item-card-translations/{id}/{flang}/{format}

<https://api3.islamhouse.com/v3/paV29H2gm56kvLPy/main/get-item-card-translations/1/ar/json>

Response:

- Item title and description in the specified language.

GET Item translations

<https://api3.islamhouse.com/v3/paV29H2gm56kvLPy/main/get-item-translations/2522/ar/json>

- Get item's translations, in IslamHouse each item has interface translation (same item with translated title and description) and item translation (real item translation, if item was a book then this represents the translated copy of the whole book).

Request:

Syntax: {endpoint}/{key}/main/get-item-translations/{id}/{flang}/{format}

<https://api3.islamhouse.com/v3/paV29H2gm56kvLPy/main/get-item-translations/2522/ar/json>

Response:

- Collection of item's translations (if there is any), each item in the collection represents an item (with different id) that is a translation of the requested item.

Authors (and sources)

GET List authors/sources

<https://api3.islamhouse.com/v3/paV29H2gm56kvLPy/main/get-authors-data/showall/showall/countdesc/ar/1/20/json>

- List authors by `type` [showall|author|source], `kind` [showall|translator|reviewer ... etc] and `flang` (interface language).

Request:

Syntax: {endpoint}/{key}/main/get-authors-data/{type}/{kind}/{sorttype}/{flang}/{pageNum}/{limit}/{format}

<https://api3.islamhouse.com/v3/paV29H2gm56kvLPy/main/get-authors-data/showall/showall/countdesc/ar/1/20/json>

Response:

- Collection of authors/sources objects, each object represents a single author/source details.

GET Author/Source details

<https://api3.islamhouse.com/v3/paV29H2gm56kvLPy/main/get-author/6891/ar/json>

- Get single author details by `authorId` and `flang` (interface language).

Request:

Syntax: {endpoint}/{key}/main/get-author/{authorId}/{flang}/{format}

<https://api3.islamhouse.com/v3/paV29H2gm56kvLPy/main/get-author/6891/ar/json>

Response:

- Single author/source details.

GET Single author card (By language code)

<https://api3.islamhouse.com/v3/paV29H2gm56kvLPy/main/get-author-card-translations/6891/ar/json>

- Get author/source basic info translation in the specified interface language (`flang`), this endpoint maybe rarely used as it can be replaced with the `get-author` endpoint which returns all author/source details.

Request:

Syntax: {endpoint}/{key}/main/get-author-card-translations/{authorId}/{flang}/{format}

<https://api3.islamhouse.com/v3/paV29H2gm56kvLPy/main/get-author-card-translations/6891/ar/json>

Response:

- Author/Source basic info in the specified language.

GET Available types

<https://api3.islamhouse.com/v3/paV29H2gm56kvLPy/main/get-author-types-avaliable/6891/ar/ar/json>

- Get Author's (or Source's) available types by `authorId` and `flang` (interface language).

Request:

Syntax: {endpoint}/{key}/main/get-author-types-avaliable/{authorId}/{flang}/{slang}/{format}

<https://api3.islamhouse.com/v3/paV29H2gm56kvLPy/main/get-author-types-avaliable/6891/ar/ar/json>

Response:

- Available types along with their item counts.

GET Available locales

<https://api3.islamhouse.com/v3/paV29H2gm56kvLPy/main/get-author-available-languages/6891/showall/ar/json>

- Get Author's (or Source's) available locales.

Request:

Syntax: {endpoint}/{key}/main/get-author-available-languages/{authorId}/{type}/{flang}/{format}

<https://api3.islamhouse.com/v3/paV29H2gm56kvLPy/main/get-author-available-languages/6891/showall/ar/json>

Response:

- Get a collection of available locales.

Languages/Locales

GET Keys (locales)

<https://api3.islamhouse.com/v3/paV29H2gm56kvLPy/languages/get-language-details/json>

Request:

Syntax: {endpoint}/{key}/languages/get-language-details/{format}

<https://api3.islamhouse.com/v3/paV29H2gm56kvLPy/languages/get-language-details/json>

Describe the request

- Describes all API language key names/details.

Describe the response:

- Get all language names and directions [rtl, ltr]
-

GET Terms and sentences

<https://api3.islamhouse.com/v3/paV29H2gm56kvLPy/languages/get-language-terms/ar/json>

Request:

Syntax: {endpoint}/{key}/languages/get-language-terms/{lang}/{format}

<https://api3.islamhouse.com/v3/paV29H2gm56kvLPy/languages/get-language-terms/ar/json>

Describe the request

- Describe all API terms by language its `iso_code`.

Describe the response:

- Retrieve all API terms by certain language.
-

GET Available languages (of certain another language)

<https://api3.islamhouse.com/v3/paV29H2gm56kvLPy/main/get-available-languages/showall/ar/json>

Request:

Syntax: {endpoint}/{key}/main/get-available-languages/showall/{flang}/{format}

<https://api3.islamhouse.com/v3/paV29H2gm56kvLPy/main/get-available-languages/showall/ar/json>

Describe the request

- Represents available languages of certain another language.

Describe the response:

- Get basic details of languages collection.

Quran

GET Quran categories

<https://api3.islamhouse.com/v3/paV29H2gm56kvLPy/quran/get-categories/ar/json>

Request:

Syntax: {endpoint}/{key}/quran/get-categories/{flang}/{format}

<https://api3.islamhouse.com/v3/paV29H2gm56kvLPy/quran/get-categories/ar/json>

Describe the request

- Represents all categories details of Quran.

Describe the response:

- Get a basic collection of categories.
- Get the API URL of each category.
- Show if a category has children.

GET Single category

<https://api3.islamhouse.com/v3/paV29H2gm56kvLPy/quran/get-category/364794/ar/json>

Request:

Syntax: {endpoint}/{key}/quran/get-category/{categoryId}/{flang}/{format}

<https://api3.islamhouse.com/v3/paV29H2gm56kvLPy/quran/get-category/364794/ar/json>

Describe the request

- Represents the single category details of Quran by its ID.

Describe the response:

- Get the basic information for the category
- Show category's authors and locales.

GET Author details

<https://api3.islamhouse.com/v3/paV29H2gm56kvLPy/quran/get-author/8195/ar/json>

Request:

Syntax: {endpoint}/{key}/quran/get-author/{author_id}/{flang}/{format}

<https://api3.islamhouse.com/v3/paV29H2gm56kvLPy/quran/get-author/8195/ar/json>

Describe the request

- Represents Author information (related to Quran).

Describe the response:

- Get full details of a single author.
- Get a collection of the author's attachments and available locales.
- Show author's recitations information.

GET Author recitations

<https://api3.islamhouse.com/v3/paV29H2gm56kvLPy/quran/get-author-recitations/8195/ar/json>

Request:

Syntax: {endpoint}/{key}/quran/get-author-recitations/{authorId}/{flang}/{format}

<https://api3.islamhouse.com/v3/paV29H2gm56kvLPy/quran/get-author-recitations/8195/ar/json>

Describe the request

- Represents Author's Quran recitations.

Describe the response:

- Get a basic details collection for recitations.
 - Get recitation API URL.
-

GET Sura details

<https://api3.islamhouse.com/v3/paV29H2gm56kvLPy/quran/get-sura/3/ar/json>

Request:

Syntax: {endpoint}/{key}/quran/get-sura/{sura_id}/{flang}/{format}

<https://api3.islamhouse.com/v3/paV29H2gm56kvLPy/quran/get-sura/3/ar/json>

Describe the request

- Represents the Sura basic details.

Describe the response:

- Get the Sura details with the audio file.
-

GET Sure recitations

<https://api3.islamhouse.com/v3/paV29H2gm56kvLPy/quran/get-sura-recitations/3/ar/json>

Request:

Syntax: {endpoint}/{key}/quran/get-sura-recitations/{id}/{flang}/{format}

<https://api3.islamhouse.com/v3/paV29H2gm56kvLPy/quran/get-sura-recitations/3/ar/json>

Describe the request

- Represents Sure's recitations.

Describe the response:

- Get a collection of recitations.
-

GET Recitation details

<https://api3.islamhouse.com/v3/paV29H2gm56kvLPy/quran/get-recitation/228065/ar/json>

Request:

Syntax: {endpoint}/{key}/quran/get-recitation/{recitationId}/{flang}/{format}

<https://api3.islamhouse.com/v3/paV29H2gm56kvLPy/quran/get-recitation/228065/ar/json>

Describe the request

- Represents single recitation detailed information.

Describe the response:

- Get a recitation full data.
 - Get relationships of `prepared_by`, `attachments` & `locales`.
-

GET Statistics and site contents

<http://api3.islamhouse.com/v3/paV29H2gm56kvLPy/main/home/json>

Request:

Syntax: {endpoint}/{key}/main/home/{format}

<https://api3.islamhouse.com/v3/paV29H2gm56kvLPy/main/home/json>

Describe the request

- Describes API home page.
- contains details about all languages.

Describe the response:

- language statistics (The number of items).
 - The list of all languages with their items and files count, plus social media links.
 - RSS link for each language content.
 - Torrent link if you prepare to download certain language content.
 - Language code for each one.
 - Site content link for each language.
-

GET Footer content

<https://api3.islamhouse.com/v3/paV29H2gm56kvLPy/main/get-footer/ar/json>

Request:

Syntax: {endpoint}/{key}/main/get-footer/{flang}/{format}

<https://api3.islamhouse.com/v3/paV29H2gm56kvLPy/main/get-footer/ar/json>

Describe the request

- Describes site footer content.

Describe the response:

- detailed information for footer links.
-

GET Social links

<https://api3.islamhouse.com/v3/paV29H2gm56kvLPy/languages/get-social/ar/json>

Request:

Syntax: {endpoint}/{key}/languages/get-social/{lang}/{format}

<https://api3.islamhouse.com/v3/paV29H2gm56kvLPy/languages/get-social/ar/json>

Describe the request

- Describes site social media links.

Describe the response:

- Collection of links.

تقييم هذه الترجمة

سيتم استخدام ملاحظاتك وآرائك للمساعدة في تحسين "ترجمة Google".

النص الأصلي

تقييم هذه الترجمة

سيتم استخدام ملاحظاتك وآرائك للمساعدة في تحسين "ترجمة Google".