

Lead Assignment Test Plan

Acceptance pass over what shipped in the 24 August release — lead ownership, the CRM Admin split, the identity repoint, and three CRM fixes.

DATE	BUILD	SUITES	EST. TIME
24 August 2026	master @ 85d90f47	9 · 90 checks	3–4 hours

Contents

1	Scope and method	8	Suite F — Visibility scoping
2	Pre-flight setup	9	Suite G — Identity repoint
3	Suite A — Role gating	10	Suite H — Regression
4	Suite B — Assign, reassign, unassign	11	Suite I — Lead validation
5	Suite C — Bulk assign	12	Known limitations
6	Suite D — Assign on import	13	Sign-off
7	Suite E — Ownership history		

1 Scope and method

This covers the 24 August release only. It does not re-test the wider CRM module — that is `CRM-Module-Test-Plan.pdf`. Four things shipped:

- **Lead assignment** — leads can now be owned by a sales rep, individually or in bulk
- **The CRM Admin split** — four roles that, for the first time in this module, actually restrict what a user can do: assigning, seeing all leads, creating leads and editing them
- **Identity repoint** — audit columns moved from the OFBiz `USER_LOGIN` table to `AspNetUsers`
- **Three CRM fixes** — a dead route, discarded opportunity fields, and cancelled deals that never closed
- **Validation alignment** — the lead form and the Excel import now demand the same fields

Work each suite top to bottom; later steps depend on records created earlier. Database checks are given inline. Suites **F** and **G** are the two that matter most — F is the only security boundary in the release, and G is the fix that was silently losing data before.

2 Pre-flight setup

2.1 Accounts

The second CRM Admin has a different email in each environment. Production uses `rayman@gmail.com`; development still has `rmostafa@gmail.com`. Both resolve to the user shown as **Ayman**, party 346. Use whichever matches the environment you are testing.

Role in test	Account	Holds
CRM Admin	Emad — eradwan1967@gmail.com	CRM_View , CRM_Leads_Assign , CRM_Leads_ViewAll
CRM Admin (2nd)	Ayman — rayman@gmail.com (prod) / rmostafa@gmail.com (dev)	Same. Use this one for Suite G — see 9.1
Regular CRM user	Gamal — mhussein@gmail.com	CRM_View and the eight legacy CRM roles. No CRM_Leads_Assign

Any of Mark, Reham, Nagy, Medhat, Eman, Yasmin, Ahlam, Peter or Alaa works in place of Gamal. Confirm the split before starting:

```
SELECT u.UserName, r.Name FROM AspNetUsers u
JOIN AspNetUserRoles ur ON ur.UserId=u.Id JOIN AspNetRoles r ON r.Id=ur.RoleId
WHERE r.Name IN ('CRM_Leads_Assign','CRM_Leads_ViewAll') ORDER BY r.Name, u.UserName;
-- CRM_Leads_Assign -> exactly 2 users
-- CRM_Leads_ViewAll -> every CRM_View holder
```

Everyone must sign out and back in before testing. Roles are written into the JWT at login and the token lasts 7 days. A user who has not re-authenticated since the deploy is still carrying their old permissions, and every result in this document will be wrong for them.

2.2 Test data

Development currently holds **one** lead and **zero** assignments, which is not enough. Before starting, create or import at least **25 leads** — Suite C needs a multi-page grid and Suite D needs a fresh import file. There are 14 parties with the **SALES_REP** role available as assignees.

Prepare an Excel file for Suite D with these exact headers — the importer matches on header text:

```
First Name | Last Name | Title | Email | Mobile Number | Lead source | Address1 | Address2 | City | Country
```

2.3 Reference data

```
SELECT * FROM PARTY_RELATIONSHIP_TYPE WHERE PARTY_RELATIONSHIP_TYPE_ID='LEAD_OWNER';
-- must return 1 row, or every assignment fails on the foreign key
```

Suite F needs temporary setup. Every CRM user currently holds **CRM_Leads_ViewAll**, so nobody can experience the restricted view. Suite F begins by revoking it from one test user and ends by restoring it. Do not skip the restore — leaving it off means that user sees an empty leads screen until leads are assigned to them.

3 Suite A — Role gating

Confirms the admin/regular split is visible in the UI. The real enforcement is Suite F.

Step	Expected result	✓
A1 Sign in as Emad , open Leads	Grid shows an Assigned To column; each row has an Assign button; a checkbox column appears on the left	☐
A2 Sign in as Gamal , open Leads	Assigned To column is visible; no checkbox column, no Assign button, no bulk toolbar	☐
A3 As Gamal, open the Excel import and save a batch	Import works; the "assign these leads" prompt does not appear	☐
A4 As Gamal, confirm the rest of CRM is unaffected	Sales Opportunities board, actions, history all work as before	☐
A5 As Emad , open Leads	New Lead and Upload Excel buttons are both present	☐
A6 As Gamal , open Leads	Neither button is present	☐
A7 As Gamal, click a lead's name in the grid	The name is plain text , not a link — the edit form cannot be opened	☐
A8 As Gamal, <code>POST /api/parties/createLead</code> and <code>POST /api/parties/createLeadsBatch</code>	403 Forbidden on both	☐
A9 As Gamal, <code>PUT /api/leads/{id}</code>	403 Forbidden	☐

A5–A9 only behave as written once `restrict_lead_create_edit_to_crm_admins_2026_08_24.sql` has been run. Every CRM user holds `CRM_Leads_Create` and `CRM_Leads_Edit` by default, so before that script Gamal still sees the buttons and can still edit. If A5–A9 fail, check the roles before raising a defect:

```
SELECT u.UserName, r.Name FROM.AspNetUsers u JOIN.AspNetUserRoles ur ON ur.UserId=u.Id JOIN
AspNetRoles r ON r.Id=ur.RoleId WHERE r.Name IN ('CRM_Leads_Create','CRM_Leads_Edit'); — expect the
two admins only.
```

4 Suite B — Assign, reassign, unassign

Signed in as a CRM Admin throughout.

Step	Expected result	✓
B1 Open Leads. Inspect an unassigned lead's Assigned To cell	Shows an "Unassigned" chip, not a blank cell	☐
B2 Click Assign on that lead	Dialog opens showing the lead name and current owner "Unassigned"	☐
B3 Open the "Assign to" dropdown and type part of a rep's name	Sales reps are listed and filter as you type	☐
B4 Try to save without picking a rep	Assign button is disabled	☐
B5 Pick a rep, add a comment, click Assign	Success toast; dialog closes; the grid's Assigned To cell shows the rep's name	☐
B6 Verify in the database	See the SQL below — one open row, correct parties, <code>THRU_DATE</code> null	☐

Step	Expected result	✓
B7 Click Reassign on the same lead; choose a <i>different</i> rep	Grid updates to the new rep	☐
B8 Re-run the SQL from B6 without the <code>THRU_DATE</code> filter	Two rows: the first now has a <code>THRU_DATE</code> , the second is open. The old row is closed, not deleted	☐
B9 Reassign to the rep who already owns it	Accepted, but no new row is written — still two rows total. Reassigning to the current owner is a no-op	☐
B10 Open the dialog and click Unassign	Lead returns to "Unassigned" in the grid	☐
B11 Check the database after unassigning	No open row remains, but the closed rows survive — history is preserved	☐
B12 Click Unassign again on the same (already unassigned) lead	Succeeds quietly. The Unassign button is only offered when the lead has an owner, so reach this via the API if needed	☐
B13 Assign, then sort and filter the grid by the Assigned To column	Sorting and filtering work across the whole dataset, not just the visible page — verify with a value that only exists on a later page	☐

```
SELECT PARTY_ID_FROM AS owner, PARTY_ID_TO AS lead, FROM_DATE, THRU_DATE,
       CREATED_BY_USER_LOGIN AS assigned_by, COMMENTS
FROM PARTY_RELATIONSHIP
WHERE PARTY_RELATIONSHIP_TYPE_ID='LEAD_OWNER' AND PARTY_ID_TO='<lead party id>'
ORDER BY FROM_DATE;
```

5 Suite C — Bulk assign

Step	Expected result	✓
C1 Tick three individual rows	A toolbar appears reading "3 selected" with Assign selected and Clear	☐
C2 Click the header checkbox	Selects every row on the current page only	☐
C3 Select some rows on page 1, go to page 2, select more, return to page 1	The page-1 selections are still ticked . Selection survives paging	☐
C4 With a cross-page selection active, click Assign selected	Dialog reports the full count across both pages	☐
C5 Pick a rep and confirm	Result view shows Assigned: N ; grid refreshes; selection clears	☐
C6 Select a mix where <i>some</i> leads already belong to the target rep, and assign to that rep	Result separates Assigned from Already owned . The already-owned ones are not written twice	☐
C7 Verify no duplicate open rows exist	The SQL below returns 0 rows	☐
C8 Click Clear with rows selected	Selection empties and the toolbar disappears	☐
C9 Bulk-assign roughly 20 leads at once	Completes promptly; note the elapsed time	☐

```
-- a lead must never have two open owners
SELECT PARTY_ID_TO, COUNT(*) FROM PARTY_RELATIONSHIP
WHERE PARTY_RELATIONSHIP_TYPE_ID='LEAD_OWNER' AND THRU_DATE IS NULL
GROUP BY PARTY_ID_TO HAVING COUNT(*) > 1;
```

6 Suite D — Assign on import

This is the workflow the feature exists for: bulk import, then distribute.

Step	Expected result	✓
D1 Leads → Upload Excel, drop the prepared file	Staging grid appears with the parsed rows	☐
D2 Click Save with all rows valid	Summary dialog appears — note it now shows even when nothing failed, and the icon is a green tick rather than a warning	☐
D3 Read the summary	A prompt reads " <i>N leads were created without an owner. Assign them to a sales rep now?</i> " with an Assign button	☐
D4 Confirm "Fix Failed Rows" is absent on a clean import	It only appears when something actually failed	☐
D5 Click Assign, pick a rep, confirm	Result shows the count assigned; the prompt turns into a green "leads have been assigned" confirmation	☐
D6 Close the dialog and open the Leads grid	The imported leads are listed with that rep as owner	☐
D7 Import a second file, then skip the assign step and click Done	Leads are created and remain unassigned. The step is optional	☐
D8 Import a file with one invalid row (blank First Name)	Summary shows both the failure table and the assign prompt for the rows that succeeded	☐
D9 In D8, assign the successful rows, then use Fix Failed Rows	Both paths work from the same dialog without interfering	☐

7 Suite E — Ownership history

Step	Expected result	✓
E1 Open the Assign dialog on a never-assigned lead	History section reads "This lead has never been assigned"	☐
E2 Assign it, then reopen the dialog	One entry, marked with a green Current chip	☐
E3 Check the entry's detail line	Owner name, the from-date, "present" as the end, and the assignment comment if one was given	☐
E4 Reassign twice more, then reopen	Three entries, newest first ; only the top one is marked Current; the older two show closed date ranges	☐
E5 Confirm the history refreshes in place	Reassigning from inside the dialog updates the list without closing and reopening it	☐
E6 Check the "by" attribution on each entry	Shows the user who performed the assignment — see 9.1, this is the identity repoint working	☐
E7 Unassign, then reopen the dialog	History still lists every past owner; none is marked Current	☐

8 Suite F — Visibility scoping SECURITY

This is the only security boundary in the release. A regular CRM user must see only the leads assigned to them, and must not be able to assign anything. Both must hold at the **API** level, not merely in the UI — a hidden button is not a permission.

Setup — temporarily remove `ViewAll` from the test user

```
-- BEFORE: note the current state so you can restore it
DELETE ur FROM AspNetUserRoles ur
JOIN AspNetUsers u ON u.Id=ur.UserId
JOIN AspNetRoles r ON r.Id=ur.RoleId
WHERE u.NormalizedEmail='MHUSSEIN@GMAIL.COM' AND r.Name='CRM_Leads_ViewAll';
-- Gamal must now sign out and back in for this to take effect.
```

Step	Expected result	✓
F1 As Admin, make sure Gamal owns exactly two leads and that other leads exist	Setup for the checks below	☐
F2 Sign in as Gamal (fresh login), open Leads	Exactly two rows — his own. Everyone else's leads are absent	☐
F3 Check the record count in the pager	Total reflects 2 , not the full lead count. Scoping is applied before paging	☐
F4 Page, sort and filter the grid	No other leads surface by any combination	☐
F5 Confirm unassigned leads are invisible to him	Leads with no owner do not appear. Only <code>ViewAll</code> holders see the unassigned pool	☐
F6 Call the API directly as Gamal: <code>GET /odata/leadRecords?\$count=true</code>	Returns only his two leads. This proves the filter is server-side, not the UI hiding rows	☐
F7 As Gamal, <code>POST /api/leads/{id}/assign</code> with a valid body	403 Forbidden . He lacks <code>CRM_Leads_Assign</code>	☐
F8 As Gamal, <code>POST /api/leads/bulk-assign</code>	403 Forbidden	☐
F9 As Gamal, <code>DELETE /api/leads/{id}/assign</code> on a lead he owns	403 Forbidden — he cannot even release his own lead	☐
F10 As Gamal, <code>GET /api/leads/{id}/assignment-history</code>	403 Forbidden	☐
F11 As Admin, assign a third lead to Gamal. Gamal refreshes	The new lead appears for him without needing to log in again	☐
F12 As Admin, unassign one of Gamal's leads. Gamal refreshes	It disappears from his list	☐
F13 As Admin (who holds <code>ViewAll</code>), open Leads	All leads visible, assigned and unassigned alike	☐

Teardown — restore the role **DO NOT SKIP**

```
INSERT INTO AspNetUserRoles (UserId, RoleId)
SELECT u.Id, r.Id FROM AspNetUsers u CROSS JOIN AspNetRoles r
WHERE u.NormalizedEmail='MHUSSEIN@GMAIL.COM' AND r.Name='CRM_Leads_ViewAll'
AND NOT EXISTS (SELECT 1 FROM AspNetUserRoles x WHERE x.UserId=u.Id AND x.RoleId=r.Id);
-- Gamal signs out and back in again.
```

9 Suite G — Identity repoint CRITICAL

9.1 Why this suite exists

Four audit columns used to reference the OFBiz `USER_LOGIN` table, which holds only 10 rows against 24 application users — and covers just **2 of the 13** CRM users. Anything done by the other eleven recorded a **null actor**, and the opportunity History tab showed a raw GUID instead of a name.

Use Ayman for this suite, not Emad. Emad has a `USER_LOGIN` row, so his actions would have been recorded correctly even before the fix — testing with him proves nothing. Ayman has none. If his actions now record an actor, the repoint works.

Step	Expected result	✓
G1 Sign in as Ayman . Assign a lead to any rep	Succeeds	☐
G2 Check the actor was recorded	First query below returns Ayman's <code>AspNetUsers.Id</code> — not null	☐
G3 Open that lead's ownership history	The entry shows a "by" attribution rather than omitting it	☐
G4 As Ayman, create a sales opportunity	Saves successfully. Before the repoint this would have failed the foreign key outright	☐
G5 As Ayman, log an action on an opportunity	Saves; appears in the comment feed	☐
G6 As Ayman, change an opportunity's stage, then open the History tab	The entry shows Ayman's display name , not a GUID and not blank. This is the headline fix	☐
G7 Check the stored values	Second query below — all four columns hold real <code>AspNetUsers.Id</code> values	☐
G8 Confirm older records still display	History rows written before this release still render; their attribution resolves for Emad and Ahmad	☐
G9 Confirm the foreign keys point at the right table	Third query — four constraints, all referencing <code>AspNetUsers</code>	☐

```
-- G2: who performed the most recent assignment
SELECT pr.PARTY_ID_T0, pr.CREATED_BY_USER_LOGIN, u.UserName
FROM PARTY_RELATIONSHIP pr LEFT JOIN AspNetUsers u ON u.Id = pr.CREATED_BY_USER_LOGIN
WHERE pr.PARTY_RELATIONSHIP_TYPE_ID='LEAD_OWNER' ORDER BY pr.FROM_DATE DESC LIMIT 3;

-- G7: no orphaned actor values anywhere (all three must be 0)
SELECT 'ACTION' t, COUNT(*) bad FROM SALES_OPPORTUNITY_ACTION a WHERE a.CREATED_BY_USER_LOGIN IS NOT NULL
AND NOT EXISTS (SELECT 1 FROM AspNetUsers u WHERE u.Id=a.CREATED_BY_USER_LOGIN)
UNION ALL SELECT 'HISTORY', COUNT(*) FROM SALES_OPPORTUNITY_HISTORY h WHERE h.MODIFIED_BY_USER_LOGIN IS NOT NULL
AND NOT EXISTS (SELECT 1 FROM AspNetUsers u WHERE u.Id=h.MODIFIED_BY_USER_LOGIN)
UNION ALL SELECT 'OPPORTUNITY', COUNT(*) FROM SALES_OPPORTUNITY s WHERE s.CREATED_BY_USER_LOGIN IS NOT NULL
AND NOT EXISTS (SELECT 1 FROM AspNetUsers u WHERE u.Id=s.CREATED_BY_USER_LOGIN);

-- G9: the four constraints
SELECT TABLE_NAME, CONSTRAINT_NAME, REFERENCED_TABLE_NAME
FROM INFORMATION_SCHEMA.KEY_COLUMN_USAGE
WHERE CONSTRAINT_NAME IN ('PARTY_REL_CREATED_BY_USER', 'SLSOPP_CREATED_BY_USER',
                          'SLSOPPACT_CREATED_BY_USER', 'SLOPHI_MODIFIED_BY_USER');
```

10 Suite H — Regression on the three CRM fixes

Step		Expected result	✓
H1	Browse directly to <code>/crm</code>	Route no longer exists. No blank page, no console error	☐
H2	Click CRM in the top header	Lands on the Sales Pipeline as before	☐
H3	Create an opportunity via the UI, then read the database row	<code>ESTIMATED_PROBABILITY</code> and <code>CURRENCY_UOM_ID</code> are populated from the stage default	☐
H4	<code>POST /api/salesOpportunities</code> with a name, amount, currency and close date, then read it back	All values persist on the opportunity row, not only in history	☐
H5	Drag that opportunity between board columns, then re-read it	Stage changed; amount, name and close date survive . Highest-risk regression in the release	☐
H6	Log a Cancellation with a reason on an open opportunity	Moves to Closed Lost; flagged closed; probability 0; history note names the reason	☐
H7	Reopen the Action modal on that cancelled opportunity	All inputs and the Save button are disabled	☐
H8	Log a Done Deal on another opportunity	<code>IS_WON</code> and <code>IS_CLOSED</code> both set; apartment becomes <code>APARTMENT_RESERVED</code>	☐
H9	Drag a closed card back onto an open stage	It reopens — both flags clear and the Action modal unlocks	☐
H10	Run the closed-stage consistency check	<pre>SELECT COUNT(*) FROM SALES_OPPORTUNITY WHERE OPPORTUNITY_STAGE_ID IN ('SOSTG_CLOSED_WON', 'SOSTG_CLOSED_LOST') AND IS_CLOSED=0; → 0</pre>	☐

11 Suite I — Lead validation

The lead form and the Excel import previously disagreed about what a lead needs. They now enforce the same rule, taken from the columns of the upload file:

Field	Lead form	Excel import	Notes
Name	required — one merged field	First Name and Last Name both required	The two columns are merged into the app's single name field
Mobile Number	required	required	
Lead source	required	required	An unrecognised value falls back to OTHER ; a <i>blank</i> one is rejected
Email	optional	optional	Blank is fine. A supplied value must be a valid address
Country	optional	optional	Was previously required on the form — the upload file has no Country column
Title, Address 1/2, City	optional	optional	

11.1 Lead form

Signed in as a CRM Admin. Applies to both the full-page form and the "Add New Lead" modal opened from the opportunity screen.

Step	Expected result	✓
I1 New Lead → submit everything empty	Name, Mobile and Lead source are all flagged. Email and Country are not	☐
I2 Fill name, mobile and lead source only. Submit	Saves. No email, no country needed	☐
I3 Confirm the saved lead in the grid	Appears with its name and mobile; email shows a dash	☐
I4 New lead, leave Mobile blank, fill everything else	Blocked — mobile is required	☐
I5 New lead, leave Lead source blank	Blocked — lead source is required	☐
I6 Leave Country unset and submit	Saves. Country is no longer mandatory	☐
I7 Type an invalid email such as <code>abc@</code>	Blocked with a format message — optional, but must be valid when supplied	☐
I8 Clear the email field entirely and submit	Saves. Blank is acceptable	☐
I9 Enter a first and last name in the single Name field, save, reopen	The full name round-trips intact — it is stored merged, not split and re-joined incorrectly	☐
I10 Edit an existing lead, clear its Mobile, save	Blocked. The rule applies to edits, not just creation	☐
I11 Repeat I1 in the "Add New Lead" modal on the opportunity form	Identical validation in both places	☐

11.2 Excel import

Build a file with these columns: `First Name` | `Last Name` | `Email` | `Mobile Number` | `Lead source` . Add deliberately broken rows as described.

Step	Expected result	✓
I12 Import a file where every row is complete	All rows save. This is the baseline — the existing test file should still import cleanly	☐
I13 Add a row with First Name but no Last Name	Rejected, reason "Last Name is required"	☐
I14 Add a row with no First Name	Rejected, reason "First Name is required"	☐
I15 Add a row with no Mobile Number	Rejected, reason "Mobile Number is required"	☐
I16 Add a row with a blank Lead source	Rejected, reason "Lead source is required". It must not silently become OTHER — that was the old behaviour	☐
I17 Add a row whose Lead source is an unrecognised value, e.g. "Billboard"	Accepted and stored as OTHER . Unrecognised is not the same as missing	☐
I18 Add a row with no Email , everything else present	Accepted . Email is optional	☐
I19 Import the file containing all of the above	Good rows save; each bad row is listed separately with its own specific reason, not one generic message	☐
I20 Use Fix Failed Rows , complete the missing fields, save again	The corrected rows now save; the earlier successful rows are not duplicated	☐
I21 Check an imported lead's name in the grid	Shows " First Last " merged — matches how a hand-typed lead appears	☐
I22 Open an imported lead in the edit form	The merged name fills the single Name field; mobile and lead source are populated	☐

Expect previously-working files to start failing. Any spreadsheet with gaps in name, mobile or lead source imported silently before and will now report those rows. That is the intended change, not a regression. Nothing is lost — the good rows still save and the rest are listed for correction.

12 Known limitations — do not raise these

Behaviour	Why
Unassigning records no actor	It closes a row rather than creating one, so there is nowhere to store the acting user. You can see who assigned a lead, never who removed it
No automatic distribution	No round-robin, territory rules or assignment notifications. Distribution is manual by design in this release
Reassigning a lead does not change its opportunity owner	Deliberate — a deal keeps its closer
Regular users cannot see unassigned leads	Intended. Only ViewAll holders see the unassigned pool
Opportunity form still captures no amount or close date	Persistence was fixed; the UI fields were out of scope
Won deals never release the apartment	Pre-existing; cancelling or reopening leaves the unit reserved
Some legacy CRM roles still do nothing	CRM_Leads_View , CRM_Leads_Delete and the CRM_Contacts_* family remain unread by the code — there is no Contacts screen and no delete function anywhere in CRM. Five roles are enforced: CRM_View , CRM_Leads_Create , CRM_Leads_Edit , CRM_Leads_Assign , CRM_Leads_ViewAll
Bulk assign stamps one timestamp across all rows	A bulk of 50 and 50 individual assignments look identical in history

13 Sign-off

Suite	Area	Result	Notes / defects raised
A	Role gating		
B	Assign / reassign / unassign		
C	Bulk assign		
D	Assign on import		
E	Ownership history		
F	Visibility scoping		
G	Identity repoint		
H	Regression		
I	Lead validation		

Suites F and G must pass before the next step of the rollout — revoking `CRM_Leads_ViewAll` from the ten regular CRM users. That step depends entirely on scoping being correct and on leads having been assigned to those reps first.

Covers the 24 August 2026 release: lead assignment, the CRM Admin role split, the `USER_LOGIN` → `AspNetUsers` identity repoint, and three CRM defect fixes. Deployment details are in `CRM-Refactor-Deployment-Brief.pdf` ; the wider module is covered by `CRM-Module-Test-Plan.pdf` .