

Historical Data

This guide describes how to fetch historical data of instruments easily using the SDK.

Get Historical Candle Data

Note

This method is deprecated and will be removed in future releases. Please use `get_historical_candles` method instead. See [here](#) for more details.

Python SDK Usage

Fetch historical candle data for an instrument using this `get_historical_candle_data` method.

```
from growwap1 import GrowwAPI
import time

# Groww API Credentials (Replace with your actual credentials)
API_AUTH_TOKEN = "your_token"

# Initialize Groww API
groww = GrowwAPI(API_AUTH_TOKEN)

# you can give time programatically.
end_time_in_millis = int(time.time()) * 1000 # epoch time in milliseconds
start_time_in_millis = end_time_in_millis - (24 * 60 * 60 * 1000) # last 24 hours

# OR

# you can give start time and end time in yyyy-MM-dd HH:mm:ss format.
end_time = "2025-02-27 14:00:00"
start_time = "2025-02-27 10:00:00"

historical_data_response = groww.get_historical_candle_data(
    trading_symbol="RELIANCE",
    exchange=groww.EXCHANGE_NSE,
    segment=groww.SEGMENT_CASH,
    start_time=start_time,
    end_time=end_time,
    interval_in_minutes=5 # Optional: Interval in minutes for the candle data
)
print(historical_data_response)
```

Request Schema

Name	Type	Description
exchange *	string	Stock exchange
segment *	string	Segment of the instrument such as CASH, FNO etc.
trading_symbol *	string	Trading Symbol of the instrument as defined by the exchange
start_time *	string	Time in YYYY-MM-DD HH:mm:ss or epoch milliseconds format from which data is required
end_time *	string	Time in YYYY-MM-DD HH:mm:ss or epoch milliseconds format till when data is required
interval_in_minutes	string	Interval in minutes for which data is required

* required parameters

Response Payload

All prices in rupees

```
{
  "candles": [
    [
      1633072800, // candle timestamp in epoch second
      150, // open price
      155, // high price
      145, // low price
      152, // close price
      10000 // volume
    ]
  ],
  "start_time": 2025-01-01 15:30:00,
  "end_time": 2025-01-01 15:30:00,
  "interval_in_minutes": 5
}
```

Response Schema

Name	Type	Description
candles	array(array)	This contains the list of candles. Each candle has candle timestamp (epoch second), open (float), high (float), low (float), close (float), volume (int) in that order.
start_time	string	Start time in yyyy-MM-dd HH:mm:ss
end_time	string	End time in yyyy-MM-dd HH:mm:ss
interval_in_minutes	int	Interval in minutes

Candle Interval	Max Duration per Request	Historical Data Available
1 min	7 days	Last 3 months
5 min	15 days	Last 3 months
10 min	30 days	Last 3 months
1 hour (60 min)	150 days	Last 3 months
4 hours (240 min)	365 days	Last 3 months
1 day (1440 min)	1080 days (~3 years)	Full history
1 week (10080 min)	No Limit	Full history

Groww API

...

Python SDK Docs

Documentation for Python SDK

Search

Ctrl K

Introduction

Instruments

Orders

Smart Orders

Portfolio

Margin

Live Data

Historical Data

Backtesting

Feed

User

Annexures

Exceptions

Changelog