

Groww API

...

</>

Python SDK Docs

Documentation for Python SDK

▼

Q

Search

Ctrl K

Introduction

Instruments

Orders

Smart Orders

Portfolio

Margin

Live Data

Historical Data

Backtesting

Feed

User

Annexures

Exceptions

Changelog

On this page

>

Place Order

On this page

|

Place Order

Modify Order

Cancel Order

Get Trades for Order

Get Order Status

Get Order Status by Reference ID

Get Order List

Get Order Details

Orders

This guide describes how to manage orders using the SDK. You can create, modify, cancel, and retrieve order details for equities, derivatives, and commodities.

Place Order

Use the place_order SDK method to register a new order. When successful, the method returns a unique order ID and its initial status.

Python SDK Usage

```
from growwapl import GrowwAPI

# Groww API Credentials (Replace with your actual credentials)
API_AUTH_TOKEN = "your_token"

# Initialize Groww API
groww = GrowwAPI(API_AUTH_TOKEN)

place_order_response = groww.place_order(
    trading_symbol="NIFTY",
    quantity=1,
    validity=groww.VALIDITY_DAY,
    exchange=groww.EXCHANGE_NSE,
    segment=groww.SEGMENT_CASH,
    product=groww.PRODUCT_CNC,
    order_type=groww.ORDER_TYPE_LIMIT, # You can also use ORDER_TYPE_MARKET, ORDER_TYPE_STOP_LOSS, ORDER_TYPE_TRANSACTION_TYPE=groww.TRANSACTION_TYPE_BUY,
    price=250, # Optional: Price of the stock (for Limit orders)
    trigger_price=245, # Optional: Trigger price (if applicable)
    order_reference_id="Ab-654321234-1628190" # Optional: User provided 8 to 20 length alphanumeric reference
)

print(place_order_response)
```

Request Schema

Name	Type	Description
trading_symbol *	string	Trading Symbol of the instrument as defined by the exchange
quantity *	int	Quantity of instrument to order
price	float	Price of the instrument in rupees case of Limit order
trigger_price	float	Trigger price in rupees for the order
validity *	string	Validity of the order
exchange *	string	Stock exchange
segment *	string	Segment of the instrument such as CASH, FNO etc.
product *	string	Product type
order_type *	string	Order type
transaction_type *	string	Transaction Type of the trade
order_reference_id	string	User provided 8 to 20 length alphanumeric string with atmost two hyphens (-)

* required parameters

Response

```
{
  "groww_order_id": "GW398388DT498CCVR0",
  "order_status": "OPEN",
  "order_reference_id": "Ab-654321234-1628190",
  "remark": "Order placed successfully"
}
```

Response Schema

Name	Type	Description
groww_order_id	string	Order id generated by Groww for an order
order_status	string	Current status of the placed order
order_reference_id	string	User provided reference id to track the status of an order.
remark	string	Remark for the order

Modify Order

You can change or update any pending or open orders using the modify_order method.

Python SDK Usage

```
from growwapl import GrowwAPI

# Groww API Credentials (Replace with your actual credentials)
API_AUTH_TOKEN = "your_token"

# Initialize Groww API
groww = GrowwAPI(API_AUTH_TOKEN)

modify_order_response = groww.modify_order(
    quantity=1,
    order_type=groww.ORDER_TYPE_MARKET, # You can also use ORDER_TYPE_LIMIT, ORDER_TYPE_STOP_LOSS, ORDER_TYPE_TRANSACTION_TYPE=groww.TRANSACTION_TYPE_BUY,
    segment=groww.SEGMENT_CASH,
    groww_order_id="GW398388DT498CCVR0",
)

print(modify_order_response)
```

Request Schema

Name	Type	Description
quantity *	int	Quantity of instrument to order
price	float	Price of the instrument in rupees case of Limit order
trigger_price	float	Trigger price in rupees for the order
order_type *	string	Order type

On this page

>

Place Order

On this page

|

Place Order

Modify Order

Cancel Order

Get Trades for Order

Get Order Status

Get Order Status by Reference ID

Get Order List

Get Order Details

Name	Type	Description
segment *	string	<u>Segment</u> of the instrument such as CASH, FNO etc.
groww_order_id *	string	Order id generated by Groww for an order

* required parameters

Response

{
"groww_order_id": "GWK39038RDT490CCVR0",
"order_status": "OPEN"
}

Response Schema

Name	Type	Description
groww_order_id	string	Order id generated by Groww for an order
order_status	string	<u>Current status</u> of the placed order

Cancel Order

Cancel any pending or open order using the `cancel_order` method.

Python SDK Usage

<pre>from growwapl import GrowwAPI # Groww API Credentials (Replace with your actual credentials) API_AUTH_TOKEN = "your_token" # Initialize Groww API groww = GrowwAPI(API_AUTH_TOKEN) cancel_order_response = groww.cancel_order(segment=groww.SEGMENT_CASH, groww_order_id="GWK39038RDT490CCVR0",) print(cancel_order_response)</pre>

Request Schema

Name	Type	Description
segment *	string	<u>Segment</u> of the instrument such as CASH, FNO etc.
groww_order_id *	string	Order id generated by Groww for an order

* required parameters

Response

{
"groww_order_id": "GWK39038RDT490CCVR0",
"order_status": "OPEN"
}

Response Schema

Name	Type	Description
groww_order_id	string	Order id generated by Groww for an order
order_status	string	<u>Current status</u> of the placed order

Get Trades for Order

Retrieve details of trades executed for a particular order using this `get_trade_list_for_order` method. Maximum `page_size` is 50.

Python SDK Usage

<pre>from growwapl import GrowwAPI # Groww API Credentials (Replace with your actual credentials) API_AUTH_TOKEN = "your_token" # Initialize Groww API groww = GrowwAPI(API_AUTH_TOKEN) trade_list_response = groww.get_trade_list_for_order(groww_order_id="GWK39038RDT490CCVR0", segment=groww.SEGMENT_CASH, page=0, # Optional: Page number for paginated results page_size=50 # Optional: Number of trades to fetch per page (default is 50)) print(trade_list_response)</pre>

Request Schema

Name	Type	Description
groww_order_id *	string	Order id generated by Groww for an order
segment *	string	<u>Segment</u> of the instrument such as CASH, FNO etc.
page *	int	The page number for paginated results, used to fetch trade details in multiple pages if there are many trades associated with the order.
page_size *	int	The number of trades to fetch per page. Maximum is 50. If not provided, it will return the default 50 number of trades.

* required parameters

Response

All prices in rupees.


```
{
  "trade_list": [
    {
      "price": 250,
      "isin": "INE875A01022",
      "quantity": 1,
      "groww_order_id": "GWK398388DT498CCVR0",
      "groww_trade_id": "",
      "exchange_trade_id": "282482128123456789",
      "exchange_order_id": "11808080857528638",
      "trade_status": "EXECUTED",
      "trading_symbol": "NIFTY",
      "remark": "Order placed successfully",
      "exchange": "NSE",
      "segment": "CASH",
      "product": "CNC",
      "transaction_type": "BUY",
      "created_at": "2019-08-24T14:15:22Z",
      "trade_date_time": "2019-08-24T14:15:22Z",
      "settlement_number": "2824852"
    }
  ]
}
```

Response Schema

Name	Type	Description
price	int	Price in rupees at which the trade was executed
isin	string	ISIN (International Securities Identification number) of the traded instrument.
quantity	int	Number of shares or contracts traded in this execution.
groww_order_id	string	Order id generated by Groww for an order.
groww_trade_id	string	Unique identifier for the executed trade within Groww's system.
exchange_trade_id	string	Trade ID assigned by the exchange for the executed trade.
exchange_order_id	string	Order ID assigned by the exchange for tracking purposes.
trade_status	string	Current status of the trade
trading_symbol	string	Trading symbol of the instrument
exchange	string	<u>Stock exchange</u>
segment	string	<u>Segment</u> of the instrument such as CASH, FNO etc.
product	string	<u>Product type</u>
transaction_type	string	<u>Transaction Type</u> of the trade
created_at	string(date-time)	Timestamp when the order was created in the system.
trade_date_time	string(date-time)	Timestamp when the trade was executed on the exchange.
settlement_number	string	Settlement ID associated with the trade

Get Order Status

Check the status of an order using this `get_order_status` method.

Python SDK Usage

```
from growwapl import GrowwAPI

# Groww API Credentials (Replace with your actual credentials)
API_AUTH_TOKEN = "your_token"

# Initialize Groww API
groww = GrowwAPI(API_AUTH_TOKEN)

order_status_response = groww.get_order_status(
    groww_order_id="GWK398388DT498CCVR0",
    segment="groww.SEGMENT_CASH",
)
print(order_status_response)
```

Request Schema

Name	Type	Description
groww_order_id *	string	Order id generated by Groww for an order
segment *	string	<u>Segment</u> of the instrument such as CASH, FNO etc.

* required parameters

Response

```
{
  "groww_order_id": "GWK398388DT498CCVR0",
  "order_status": "OPEN",
  "remark": "Order placed successfully",
  "filled_quantity": 100,
  "order_reference_id": "Ab-654321234-1628198"
}
```

Response Schema

Name	Type	Description
groww_order_id	string	Order id generated by Groww for an order
order_status	string	<u>Current status</u> of the placed order
remark	string	Remark for the order
filled_quantity	int	Quantity of the order which has been executed.
order_reference_id	string	User provided reference id to track the status of an order

Get Order Status by Reference ID

Check the order status of an order using this `get_order_status_by_reference` method.

Python SDK Usage

```
from growwapl import GrowwAPI
```



```
# Groww API Credentials (Replace with your actual credentials)
API_AUTH_TOKEN = "your_token"

# Initialize Groww API
groww = GrowwAPI(API_AUTH_TOKEN)

order_status_by_ref_response = groww.get_order_status_by_reference(
    order_reference_id="Ab-654321234-1628190",
    segment=groww.SEGMENT_CASH,
)
print(order_status_by_ref_response)
```

Request Schema

Name	Type	Description
order_reference_id *	string	User provided reference id to track the status of an order.
segment *	string	<u>Segment</u> of the instrument such as CASH, FNO etc.

* required parameters

Response

```
{
  "groww_order_id": "GWK390388DT490CCVR0",
  "order_status": "OPEN",
  "remark": "Order placed successfully",
  "filled_quantity": 100,
  "order_reference_id": "Ab-654321234-1628190"
}
```

Response Schema

Name	Type	Description
groww_order_id	string	Order id generated by Groww for an order
order_status	string	<u>Current status</u> of the placed order
remark	string	Remark for the order
filled_quantity	int	Quantity of the order which has been executed.
order_reference_id	string	User provided reference id to track the status of an order

Get Order List

Review all your orders placed during the day (open, pending, or executed) using the `get_order_list` method. Maximum `page_size` is 100.

Python SDK Usage

```
from growwapl import GrowwAPI

# Groww API Credentials (Replace with your actual credentials)
API_AUTH_TOKEN = "your_token"

# Initialize Groww API
groww = GrowwAPI(API_AUTH_TOKEN)

order_list_response = groww.get_order_list( # get order list of both CASH and FNO segments.
    page = 0, # Optional: Page number for paginated results
    page_size = 100 # Optional: Number of orders to fetch per page (default is 100)
)

cash_order_list_response = groww.get_order_list( # get order list of both CASH segment.
    segment=groww.SEGMENT_CASH,
    page = 0, # Optional: Page number for paginated results
    page_size = 100 # Optional: Number of orders to fetch per page (default is 100)
)

print(order_list_response)
```

Request Schema

Name	Type	Description
segment	string	<u>Segment</u> of the instrument such as CASH, FNO etc.
page	int	Represents the page number to fetch the order list results if there are many orders.
page_size	int	Represents the number of orders to fetch per page. Maximum is 25. If not provided, it will return the default 25 number of orders.

* required parameters

Response

All prices in rupees.

```
{
  "order_list": [
    {
      "groww_order_id": "GWK390388DT490CCVR0",
      "trading_symbol": "NIFTYPRO",
      "order_status": "OPEN",
      "remark": "Order placed successfully",
      "quantity": 100,
      "price": 250,
      "trigger_price": 245,
      "filled_quantity": 100,
      "remaining_quantity": 10,
      "average_fill_price": 250,
      "deliverable_quantity": 10,
      "amc_status": "PENDING",
      "validity": "DAY",
      "exchange": "NSE",
      "order_type": "MARKET",
      "transaction_type": "BUY",
      "segment": "CASH",
      "product": "CNC",
      "created_at": "2019-08-24T14:15:22Z",
      "exchange_time": "2019-08-24T14:15:22Z",
      "trade_date": "2019-08-24T14:15:22Z",
      "order_reference_id": "Ab-654321234-1628190"
    }
  ]
}
```

Response Schema

Name	Type	Description
groww_order_id	string	Order id generated by Groww for an order
trading_symbol	string	Groww specific trading symbol of the instrument
order_status	string	<u>Current status</u> of the placed order
remark	string	Remark for the order
quantity	int	Quantity of the instrument to order
price	int	Price of the instrument in rupees case of Limit order
trigger_price	int	Trigger price in rupees for the order
filled_quantity	int	Quantity of the order which has been executed.
remaining_quantity	int	Quantity remained to be filled
average_fill_price	int	Avg price of the order placed
deliverable_quantity	int	The number of shares that are eligible for delivery
amo_status	string	<u>Status</u> of the order placed after market (Not applicable during market hours.)
validity	string	<u>Validity</u> of the order
exchange	string	<u>Stock exchange</u>
order_type	string	<u>Order type</u>
transaction_type	string	<u>Transaction type</u> of the trade
segment	string	<u>Segment</u> of the instrument such as CASH, FNO etc.
product	string	<u>Product type</u>
created_at	string(date-time)	Timestamp when the order was created in the system.
exchange_time	string(date-time)	Timestamp when the order was processed or acknowledged by the exchange.
trade_date	string(date-time)	Date on which trade has taken place
order_reference_id	string	User provided reference id to track the status of an order

Get Order Details

View detailed information about a specific order using this `get_order_detail` method.

Python SDK Usage

```
from growwapl import GrowwAPI

# Groww API Credentials (Replace with your actual credentials)
API_AUTH_TOKEN = "your_token"

# Initialize Groww API
groww = GrowwAPI(API_AUTH_TOKEN)

order_detail_response = groww.get_order_detail(
    groww_order_id="GMK398388DT498CCVR0",
    segment=groww.SEGMENT_CASH,
)
print(order_detail_response)
```

Request Schema

Name	Type	Description
groww_order_id *	string	Order id generated by Groww for an order
segment *	string	<u>Segment</u> of the instrument such as CASH, FNO etc.

* required parameters

Response

All prices in rupees.

```
{
  "groww_order_id": "GMK398388DT498CCVR0",
  "trading_symbol": "WIPRO",
  "order_status": "OPEN",
  "remark": "Order placed successfully",
  "quantity": 100,
  "price": 250,
  "trigger_price": 245,
  "filled_quantity": 100,
  "remaining_quantity": 10,
  "average_fill_price": 250,
  "deliverable_quantity": 10,
  "amo_status": "PENDING",
  "validity": "DAY",
  "exchange": "NSE",
  "order_type": "MARKET",
  "transaction_type": "BUY",
  "segment": "CASH",
  "product": "CNC",
  "created_at": "2019-08-24T14:15:22Z",
  "exchange_time": "2019-08-24T14:15:22Z",
  "trade_date": "2019-08-24T14:15:22Z",
  "order_reference_id": "Ab-654321234-1628190"
}
```

Response Schema

Name	Type	Description
groww_order_id	string	Order id generated by Groww for an order
trading_symbol	string	Groww specific trading symbol of the instrument
order_status	string	<u>Current status</u> of the placed order
remark	string	Remark for the order
quantity	int	Quantity of the instrument to order
price	int	Price of the instrument in rupees case of Limit order
trigger_price	int	Trigger price in rupees for the order
filled_quantity	int	Quantity of the order which has been executed.
remaining_quantity	int	Quantity remained to be filled

Name	Type	Description
average_fill_price	int	Avg price of the order placed
deliverable_quantity	int	The number of shares that are eligible for delivery
amo_status	string	<u>Status</u> of the order placed after market (Not applicable during market hours.)
validity	string	<u>Validity</u> of the order
exchange	string	<u>Stock exchange</u>
order_type	string	<u>Order type</u>
transaction_type	string	<u>Transaction type</u> of the trade
segment	string	<u>Segment</u> of the instrument such as CASH, FNO etc.
product	string	<u>Product type</u>
created_at	string(date-time)	Timestamp when the order was created in the system.
exchange_time	string(date-time)	Timestamp when the order was processed or acknowledged by the exchange.
trade_date	string(date-time)	Date on which trade has taken place
order_reference_id	string	User provided reference id to track the status of an order

< Previous
Instruments

Next >
Smart Orders