

iContinuousIntegration

Oleksandr Dodatko



© 2011. EPAM Systems

What's Covered



Managing shared projects with xCode



Building a project without xCode GUI



Creating “universal binary” libraries



Deploying project and libraries for QA




More Fun for Developers



Unit testing with GHUnit



Using Hudson build server
(it has Chuck Norris plug-in)



Running applications on simulator
without xCode



Build server should



Checkout project sources

Run build script

Deploy product archives

Publish test reports



Build Script Should



Build main products

Create ***.ipa** packages for main products

Build unit tests



Run unit tests with **iphonesim**

Package ***.ipa** and ***.app** entries to ***.zip** archive


Prepare **unit test reports** for deployment



“Commonly Used” Project Organization




Wrong !!!




ONE Product, ONE **XCODE** PROJECT




Library Project How-To



Library Project How-To



Setting up dependencies



Creating Universal Binaries

1. Build a library version for the device.
2. Build a library version for the simulator.
3. Combine them to a single binary
4. Deploy universal library to the “frameworks” directory.



Combining Binaries

lipo -create



"\${LIB_BUILD_DIR}/Release-
iphoneos/libCITest_Model_Universal.a"



"\${LIB_BUILD_DIR}/Release-iphonesimulator/
libCITest_Model_Universal.a"


-output "../frameworks/CITest-Model-
Universal/Lib/libCITest_Model_Universal.a"




Deployment : Desktop vs. Mobile




Desktop Applications




iOS Applications



Mobile QA



*.ipa



Building Without xCode GUI

xcodebuild -project CITest.xcodeproj


-sdk iphonesimulator4.3

-configuration Release

-target CITest


-parallelizeTargets

clean build



Creating Installable *.ipa File

```
/usr/bin/xcrun -sdk iphoneos PackageApplication  
-v "${BUILD_DIR}/Release-iphoneos/CITest.app"  
-o "${DEPLOYMENT_DIR}/CITest.ipa"  
--sign "${DEVELOPER_NAME}"  
--embed "${PROVISIONING_PROFILE}"
```



```
DEVELOPER_NAME="iPhone Developer: Oleksandr Dodatko (ABCDEFGH123456)"
```

How About Unit Testing?

Picking a framework

Running a test

Collecting results



Test Frameworks Chart

	SenTest	Google	GHUnit
Xcode integration	+	+	---
UIKit Support	---	---	+
Bundles support	---	---	+
Xml reports	---	---	+
			(lack of support for hudson CI)
Runs on device	+ (Runtime tests only)	+ (Runtime tests only)	+
Runs on simulator	+ (logic tests only)	+ (logic tests only)	+
Debugging (out of box)	---	---	+
UI snapshots comparing	---	+	---

GHUnit Configuration

Add GHUnit.framework

Replace Main.h with the one from GHUnit

Remove “MainNibFile” entry from the info.plits

```
setenv( "GHUNIT_AUTORUN" , "YES", 1 );
```

```
setenv( "WRITE_JUNIT_XML", "YES", 1 );
```

// Not supported in the official GHUNIT

```
setenv( "GHUNIT_AUTOEXIT" , "YES", 1 );
```


Running a Test

iphonesim launch

"\$DEPLOYMENT_DIR/CITest.app"

4.2

ipad

NOTE : Use only **FULL PATH** to the app
as shown above



Collecting Test Results

```
TEMP_DIR=$(/usr/bin/getconf DARWIN_USER_TEMP_DIR)
```

All Test results are here :

\$TEMP_DIR/test-results



Terminating the Simulator

```
killall -s -KILL -c "iphonesim"
```

```
killall -KILL -c "iphonesim"
```

```
killall -s -KILL -c "iPhone Simulator"
```


```
killall -KILL -c "iPhone Simulator"
```

Do it before you run a test app



Defining the Project Structure

app
lib
frameworks
scripts
tools
test
certificates
deployment



Contacts

EPAM systems (Dnipropetrovsk) <http://www.epam.com/>

Github page : <https://github.com/EmbeddedSources>

<https://github.com/EmbeddedSources/iOS-articles>

Oleksandr Dodatko

mail/jabber : dodikk88.reg@gmail.com

Skype : [alexander.dodatko.work@skype.com](skype:alexander.dodatko.work@skype.com)

Github page : <https://github.com/dodikk>