



Source Data From: Module.PrjPcb Project: Module.PrjPcb Variant: None

Creation Date: 9/12/2019 11:47:48 AM Print Date: 43720 43720.49158

Footprint	Comment	LibRef	Designator	Description	Quantity
PIN CR1220- SMD	PIN 3V	PIN 3V	BT1	Lithium Battery Holder for CR2032 3V Ce	1 1
SM-0805	104	СМ	C1, C2, C3, C4, C5, C7, C11, C13	Cap SMD	8
WCAP-	47uF/16V	CP3	C6, C10	Cap 100uF/35V - 470uF/16V	2
AS5H_6.3x5.					
5	40	0 A DT 40 000	00	0 " 0MD T	_
CAPMP3216 X180N	10μ	CAPT_10u_080 5 10V	C8	Capacitor SMD Tantalum 10uF 20% 10V	1
WCAP-	100uF/35V	CP3	C12	Cap 100uF/35V - 470uF/16V	1
AS5H_8x10.					
DO-	TVS P6KE30A	DZ	D1, D2	Diode Zenner	2
214AA Unidi		DZ	D1, D2	Diode Zeririei	
ectional					
DIOS	12V	DIODE Zener	DZ5, DZ7, DZ8, DZ10, DZ11, DZ13, DZ1	DIODE GEN PURP 75V 200MA LLDS	8
1S2P1406H		500 WD00M	DZ16		_
MODULE_ES P-WROOM-	Wroom 32D	ESP-WROOM- 32	ESP1		1
32		32			
Hed2X10S	Header 10x2	HED10X2	HD1	Header 10x2	1
KF211V- 2	Header 2	Hed2	HDN1	Header 2 (Green)	1
SOT223-4N	LM1117	LM1117	IC1	3v3	1
KF211V- 2	12V	Hed2	INPUT-DC1, OUT-DC1	Header 2 (Green)	2
JP3x2 JP2	Connector 3x2 Jumper 2	JP3x2 JP 2	J-IN1 JC9, JC10, JC11, JC12, JC13, JC14, JC	Connector 3x2	8
JF Z	Juliipei 2	JF Z	JC16	Jumper 2	٥
JP3	JP3	Con3	JD211RXASK, JTX001	Connector 3	2
KF211V-8	Header 8		KFD	KF211R-5.0	1
	Header 16	KF 16	KFIN1	KF211R-5.0	1
LED0805	LED	LED	LED9, LED10, LED11, LED12, LED13,	LED Single colour Green and Red	10
SM-DI B20A	SM-DLB20A-	SM-DLB20A-	LED14, LED15, LED16, LED17, LED18 N1		1
OW-DEB20A	20W	20W			'
SO-16	TLP2904	PC817 x 4	OPTO2, OPTO4	PC817 OPTO	2
61300421121			PRO	2.54 mm Dual Socket Header, 04p	1
R-0805	100	R	R1, R7	Resistor 1/4W	2
R-0805 R-0805	1k 10k	R R	R2, R4, R5, R6 R3	Resistor 1/4W Resistor 1/4W	4
RES P4 Dual			RN3, RN4, RNT1	INCSISION 1/4VV	3
0805/2012					_
SW-SMD	SW-SMD	SW-SMD	RST1	Switch	1
SOIC127P75	DS3231	DS3231	RTC1	I2C RTC/TCXO/Crystal	1
0X1030-16N SM-1206	1k	R	RZ5, RZ7, RZ8, RZ10, RZ11, RZ13, RZ1	Resistor 1/4W	8
			RZ16		
	693071010811	SD-	SD1	Micro SD Card Connector Push & Push -	1
1 SW8-	TDA08H0SB1	693071010811 SW 8P	SW1	pins WS-DITV 2.54 mm small compact THT w	
41613116080		5W 01	OW I	raised actuator, 8p	'
8					
SW2-D2	SW	SW4	SW2	Switch button 4 pin	1
TSSOP65P4 0X650-20N	1 XB0108	TXB0108	U1		1
SSOP65P530	4067	MUX-74HC4067	1111	MUX-74HC4067	1
X850-24N	4007	WIGX 741104007	011	MOX 141104001	
61400826021	61400826021	USB 2.0 Type A	USB1	USB 2.0 Type A Female THR Stacked	1
		Female THR			
00044400046	000444000400	Stacked	LICD 4	LICE OF THE A	
09214103010	692141030100	USB 3.0 Type A Female THR	02B J	USB 3.0 Type A	1
		Stacked			
Approved Notes					
Approved		Notes			
		İ			
		1		l	