



Contents lists available at ScienceDirect

## European Journal of Operational Research

journal homepage: [www.elsevier.com/locate/ejor](http://www.elsevier.com/locate/ejor)

## Invited Review

## Reverse logistics and closed-loop supply chain: A comprehensive review to explore the future

Kannan Govindan<sup>a,\*</sup>, Hamed Soleimani<sup>b</sup>, Devika Kannan<sup>c</sup><sup>a</sup> Department of Business and Economics, University of Southern Denmark (SDU), Odense, Denmark<sup>b</sup> Faculty of Industrial and Mechanical Engineering, Qazvin Branch, Islamic Azad University (IAU), Qazvin, Iran<sup>c</sup> Department of Mechanical & Manufacturing Engineering, Aalborg University, Copenhagen, Denmark

## ARTICLE INFO

## Article history:

Received 25 June 2013

Accepted 2 July 2014

Available online xxx

## Keywords:

Supply chain management

Reverse logistics

Closed-loop supply chain

Methodology

Review

## ABSTRACT

Based on environmental, legal, social, and economic factors, reverse logistics and closed-loop supply chain issues have attracted attention among both academia and practitioners. This attention is evident by the vast number of publications in scientific journals which have been published in recent years. Hence, a comprehensive literature review of recent and state-of-the-art papers is vital to draw a framework of the past, and to shed light on future directions. The aim of this paper is to review recently published papers in reverse logistic and closed-loop supply chain in scientific journals. A total of 382 papers published between January 2007 and March 2013 are selected and reviewed. The papers are then analyzed and categorized to construct a useful foundation of past research. Finally, gaps in the literature are identified to clarify and to suggest future research opportunities.

© 2014 Elsevier B.V. All rights reserved.

## 1. Introduction

Initially, the growing attention on Reverse Logistics (RL) and Closed-Loop Supply Chain (CLSC) issues originated with public awareness (discussed in Dowlatshahi, 2000). Then governmental legislation forced producers to take care of their End of Life (EOL) products. For instance, the Waste Electrical and Electronic Equipment (WEEE) directive (directive 2002/96/EC) became European law in 2003, which contains mandatory requirements on collection, recycling, and recovery for all types of electrical goods, with a minimum rate of 4 kilograms per head of population per annum (Georgiadis & Besiou, 2010). WEEE-like legislation was also introduced in Canada, Japan, China, and many states in the US (Quariguasi Frota Neto, Walther, Bloemhof, Van Nunen, & Spengler, 2010). Finally, RL/CLSC is now a revenue opportunity for manufacturers instead of a cost-minimization approach (Guide & Van Wassenhove, 2009). A supply chain, in its classical form (forward supply chain), is a combination of processes to fulfill customers' requests and includes all possible entities like suppliers, manufacturers, transporters, warehouses, retailers, and customers themselves (Chopra and Meindl, 2010). According to the American Reverse Logistics Executive Council, reverse logistics is defined as "The process of planning, implementing, and controlling

the efficient, cost effective flow of raw materials, in-process inventory, finished goods and related information from the point of consumption to the point of origin for the purpose of recapturing value or proper disposal" (Rogers & Tibben-Lembke, 1998). Indeed, reverse logistics, in general forms, start from end users (first customers) where used products are collected from customers (return products) and then attempts to manage EOL products through different decisions are undertaken including recycling (to have more raw materials or raw parts), remanufacturing (to resale them to second markets or if possible to first customers), repairing (to sell in the second markets through repairing), and finally, disposing of some used parts.

If we consider forward and reverse supply chains simultaneously, the result network will construct a closed-loop supply chain. Fig. 1 illustrates a generic supply chain for both forward and reverse logistics. In this figure, the classical (forward), and reverse supply chains are presented by solid lines and dashes, respectively. In return evaluation stage, possible decisions on return products are made. (Another illustration of a generic form of closed loop supply chain is found in Beamon, 1999).

Regarding the recent definition of a closed-loop supply chain, we should mention the elevated description of CLSC based on current requirements found in Guide and Van Wassenhove (2009). Based on the new definition, closed-loop supply chain management is the design, control, and operation of a system to maximize value creation over the entire life cycle of a product with dynamic recovery of value from different types and volumes of returns over

\* Corresponding author.

E-mail address: [gov@sam.sdu.dk](mailto:gov@sam.sdu.dk) (K. Govindan).




Fig. 1. A generic form of forward/reverse logistics (Tonanont et al., 2008).

time. The importance of this definition is the explicit business point of view instead of other factors like legal, social responsibilities, or even operational and technical details. Indeed, practitioners can focus on the profitability and value of their RL/CLSC instead of cost efficiencies or other costly objectives. Based on the new definitions of the CLSC revealing recent requirements and new situations, it is necessary to have a comprehensive review to help researchers focus on future directions. Recently, no review papers could be found in this field that had undertaken a systematic classified analysis of recent papers to spot future avenues. This paper tries to cover this gap by reviewing, categorizing, and analyzing 382 papers published between 2007 and 2013. The remainder of the paper is structured as follows: Section 2 discusses some earlier review/partial-review papers. Research methodologies are clarified in Section 3. Detailed analyses and classifications of reviewed papers are discussed in Section 4. The current gaps analysis results and future research opportunities are presented and discussed in Section 5. Finally, Section 6 contains the conclusion and future research.

## 2. Literature review

Some review studies should be mentioned here to clarify the need for this study. In order to manage a structured review, the characteristics of the earlier review/partial review papers are illustrated in Table 1.

In the light of Table 1, no comprehensive review study in RL/CLSC, which analyzes state-of-the-art recently published papers, is found in the literature. Apart from the duration of the study, the limitation of most review papers in Table 1 is the scope of their studies. Some cover either RL or CLSC, and some are partial reviews with specific aims, for instance in JIT (Chan, Yin, & Chan, 2010) or reviewing network design models (Chanintrakul, Coronado Mondragon, Lalwani, & Wong, 2009). Among all mentioned review/partial review papers in Table 1, the papers of Pokharel and Mutha (2009) and Sasikumar and Kannan (2009) can be mentioned as they analyzed the whole area on reverse logistics. However, both covered papers were published before 2008 and they did not include closed-loop supply chain publications. On the other hand, Pokharel and Mutha (2009) just try to make a good selection among all publications in their review paper so the number of publications in their paper is low. Fang, Cote, and Qin (2007) studied the state of eco-industrial development in China. They reviewed reports on a range of case studies and provided a synthesis of type and scale of experimental eco-industrial development, supply chains and symbioses in eco-industrial development and

the CE, and major constraints to eco-industrial development. Following this synthesis, they presented an analysis of the opportunities and constraints with respect to making further progress in eco-industrial development in China.

Consequently, after 2007, we cannot observe an integrated review in RL/CLSC, which can present a comprehensive (not partial) review in this field despite the vast number of published papers (see Fig. 2). Besides, in order to have an overall view of the future directions in RL/CLSC studies, it is now necessary to reconstruct a new literature review study based on recent publications in the area. This last line of the Table 1 can present the role of this paper in covering the presented gap of the literature.

## 3. Research methodology

According to Mayring (2003) content analysis and description of research methodology should include four steps: material collection, descriptive analysis, category selection, and material evaluation. This paper utilizes the steps mentioned in Mayring (2003) to discuss and clarify the research methodology of the paper.

### 3.1. Material collection


The material of the literature review and the unit of analysis are detailed in this part. The study was conducted from December 2012 to May 2013 covering the accepted papers (available online) in scientific English language journals from January 2007 to March 2013. The search procedure was managed in three stages with the “reverse logistics and closed loop supply chain” keywords in the Google-scholar search engine ([www.scholar.google.com](http://www.scholar.google.com)) with these modifications: searching for articles in English language, and custom time range between 2007 and 2013, sorted by relevance. It should be mentioned that the search engine is updated periodically due to the acquisition of new publications, relevance, citations, and so forth, so the process of collecting papers is undertaken in a short period of time. The three stages of the research procedure are as follows:

- In the initial search from Google Scholar, 66 pages of search results of 660 papers from various publishers were obtained. The list includes work from Elsevier ([www.sciencedirect.com](http://www.sciencedirect.com)), Informa (<http://journals.informs.org/>), Emerald ([www.emeraldinsight.com](http://www.emeraldinsight.com)), Springer ([www.springerlink.com](http://www.springerlink.com)), Taylor & Francis ([www.tandf.co.uk/journals/](http://www.tandf.co.uk/journals/)), Wiley (<http://www.wiley.com>), JSTORE (<http://www.jstor.org/>), Inderscience ([www.inderscience.com](http://www.inderscience.com)), Hindawi

**Table 1**

Characteristics of earlier review/partial review studies.

Paper	Area	Scope	Year	Number of papers
Meade, Sarkis, and Presley (2007)	RL	Definitions, research, and research opportunities	Until 2006	–
Sasikumar and Kannan (2008b)	RL	End of life product recovery and inventory management	Until 2008	–
Sasikumar and Kannan (2008a)	RL	Reverse distribution	Until 2009	170
Rubio et al. (2008)	RL	Production and operations management	1995–2005	186
Pokharel and Mutha (2009)	RL	The whole area in RL	1971–2008	151
Akçali, Çetinkaya, and Üster (2009)	RL and CLSC	Network design models	Until 2008	22
Sasikumar and Kannan (2009)	RL	The whole area in RL	1967–2008	543
Chanintrakul et al. (2009)	RL	Network design papers	2000–2008	–
Ilgın and Gupta (2010)	RL and CLSC	Environmentally conscious manufacturing and product recovery	1998–2009	540
Chan et al. (2010)	RL	Just-in-time (JIT) and reverse logistics	Until 2009	125
Akçali and Cetinkaya (2011)	CLSC	Quantitative models for inventory and production planning	Until 2009	–
Jayant, Gupta, and Garg (2012)	RL	Almost whole area	1990–2009	113
Carrasco-Gallego, Ponce-Cueto, and Dekker (2012)	CLSC	Case studies	Until 2010	10
Fang et al. (2007)	Sustainability	Case studies	Until 2005	13 Eco industries
Our Study	RL and CLSC	The whole area in RL and CLSC	2007–2013	382

**Fig. 2.** Distribution of publications per year across the period of the study (382 papers: 2007–2013).

([www.hindawi.com](http://www.hindawi.com)), IEEE ([ieeexplore.ieee.org/xpl/periodicals.jsp](http://ieeexplore.ieee.org/xpl/periodicals.jsp)), and some library services (e.g., Scopus [www.scopus.com](http://www.scopus.com), Metapress [www.metapress.com](http://www.metapress.com)). The related papers in the fields of RL and CLSC are selected and reviewed.

- In the second stage, to ensure coverage of recent publications, the same search is run to locate papers published in 2013 with the same keywords. At this stage, 200 new papers are considered, and related papers, which belong to previously mentioned publishers (related to scope of this research), are selected and reviewed.
- Thirdly, papers selected in the first two stages are cross-checked with results of the same keywords in Web of Science (WOS) database to ensure the reliability of the process of finding and selecting papers. In the evaluation process of selecting related state-of-the-art papers in this area of study, all collected papers in the first two phases are considered. At the conclusion of this stage, the most appropriate papers are selected based on the relevance of subjects (the papers which present a topic in RL/CLSC and not just mention similar keywords in non-related topics), rank of journals (there are some papers in local journals, which they cannot count on an international level), and citations (in few cases, there are some papers with high citations in low-level journals, which we considered them in final list). Then, the rest are selected to review and analyze in this study.

Finally, 382 papers are reviewed and classified in the literature review study. They are reviewed, and their differing characteristics are distinguished and recorded in a prepared spreadsheet to be analyzed holistically. Rigor in validity is achieved by validation tests performed by two researchers who also undertake the deductive and inductive approaches simultaneously.

### 3.2. Descriptive analysis

This study attempts to analyze 382 scientific papers<sup>1</sup> published between 2007 and 2013 as illustrated in Fig. 2.


The distribution of journals in which the selected papers are published indicates the desires of different journals in RL and CLSC management. The publications and distribution of the journals are presented in Table 2 and Fig. 3.

Reviewing Table 2 and Fig. 3 reveals that the subjects of RL/CLSC are considered by many journals. We find 143 papers in various journals with few publications (4 and fewer) in these fields; the list of journals in this category is illustrated in Appendix 1 (Alinovi, Bottani, & Montanari, 2012; Alshamrani, Mathur, & Ballou, 2007; Alumur, Nickel, Saldanha-da-Gama, & Verter, 2012; Amaro & Barbosa-Póvoa, 2009; Amin & Zhang, 2012a; Amin & Zhang, 2012b; Ao, Xu-ping, Bo-jie, & Wu-wei, 2007; Aras & Aksent, 2008; Atasu, Guide, & Van Wassenhove, 2010; Atasu & Souza, 2012; Atasu, Toktay, & Van Wassenhove, 2013; Atasu, Van Wassenhove, & Sarvary, 2009; Barbosa-Póvoa, 2009; Benedito & Corominas, 2013; Besiou, Georgiadis, & Van Wassenhove, 2012; Bogataj, Grubbström, & Bogataj, 2011; Buscher & Lindner, 2007; Cagno, Magalini, & Trucco, 2008; Carter & Rogers, 2008; Chandiran & Surya Prakasa Rao, 2008; Chen, 2011; Chen & Bell, 2011; Chen & Chang, 2012; Cheng & Lee, 2010; Chung, Wee, & Yang, 2008; Cristina Santos Amaro & Barbosa-Póvoa, 2007; Cruz-Rivera & Ertel, 2009; Das, 2012; Das & Chowdhury, 2012; De Brito, Dekker, & Flapper, 2005; de Brito & van der Laan, 2009; Demirel & Gökçen, 2008; Diabat & Simchi-Levi, 2009; Du, Wu, & Hu, 2009; Easwaran & Üster, 2010; Efendigil, Öñüt, & Kongar, 2008; El Saadany & Jaber, 2011; El-Sayed, Afia, & El-Kharbotly, 2010; Faccio, Persona, Sgarbossa, & Zanin, 2011; Farzipoor Saen, 2009;

<sup>1</sup> This work considers only papers written in the English language.

**Table 2**  
Distribution of literature based on the source of publication.

Publication	Year of publication							
	2007	2008	2009	2010	2011	2012	2013	Total
Int. J. of Prod. Econ.	1	17	3	3	8	5	4	41
Int. J. of Prod. Res.	5	2	4	7	5	9	7	39
European J. of Oper. Res.	3	3	5	5	3	2		21
Int. J. of Adv. Manu. Tech.	–	1	–	5	2	1	4	13
J. of Cleaner Prod.	2	4	1	2	1	–	2	12
Com. & Oper. Res.	8	1	1	1	1	–	–	12
IEEE Int. Conference	1	2	3	2	2	–	–	10
Int. J. of Log. Sys. & Mgmt.	1	4	–	2	2	–	1	10
Prod. & Oper. Mgmt.	1	1	3	–	3	–	2	10
Resour., Cons. & Recy.	–	–	1	2	4	1	1	9
Com. & Indust. Eng.	–	2	3	1	2	1	–	9
Transp. Res. Part E	–	2	1	1	1	2	2	9
Omega	1	2	2	–	1	1	–	7
Int. J. of Sustainable Eng.	–	3	1	–	–	–	1	5
Int. J. of Physical Dis. & Log. Mgmt.	1	2	–	–	2	–	–	5
J. of Oper. Mgmt.	5	–	–	–	–	–	–	5
J. of Environmental Mgmt.	1	–	–	2	2	–	–	5
An International J.	–	1	2	–	2	–	–	5
App. Math. Mod.	1	–	–	1	1	–	2	5
Expert Sys. with App.	–	–	1	1	1	2	–	5
Others (4 and below)	25	23	31	30	16	4	16	145
Total	56	70	62	65	59	28	42	382



**Fig. 3.** Distribution of publications based on different journals (382 papers: 2007–2013).

Ferguson, Guide, Koca, & Souza, 2009; Fernandes, Gomes-Salema, & Barbosa-Povoa, 2010; Ferrer & Swaminathan, 2010; Francas & Minner, 2009; Galbreth & Blackburn, 2010; Gamberini, Gebennini, Manzini, & Ziveri, 2010; Ge & Huang, 2007; Ge, Huang, & Li, 2007; Ge, Huang, & Wang, 2007; Georgiadis, 2013; Geyer, Van Wassenhove, & Atasu, 2007; Golinska, 2009; Golinska, Fertsch, Gómez, & Oleskow, 2007; Gou, Liang, Huang, & Xu, 2008; Govindan & Murugesan, 2011; Hasanov, Jaber, Zanon, & Zavanella, 2013; Hellström & Johansson, 2010; Hong, Ammons, & Realff, 2008; Hong & Ke, 2011; Hong & Yeh, 2012; Hsueh, 2011; Hua & Lingling, 2010; Huang, Yan, & Qiu, 2009; Hwang, Ko, Yune, & Ko, 2009; Jaber & El Saadany, 2009; Jaber & El Saadany, 2011; Jaber & Rosen, 2008; John & Sridharan, 2013; Kannan, Diabat, Alrefaei, Govindan, & Yong, 2012; Kannan, Murugesan, Senthil, & Noorul Haq, 2009; Kannan, Noorul Haq, & Devika, 2009; Kannan, Sasikumar, & Devika, 2010; Karaem & Lee, 2007; Karakayali, Emir-Farinas, & Akcali, 2007; Kassem & Chen, 2013; Kaya, 2010; Kenné, Dejaj, & Gharbi, 2012; Ketzenberg, 2009; Ketzenberg & Zuidwijk, 2009; Kim & Goyal, 2011; Kim, Yang, & Lee, 2009; Ko & Evans, 2007; Krikke, 2011; Krikke, le Blanc, van Krieken, & Fleuren, 2008; Kusumastuti, Piplani, & Hian Lim, 2008; Lee & Chan, 2009; Lee & Dong, 2008; Lee, Dong, & Bian, 2010; Lee, Gen, & Rhee, 2009; Li, Li, & Cai, 2009; Li, Liu, Cao, & Wang, 2009;

Lieckens & Vandaele, 2012; Listes, 2007; Loomba & Nakashima, 2012; Lu & Bostel, 2007; Mansour & Zarei, 2008; Melacini, Salgaro, & Brognoli, 2010; Metta & Badurdeen, 2011; Min & Ko, 2008; Mitra, 2007; Mitra, 2009; Mitra, 2012; Mitra, 2013; Mitra & Webster, 2008; Mukhopadhyay & Ma, 2009; Mutha & Pokharel, 2009; Nenes & Nikolaidis, 2012; Pal, Sana, & Chaudhuri, 2013; Pan, Tang, & Liu, 2009; Panagiotidou, Nenes, & Zikopoulos, 2013; Parlikad & McFarlane, 2007; Peng & Zhong, 2007; Pishvae, Farahani, & Dullaert, 2010; Pishvae, Kianfar, & Karimi, 2010; Pishvae, Rabbani, & Torabi, 2011; Pochampally & Gupta, 2012; Poles, 2013; Ponce-Cueto, Manteca, & Carrasco-Gallego, 2011; Qi & Hongcheng, 2008; Qiang, Ke, Anderson, & Dong, 2013; Qiaolun & Tiegang, 2009; Qin & Ji, 2010; Qingli, Hao, & Hui, 2008; Qiu & Huang, 2007; Quariguasi Frota Neto, Walther, Bloemhof, Van Nunen, & Spengler, 2009; Rangwani, Subramanian, Ramkumar, & Narendran, 2011; Ravi, Shankar, & Tiwari, 2008; Rouf & Zhang, 2011; Roy, Maity, & Maiti, 2009; Rubio & Corominas, 2008; Saen, 2011; Sahyouni, Savaskan, & Daskin, 2007; Salema, Barbosa-Povoa, & Novais, 2007; Salema, Barbosa-Povoa, & Novais, 2010; Salema, Póvova, & Novais, 2009; Sarkis, Zhu, & Lai, 2011; Schulz, 2011; Schweiger & Sahamie, 2013; Serrato, Ryan, & Gaytan, 2007; Seuring & Müller, 2007; Seuring & Müller, 2008a; Shi, Fan, Gao, & Zhang, 2009; Shi, Zhang, & Sha, 2011a; Shi, Zhang, & Sha,



2011b; Shi, Zhang, Sha, & Amin, 2010; Silva Filho, 2013; Soleimani, Seyyed-Esfahani, & Kannan, 2013; Soleimani, Seyyed-Esfahani, & Shirazi, 2013a; Soleimani, Seyyed-Esfahani, & Shirazi, 2013b; Srivastava, 2008b; Subramanian, Ramkumar, & Narendran, 2010; Tagaras & Zikopoulos, 2008; Tang, Liu, Fung, & Luo, 2008; Teunter & Flapper, 2011; Teunter, Kaparis, & Tang, 2008; Toktay & Wei, 2011; Topcu, Benneyan, & Cullinane, 2013; Toyasaki, Boyacı, & Verter, 2011; Vadde, Kamarthi, & Gupta, 2007; Van Wassenhove & Zikopoulos, 2010; Vidovic, Dimitrijevic, Ratkovic, & Simic, 2011; Vishwa, Chan, Mishra, & Kumar, 2010; Vlachos, Georgiadis, & Iakovou, 2007; Wang, Zhao, & Wang, 2011; Webster and Wei, 2013; Wei & Zhao, 2011; Wikner & Tang, 2008; Wilcox, Horvath, Griffis, & Autry, 2011; Winkler, 2011; Xanthopoulos & Iakovou, 2009; Xiao, Shi, & Yang, 2010; Yang, Min, & Zhou, 2009; Yang, Wang, & Li, 2009; Yang, Wee, Chung, & Ho, 2010; Yingfei, Shuxia, Xiaojing, & Fang, 2011; Yuan & Gao, 2010; Zarandi, Sisakht, & Davari, 2011; Zarei, Mansour, Hussein-zadeh Kashan, & Karimi, 2010; Zhang, Huang, & He, 2011; Zhang & Jin, 2011; Zhou & Min, 2011; Zhou & Wang, 2008; Zhu & Xiuquan, 2013; Zikopoulos & Tagaras, 2007; Zikopoulos & Tagaras, 2008; Zuidwijk & Krikke, 2008; Özceylan & Paksoy, 2013a; Özceylan & Paksoy, 2013b; Üster, Easwaran, Akçali, & Çetinkaya, 2007; Mitra, 2007). Besides, the journals with more than five publications are illustrated in Fig. 3. This also clarifies the vast area of review in this study. Among the journals, three were clearly more active than the others in RL/CLSC: the International Journal of Production Economics (41 papers in various subjects), International Journal of Production Research (38 papers), and European Journal of Operational Research (21 papers, which are mostly quantitative and analytical research using various state-of-the-art methodologies).

### 3.3. Category selection

The structural dimensions of this study and major topics of analysis including detail classifications are categorized in Table 3. These are based on analyses of different aspects of reviewed papers and attempts to find appropriate categorization of all papers. We implemented two criteria during our categorization:

1. Each category should contain a huge class of papers, which means that the category at least should cover 50 percent of all papers.
2. The category should be capable of being subdivided into sufficient subcategories. For example, when we discuss about “uncertainty”, exactly 62 percent of all papers are covered in this classification which means that the mentioned classification includes a sufficient number of papers. Besides, this category covers many subclasses such as fuzzy, normal stochastic, robust, two-stage stochastic, interval, deterministic, and combinations of these. On the other hand, we had to present a fair categorization in which papers can highlight their contributions. For example, in surveys, we discuss all the papers and we present the contribution for all of them.

Table 3 illustrates the main dimensions of the study and the major topics of analysis. This study considers four main classes of research. Classes 1 and 2 cover papers from all topics in reverse logistics (main class 1), and in closed-loop supply chain (main class 2). Due to the growing importance of sustainability (Gupta & Palsule-Desai, 2011) and green supply chain (Srivastava, 2007), we include papers that study various aspects of sustainability (main class 3) and green issues (main class 4) with sufficient consideration in RL/CLSC. The main fields are descriptively illustrated in Fig. 4, which presents the number of papers in each of the identified main classifications. The detailed

presentation of all publications in these four categories is explained in Appendix 2.

The other classifications of Table 3 fall in four categories:

- (1) A paper can be a review or survey study or may deal with different types of quantitative/qualitative analyses.
- (2) A paper can regard any type of uncertainty for parameters (stochastic, fuzzy, interval, chaos, and scenario approaches), or just include deterministic assumptions.
- (3) The modeling (if applicable) can be constructed conceptually or mathematically. There are also different solution methodologies like analytical, exact solvers,<sup>2</sup> approximation, heuristic, meta-heuristic, and other approaches.
- (4) A paper can be constructed based on a case study, it can experiment with a case study in its numerical analyses, or it can regard no real case during the study.

Generally, there are three types of decision variables: strategic decision variables (locations, capacities, etc.), tactical decision variables (allocations, planning, etc.), and operational decision variables (lot sizing, inventory, etc.) (Chopra & Meindl, 2010). Finally, in terms of period, product, and objective function (if applicable), a paper can be single-type or multiple-type. As mentioned, these categorizations are based on analysis of the characteristics/content of the selected papers. The detailed clarification of each column is provided in the related section.

It should be pointed out that these classifications are the main categories, and the details of the dimensions of the review study are comprehensively discussed and analyzed in the following sections.

### 3.4. Material evaluation

Rigor in validity is achieved by validation tests performed by two researchers using the deductive and inductive approaches simultaneously. Besides, using spreadsheet software is helpful in proceeding/minimizing error, and evaluating different aspects of analyses. The materials are crosschecked with other databases to ensure enrichment of the study. Indeed, in this review paper, there are some efforts to ensure whether or not the publications are sufficient and appropriate. Therefore, we design some mechanisms in checking this issue. For example, the material (means collected papers and the search engines) are checked with SCOPUS and WOS to add a few missing papers (fewer than 10 papers). Besides, two researchers investigate the sufficiency of the collected papers through searching and crosschecking publications independently.

## 4. Detailed analyses of the literature

The selected papers of this literature review are discussed and analyzed in this section to construct a holistic view of the recent and state-of-the-art studies in reverse logistics and closed-loop supply chain. The results can clarify the current gaps and future directions for research.

### 4.1. Problem classifications

There are various types of study subjects in RL and CLSC. Although the authors undertake research in different areas with special aims, the papers can be classified as follows:

<sup>2</sup> By the term “exact solvers”, we mean the researches that utilized general exact solvers such as Lingo, GAMS, and CPLEX.

**Table 3**  
The main classifications of the study.

Main classes	Field of research	Problem type	Regarding uncertainty	Modeling approach	Solution method	Data/case Study	Decision variables	Period	Product	Objective function
Main class 1	RL	Quant. study	Det.	Conc.	Anal. or exact	Case study	Strat.	Single period	Single product	Single obj.
Main class 2	CLSC	Qual. study	Non-det.	Math.	Appr. & heuristic	Case exp.	Tact.	Multi-period	Multiple product	Multi-obj.
Main class 3	Sustainable	Review	NA	NA	Meta-heuristic	Theo.	Oper.	NA	NA	NA
Main class 4	Green	Survey	–	–	Other appr.	NA	NA	–	–	–

Abbreviations: Quant.: Quantitative, Qual.: Qualitative, Det.: Deterministic, NA: Not applicable, Conc.: Conceptual, Math.: Mathematical, Anal.: Analytical, Appr.: Approximation, appr.: approaches, exp.: experiment, Theo.: Theoretical, Strat.: Strategic, Tact.: Tactical, Oper.: Operational, obj.: objective.

- **Designing and planning.** The main subjects of research are assigned to RL and CLSC network designing and planning. The aim of designing is to determine strategic (long-term) decision variables like locations and the capacity of all facilities. In the planning stage, the most important decision variables are the quantities of flows between supply-chain network entities known as mid-term decision variables (discussed in detail later). Some studies regard designing and planning stages simultaneously, and some concentrate on one of them in depth. Besides, some studies just concentrate on designing decisions, which are presented in the category of “**designing**” (row 13 in Appendix 3).
- **Survey.** Vast areas of papers try to find practical solutions to scientific questions in an interactive study with practitioners through questionnaires/interviews. These papers provide valuable results for both academia and practitioners in various aspects of RL and CLSC.
- **Price and coordination.** Important discussions between two entities of a supply chain network (for instance, a remanufacturer and a retailer of second market) determine the price of products and coordinate win-win strategies to balance profit margins. Usually, in such problems, optimum price and coordination strategies are determined.
- **Different studies.** There are different kinds of valuable studies in special categories, which try to elevate scientific research. Some subjects of these studies are: study on business perspectives of RL and CLSC (Atasu, Guide, & Wassenhove, 2008; Guide, Gunes, Souza, & Van Wassenhove, 2008; Guide & Van Wassenhove, 2009; Hsu, Alexander, & Zhu, 2009; Sharma, Iyer, Mehrotra, & Krishnan, 2010), study on the role of Radio Frequency Identification (RFID) in RL and CLSC (Jayaraman, Ross, & Agarwal, 2008; Visich, Li, & Khumawala, 2007), study on redefining the value chain strategy of CLSC (Jayaraman, 2007), study on eco-design methods focused on ‘end-of-life’ strategies (Pigosso, Zanette, Ometto, & Rozenfeld, 2010) and eco-industrial development (Fang et al., 2007), study on the potential for cannibalization and auction design (Guide & Li, 2010), (to be discussed later).
- **Production planning and inventory management.** Some researches in supply chain networks are related to operational decision variables, which play a vital role in supply chain cost efficiencies. Scheduling of products and return products (manufacturing and remanufacturing) simultaneously, and inventory control policies of such production systems are main subjects of these studies. There are some studies that concentrate on production planning and lot sizing decisions without regarding inventory issues. Such studies are categorized in a different class as “**production planning**” (row five in Appendix 3). Conversely, there are some studies which concentrate on the inventory

management issues such as finding reorder point, base stock, and economic order quantity without regarding production planning subjects. These studies arranged in the category of “**inventory management**” (row ten in Appendix 3). Finally, in some cases, planning decision variables and operational decision variables are considered in an integrated research called “**hybrid planning**” here (row 15 in Appendix 3).

- **Planning.** As mentioned, there are three types of decision levels in supply chain management issues, which are considered by the authors together or individually. Some research studies the planning level decisions such as quantity of flows between network entities without regarding any strategic or operational decisions. In this paper, such publications are assigned to the category of “**planning**”.
- **Conceptual and analytical framework.** These studies analyze some theoretical or practical factors to find a framework for different aspects of RL/CLSC. For instance, Barker and Zabinsky (2008) classified a total of 37 case studies to find a framework and to analyze if the same considerations were valid. Wikner and Tang (2008) developed a conceptual framework for the concept of the customer order decoupling point. Setaputra and Mukhopadhyay (2010) attempted to develop a research framework in reverse logistics by dividing it into six research categories.
- **Review and partial review.** These types of research try to review/partial review concentrating on RL and CLSC. For instance, some partial review papers can be added to previously discussed review papers. Melo, Nickel, and Saldanha-Da-Gama (2009) reviewed applications of facility location models to supply chain network design. Rubio, Chamorro, and Miranda (2008) reviewed reverse logistics publications in the field of production and operations management. Chan et al. (2010) reviewed the impacts of Just In Time (JIT) to reverse logistics systems. Ke, Zhang, Liu, and Li (2011) reviewed the subject of remanufacturing engineering.
- **Different analysis.** This category is dedicated to different kinds of quantitative and qualitative analyses in various subjects like analysis of long-term behavior of CLSC (Georgiadis & Besiou, 2008), analysis of development of carpet industries (Biehl, Prater, & Realff, 2007), analysis of transportation modes and costs (Kara, Rugrungruang, & Kaebernick, 2007), analysis of three variables influencing reverse logistics (Shankar, Ravi, & Tiwari, 2008), performance evaluation analyses to optimize supply chain operations considering end-of-life operations (Komoto, Tomiyama, Silvester, & Brezet, 2011), and bullwhip measuring (Chatfield & Pritchard 2013; Das & Dutta 2013; Pati, Vrat, & Kumar, 2010), (to be discussed later).




Fig. 4. The main fields of the papers in the study (382 papers: 2007–2013) (see Appendix 2 for detail).

- **Decision making and performance evaluation.** One of the important research categories in RL/CLSC is studying performance evaluation of various networks, recovery strategies, etc. These researches are completely studied in this category.
- **3PRLP selection.** Third Party Reverse Logistic Provider (3PRLP) selection is another important subject, which can improve the quality of products directly and it can have noticeable impacts on the product cost price.
- **Vehicle routing problem.** As distribution systems and the related strategies are one of the most effective parts of the network and the total costs are closely dependant to the transportation costs, Vehicle Routing Problem (VRP) is an effective issue in RL and CLSC. There are some studies which directly consider this problem mostly in proposing efficient algorithms.

The general categorizations of different studies are analyzed and a portion of each is illustrated in Fig. 5 showing the percentage (X-axis) of various categorization portions from all papers. The papers are classified in Appendix 3, which aims to precisely assign the papers in different subjects of research in RL/CLSC.

Appendix 3 presents various studies in each identified category. As stated, designing and planning research are the most popular research topics. Survey studies are other important subjects, which can lead to valuable theoretical points through practical research. The other vital and influential area of research is price and coordination studies, which generally contain complicated mathematical and analytical approaches.

An overview of the different surveys is necessary to identify the various subjects in this research area in RL/CLSC. In order to organize the various papers in this category, the publications are discussed in the four main classifications: RL, CLSC, green, and sustainability.

#### 4.1.1. Surveys in reverse logistics

Srivastava (2008a) conducted informal interviews with 84 stakeholders in a reverse logistics study, which included excellent statistics of different industries. The interviews are used to develop a conceptual model for simultaneous location-allocation of facilities for a cost effective and efficient RL network Kocabasoglu, Prahinski, and Klassen (2007) used a survey of plant managers to empirically assess linkages between supply chain investments, organizational risk propensity (willingness to take risks), and business uncertainty. Seitz (2007) took a case-study approach with more than 130 interviews conducted across the RL of five European vehicle manufacturers. Li and Olorunniwo (2008) reported a case study that focuses on key strategic issues that a firm may need to consider to be excellent in its RL efforts. Álvarez-Gil, Berrone, Husillos, and Lado (2007) was a survey, which proved that the probability of firms implanting RL systems depends on stakeholder

salience, availability of resources of the firm, and a progressive strategic posture of the manager. Verstrepen, Cruijssen, de Brito, and Dullaert (2007) was a survey of shippers and logistics service providers in Flanders which is one of the leading logistics regions in Europe. This paper empirically investigates reverse logistics in Flanders, reporting the results of a cross-sector survey of 250 Flemish logistics service providers and shippers with a response rate of 22.5%. Lau and Wang (2009) was a survey in the electronic industry of China. The cases selected in this study include four major companies and they discussed important issues such as driving forces of reverse logistics, barriers to reverse logistics, and improvements measures for reverse logistics implementation in China. Janse, Schuur, and de Brito (2010) performed some interviews with Price-waterhouseCoopers (PwC) consultants on performance improvement. They summarized barriers and facilitators in managing RL in the consumer electronics sector and provided a diagnostic tool to assess a consumer electronics company's RL practices and to identify the potential for RL improvement from a business perspective. Field and Sroufe (2007) interviewed the top chart of a selected case (Paper Co) identifying and explaining relationships between key constructs through application of qualitative data collection and analysis, and development of testable propositions as an early foundation for later empirical work in environmental management and reverse supply chain systems. Dowlatshahi (2010) studied critical cost-benefit sub-factors needed to develop effective RL operations. They investigated ways in which a firm should use these sub-factors and insights gained for managing and implementing the reverse flow of parts/products. Geyer and Blass (2010) presented detailed economic data on cell phone collection, reuse, and recycling. The results proved that many mobile phones are not disposed of properly (through reuse or recycling) but are instead stockpiled. Reuse and recycling operations in 2003 in the UK and in 2006 in the US show that while cell phone reuse has a healthy profit margin, handset recycling is currently a by-product of reuse. Zoeteman, Krikke, and Venselaar (2010) studied interviews with managers of companies to analyze gaps between policy objectives and the actual global WEEE-flows and the scale of OEMs operations and government enforcement (global/regional) through case studies and surveys of successful business applications in recovery. Rahman and Subramanian (2012) surveyed eight factors: legislation, customers, strategic cost, environmental concerns, volume and quality, incentives, resources, and integration and coordination. The results presented factors such as government legislation, incentives, and customer demand as the major drivers. Erol et al. (2010) surveyed the current state of reverse supply chain management (RSCM) initiatives in several Turkish industries. They considered Turkish automotive, white goods, electric/electronics, and furniture industries. Bernon, Rossi, and Cullen (2011) was a survey using grounded theory approach aimed at providing a conceptual framework to manage retail reverse logistics. Kapetanopoulou and Tagaras (2011) studied drivers and obstacles




Fig. 5. The main problems of the research areas.

of product recovery activities using nonparametric  $\chi^2$  tests for homogeneity, Mann–Whitney  $U$ -tests and Friedman two-way ANOVA. Kapetanopoulou and Tagaras (2009) studied value recovery processes regarding 12 cases. The findings of the research included measurements of important quantifiable parameters of refurbishing and remanufacturing, such as the actual costs and prices expressed as fractions of the respective values for new products. Abraham (2011) surveyed strategic and operational factors of reverse logistics in apparel aftermarket in India in order to explore the benefits of collaboration and entrepreneurship. Quariguasi Frota Neto and Van Wassenhove (2013) studied take-back initiatives through 36 manufacturers (21 local and 15 international) in the market of personal computers in Brazil. Krikke, Hofenk, and Wang (2013) studied current return practices and contributed to our knowledge by developing and testing propositions on the drivers, volumes, and value of different returns along the life cycle, showing inefficiencies in current return practices that lead to value destruction, and comparing return practices in different regions and industries. They complemented and updated empirical data, as some references are over 10 years old and give handles to convert value destruction into value creation. Lai, Wu, and Wong (2013) was a survey on six broad aspects of practicing RL: Waste management, recycling, reuse, reprocessing, materials recovery, and design for RL. Ye, Zhao, Prahinski, and Li (2013) surveyed 209 manufacturers of the Pearl River Delta (PRD) in China. Their study investigates the effects of three institutional pressures on top managers' posture toward reverse logistics implementation: government, customer, and competitor pressures. The results reveal that in China institutional pressures have a statistically significant positive influence on top managers' posture toward reverse logistics implementation.

#### 4.1.2. Surveys in closed-loop supply chain

Mollenkopf, Russo, and Frankel (2007) was a survey of containing four questions to analyze buyer behavior issues. They mentioned that most researchers examined distribution implications of product stock-outs rather than buyer behavior issues. Talbot, Lefebvre, and Lefebvre (2007) was a survey of 205 environmentally responsive small and medium enterprises (SMEs) operating in the fabricated metal products and electric/electronic products industries. Grant and Banomyong (2010) surveyed product recovery management (PRM) activities affected by strategic design and implementation of a closed-loop supply chain for fast-moving consumer goods through a case of a single-use camera. Martin, Guide, and Craighead (2010) investigated potential drivers of remake versus buy decisions for OEMs engaged in remanufacturing such as HP, Bosch, Black and Decker, GE, Xerox, Pitney-Bowes. The results suggest that specificity of operational assets, IP concerns, and

frequency are primary drivers of in-house remanufacturing. Conversely, they could not find support for brand reputation, technological uncertainty, condition uncertainty, volume uncertainty, and product complexity as drivers of in-house remanufacturing. Sundin, Östlin, Rönnbäck, Lindahl, and Sandström (2008) through a survey, explained how three different remanufacturing companies manage to operate their remanufacturing of products used in product service systems (PSS) offerings. Olorunniwo and Li (2010) studied the impact of information sharing and collaboration on RL. They received 57 answered questionnaires and 38 undeliverable ones with the return rate being around 10 percent. In the survey of Subramoniam, Huisingh, and Chinnam (2010), the respondents were business unit managers/chief engineers from 18 companies in the United States and Europe. The authors believe that the framework in its current form provides valuable guidance for OEM suppliers to make strategic decisions for remanufactured products. These remanufacturing strategic decisions with a thorough consideration of carefully selected factors will help OEM companies to launch remanufactured products effectively and efficiently. Matsumoto and Umeda (2011) applied a survey to Japanese companies' motives and incentives (photocopiers, single-use cameras, auto parts, and ink and toner cartridges for printers) for remanufacturing. The interviews were conducted with 11 remanufacturers (four original equipment manufacturers and seven independent remanufacturers) in order to clarify their differences. Ramanathan (2011) surveyed the relationships between the performance of companies in handling product returns and customer loyalty affected by products risk characteristics.

#### 4.1.3. Surveys in green

Zhu, Sarkis, and Lai (2008) surveyed power generating, chemical/petroleum, electrical/electronic, and automobile industries. Their findings provide insights into the capabilities of Chinese organizations on the adoption of Green Supply Chain Management (GSCM) practices in different industrial contexts and that these practices are not considered equitably across the four industries.

Zhu, Sarkis, Cordeiro, and Lai (2008) could manage to receive, test, and use in their study a total of 314 usable responses in Chinese manufacturing organizations. They found significant positive relationships between organizational learning mechanisms, organizational support, and the adoption of GSCM practices, after controlling for a number of other influences including regulations, marketing, supplier, cost pressures, industry levels of the relevant practice, and organizational size. Lu, Wu, and Kuo (2007), through a survey, presented an efficient Green Supply Chain (GSC) approach to enable managers to evaluate various projects and establish an environmentally benign product design. Bernon and Cullen (2007) was a survey to identify scale of returns in the UK



retail sector, to explore and identify current management approaches related to RL, and to develop a suggested framework for managing returns. Thun and Müller (2010) was a survey of the empirical study of German companies from the automotive industry, i.e. original equipment manufacturers (OEMs) or automotive suppliers. Olugu, Wong, and Shaharoun (2011) surveyed 10 measures with 49 metrics and six measures with 23 metrics identified and developed for the forward and backward chains. Eltayeb, Zailani, and Ramayah (2011) constructed a structured questionnaire derived from literature employing a mail survey to collect responses from a group of 569 ISO 14001 certified firms in Malaysia with the response rate of 24%. They have explored that taking back products and packaging, business organizations can generate benefits to the environment, in the form of reduced waste and better resource utilization, in addition to economic benefits and cost reductions to the organizations.

#### 4.1.4. Surveys in sustainability

Pagell and Wu (2009) was an interview-based survey to locate a common theme based on distribution of practices identified earlier in managerial literature. They used 10 case studies of exemplar firms to build a coherent and testable model of the elements necessary to create a sustainable supply chain. The analysis suggests that the practices that lead to a more sustainable supply chain are equal parts best practices in traditional supply chain management and new behaviors, some of which run counter to existing accepted “best” practice. Seuring and Müller (2008b) developed a Delphi study to address the question of which major issues/problems experts report regarding sustainable supply chain management. It also aims at identifying which specific issues should be addressed in sustainable supply chain management.

Studies in various subjects can extend research into areas called “different studies”. This category contains conceptual and qualitative analyses in various subjects such conceptual modeling, study the relationships between network factors, value chain, product lifecycle management (PLM), sustainability issues, study on capabilities for product recovery, etc. Details of these studies are presented in the main classifications as follows:

#### 4.1.5. Different studies in reverse logistics

Kumar and Putnam (2008) studied closing the loop of the supply chain. The objective of their paper was to identify the primary forces for three industry sectors (automotive, consumer appliances, and electronic) to close the supply chain loop in the product lifecycle. Jayaraman (2007) studied redefining the value chain strategy of CLSC. He mentioned that a redefined value chain should be part of the overall business strategy for manufacturers or retailers who handle product returns. Kumar and Craig (2007) studied Dell’s closed-loop supply chain. They also considered SWOT (strengths, weaknesses, opportunities, and threats) analysis of Dell’s company. Pagell, Wu, and Murthy (2007) studied four generic recycling options and their implications. The options include recycling with or without disassembly in combination with outsourcing recycling or active participation in recycling processes. The article presents and discusses the various recycling options available to managers, as well as the strategic implications of each of these choices. Jun, Kiritsis, and Xirouchakis (2007) studied product lifecycle management. They categorized and analyzed the product lifecycle through three main phases: Beginning of life (BOL), including design and production; middle of life (MOL), including logistics (distribution), use, service, and maintenance; and end of life (EOL), including reverse logistics (collecting), remanufacturing (disassembly, refurbishment, reassembly, etc.), reuse, recycling, and disposal. Subramoniam, Huisinigh, and Chinnam (2009) studied strategic planning factors for automotive

aftermarket remanufacturing through a review of the available literature in the fields of remanufacturing and reverse logistics. They presented some interesting propositions tested through a case study. Jayaraman et al. (2008) studied effects of RFID in reverse channel activities while analyzing two major consumer electronics companies. The paper tried to identify the reverse logistics supply-chain channels and the problems that companies face when they handle product returns along these channels. Then, they presented the critical role that information technology and collaboration can play to mitigate many of the problems and deficiencies. Wu and Cheng (2007) studied key factors of reverse logistics. It was an attempt to explore the key factors of reverse logistics of Chinese book publishing and the preferred solutions to current problems. Hsu et al. (2009) studied the business activities of distribution centers. They evaluated the business process of RL by studying business activities of distribution centers. They tried to develop a practical model that examines interactions and information exchanges between various components of the reverse logistics process. Rubio, Miranda, Chamorro, and Valero (2009) studied (case) implementability of RL and proposed a new packaging system that recovered through a reverse logistics system generating economic and environmental advantages. González-Torre, Alvarez, Sarkis, and Adenso-Díaz (2010) studied barriers of Environmentally Oriented Reverse Logistics Practices (EORLP) focusing on the Spanish automotive sector. They tried to classify and evaluate barriers to EORLP. They also studied whether internal or external barriers constitute a greater impediment for organizations seeking to implement EORLP. Simpson (2010) studied recycling of low value and often-complex waste materials. The study investigated practices used by manufacturing firms to recycle their more heterogeneous secondary materials that arise through the RL channel and waste management practices (such as identification during production and subsequent segregation for removal or re-management). Miemczyk (2008) studied capabilities for product recovery. His research offered three main conclusions, which can be considered for both theory and practice within the domain of EOL product recovery. First was the identification of important capabilities for product recovery within an institutional context, which can be further categorized into “process specific” and “managing institutional environments”, but these are interdependent. Second, it is achieved that normative pressure such as those presented by industry groups (e.g. trade associations) also influence the processes adopted. Finally, institutional forces represent not just pressures to carry out certain actions but also constraints on existing processes and systems (but perhaps opportunities for first movers). Hans, Hribernik, and Thoben (2010) studied product life cycle management. They introduced the concept of item-level PLM and investigated the requirements that item-level PLM systems must fulfill in order to support sustainability in reverse logistics processes in an appropriate manner. Halabi, Montoya-Torres, Pirachicán, and Mejía (2013) studied the negative impact on the environment. The paper is a research approach of RL practices in Colombian enterprises, with a particular focus on the plastic sector. Besides, some conceptual models were presented for the companies under study. Results of that study were discussed and some suggestions to decrease a negative impact on the environment are presented. Liu, Liu, Xing, Mei, and Zhang (2013) studied a tolerance grading allocation method. They presented a method of tolerance grading allocation for remanufactured parts based on uncertainty analysis of the remanufacturing assembly. Marwede, Berger, Schlummer, Mäurer, and Reller (2013) studied recycling of thin film chalcogenide photovoltaic. They developed feasible recycling paths for chalcogenide photovoltaic modules. The paths are derived from a review of proven recycling processes through analyzing the available literature and interviewing key experts in this field.

#### 4.1.6. Different studies in closed-loop supply chain

Guide and Van Wassenhove (2009) studied strong business perspectives of CLSC. They observed complexities inherent in closing the loop for a supply chain. Atasu et al. (2008) studied the business economics of product reuse through an analytic research on the business economics of product reuse. However, it could be a critical review of analytic models in a closed-loop supply chain research. Östlin, Sundin, and Björkman (2008) studied seven different types of closed-loop relationships to gather cores. The aim of their research was to identify the kinds of relationships that exist between remanufacturers and customers/suppliers of cores, and how these relationships can be managed. Furthermore, they explored how the customer/supplier relationship perspective can support product take-back for remanufacturing with focus on the supply of cores. Visich et al. (2007) studied the effects of RFID in CLSC. They attempted enhancing value recovery with RFID and to implement an RFID enabled closed-loop system. De La Fuente, Ros, and Cardos (2008) studied re-thinking of the relationship among chain members. They proposed an integrated supply chain model regarding modeling constraints that included the strategic and operational alignments, system interoperability, information sharing and coordination of activities. The presented integrated model was validated in a company from the metal-mechanic sector. Kumar and Craig (2007) studied Dell's closed-loop supply chain. They also considered SWOT (strengths, weaknesses, opportunities, and threats) analysis of Dell's company. Pagell et al. (2007) studied four generic recycling options and their implications. Jun et al. (2007) studied product lifecycle management. They categorized and analyzed the product lifecycle through three main phases: Beginning of life (BOL), including design and production; middle of life (MOL), including logistics (distribution), use, service, and maintenance; and end of life (EOL), including reverse logistics (collecting), remanufacturing (disassembly, refurbishment, reassembly, etc.), reuse, recycling, and disposal. Quariguasi Frota Neto, Walther, Bloemhof-Ruwaard, Van Nunen, and Spengler (2007) studied environmental impact based on WEEE. They analyzed five items covered by the European Directive on WEEE, namely a TV set, a personal laptop, a refrigerator, a mobile phone, and a washing machine. They searched for "win-win" situations due to the adoption of traditional CLSC models, and tried to show one example of how to extend a CLSC formulation toward becoming a sustainable network. Pigosso et al. (2010) studied eco-design methods focused on 'end-of-life' strategies. Actually, it was an overview of eco-design methods through a proactive approach of environmental management, aimed to reduce total environmental impact of products. Guide and Li (2010) studied the potential for cannibalization and auction design. They used a novel research strategy by auctioning products donated by Robert Bosch Tools, NA, and Cisco Systems, Inc. to determine differences between consumers' willingness to pay (WTP) for new and remanufactured products and to help assess the extent of cannibalization of new product sales by remanufactured products. Kiritsis (2011) studied intelligent products and product data technologies. He introduced a new definition of the notion of an intelligent product inspired by what happens in nature with us as human beings and the way we develop intelligence and knowledge. Atasu and Boyacı (2010) studied the impact of legislation on CLSC. The aim of their article was to provide an overview of existing take-back legislation and its impact on closed-loop supply chains, determining the pressing research issues, and illustrating how operations research (OR), and management science (MS) methods and tools can be applied to examine these research issues. They provided their perspective on the effects of such legislation. Kiritsis, Nguyen, and Stark (2008) studied improving knowledge management. First, they introduced closed-loop PLM and then highlighted the benefits of optimized knowledge flow and use in BOL, MOL, and EOL.

#### 4.1.7. Different studies in sustainability

Linton, Klassen, and Jayaraman (2007) studied current trends in sustainability. They provided a background to better understand current trends in this multidisciplinary field that intersect with operations management, and the research opportunities and challenges it presents. Beamon (2008) studied typical issues captured in sustainability. She took a wide perspective in her paper and discussed a range of issues typically captured in sustainability debates. de Brito and van der Laan (2010) studied opportunities and research agendas to integrate sustainability. They mentioned lack of holistic integration of sustainability with SCM. Badurdeen et al. (2009) studied new definitions for sustainable supply chain management (SSCM) based on total life-cycle. They extended the approach of 3R (reduce, reuse, and recycle) to 6R (adding recover, redesign, and remanufacture). Sharma et al. (2010) studied three major business strategies: The reduction of surplus supply of products, reduction of reverse supply, and internal marketing. Sarkis, Helms, and Hervani (2010) studied economic and environmental aspects of sustainability. They mentioned the lack of research in the relationship of social responsibility and RL. Utilizing practical examples from industry link reverse logistics practices with sustainability indicators, they tried to build a theory of reverse logistics for social responsibility.

Production planning is another huge research area, which tries to integrate manufacturing and remanufacturing planning. Some papers just assign planning of RL/CLSC and try to concentrate on tactical decision-making procedures. There are review and partial review papers, and they are discussed in the literature review section.

In the conceptual or analytical framework category, researchers try to establish a framework in various areas of RL/CLSC. Lambert, Riopel, and Abdul-Kader (2011) studied new research arising in the practical working environment. They proposed a decision conceptual framework including generic process mapping, decisions, economic aspects, and performance measures with a distinction in regard to strategic, tactical, and operational levels. Ordoobadi (2009) studied decision-making regarding outsourcing. Their proposed model had four phases: strategic, significance, economic, and decision. The model starts with a strategic analysis and either proceeds to the next phase or ends depending on the result of the analysis. If strategic analysis determines that activity is a core competency, then no further analysis is required, and that activity is performed in-house. Otherwise, the model proceeds to the second and third phases, namely significance and economic analysis. The results of the significance and economic analysis phases are then combined to determine a final course of action. Gobbi (2011) studied product residual value (PRV). This study provided a simple framework for designing the reverse chain on the basis of the evaluation of the PRV, depending on a series of factors exogenous to the reverse chain. They suggested that first-class recovery options (i.e. repair, refurbishment, remanufacturing) must be considered for returned products with high residual value and second-class recovery options (i.e. recycling and incineration) must be considered for returned products with low or no residual value. Morana and Seuring (2007) studied classification of products for EOL acquisition. Their proposed classification allows insight into what conditions are needed to apply for successful product acquisition. Defee, Esper, and Mollenkopf (2009) developed a conceptual framework incorporating reverse flows as a central element of corporate supply chain strategy, suggesting that closed-loop supply chains present an opportunity for competitive differentiation. Halldórsson, Kotzab, and Skjøtt-Larsen (2009) studied different strategies of sustainability focusing on integration. Marsillac (2008) studied relationships between green supply chains and the reverse logistics. Barker and Zabinsky (2008) studied classifying strategies based on various case studies of the literature and their research's

case studies. They analyzed 13 case studies and abstracted key considerations common among all case studies. These considerations led to one of eight possible configurations. Then they classified an additional 24 case studies in the literature (De Brito et al., 2005), for a total of 37 case studies, to see if the same considerations were valid. Finally, they developed three new case studies, which represented three configurations within their framework. Wikner and Tang (2008) developed a conceptual framework for the concept of Customer Order Decoupling Point (CODP). They extended the conventional CODP framework for forward flow supply chains to cover also reverse material flows. Ciliberti, Pontrandolfo, and Scozzi (2008) developed a taxonomy of logistics social responsibility (LSR) practices. De La Fuente, Ros, and Ortiz (2010) developed a new enterprise modeling methodology called ERE-GIO, which suggested a definition of two phases of engineering (reverse and forward) and the conditions supplied in analysis of both current processes and those whose introduction is intended. Morana and Seuring (2011) aimed to outline an analytical framework for CLSC management, placing it within the political or societal environment, while linking it to related supply chain partners and single actor activities. The major contribution of their paper was the three level framework linking the societal, chain, and actor levels. Setaputra and Mukhopadhyay (2010) attempted to develop a research framework in the area of RL dividing it into six research categories. Xu et al. (2009) proposed a framework and methodology to model three principle information loops in wireless technology-enabled CLSC for product information tracking. Millet (2011) studied the framework of reverse logistics channel structures and proposed alternative structures with less environmental impact and higher economic benefits. Solvang and Hakam (2010) studied critical success factors of a logistics network. Actually, three critical success factors are explored and discussed in the paper. Choudhary and Seth (2011) studied Green Supply Chain Management integration. Shi, Li, Yang, Li, and Choi (2012) studied information integration of RL and tried to develop a framework. Mukherjee and Mondal (2009) studied the relationships among key issues pertaining to management of the remanufacturing process of an Indian photocopier remanufacturer to extract some meaningful insights relevant to managerial decision-making. Hazen (2011) studied improving RL functions. Toyasaki, Wakolbinger, and Kettinger (2013) studied the role of information systems in product recovery management.

Different analyses should be demonstrated here. This special category is related to papers which analyzed a specific subject in RL/CLSC. They are more quantitative-based than the category of “different study”. This category contains quantitative studies with mathematical or simulation analyses in different subjects such as study on relationships between reduce, reuse, and disposal in the Japanese car market, analysis of long-term behavior of CLSC, study on green manufacturing/remanufacturing design, analysis on development of carpet industries, analysis of transportation costs and mode, study on product collection network strategy, estimating the remaining life, analysis of environmental legislation, analysis of profitability of reverse logistic, analysis of 3 variables influencing RL, forecasting return, forecasting analyses, and bullwhip measuring. Kumar and Yamaoka (2007) analyzed the relationships between reduce, reuse, and disposal in the Japanese car market. Georgiadis and Besiou (2008) analyzed the long-term behavior of the CLSC. They presented the development of a system dynamic model for a single producer, single product closed-loop supply chain with recycling activities applied to a real-world application. It can be used to understand the long-term system behavior under various environmental issues that lead to “ecological motivation”. They developed a model which can further be used as a methodological tool for the conduct of sensitivity analyses on issues such as the firms’ compliance to regulatory measures and

green consumerism. Chung and Wee (2008) analyzed green manufacturing/remanufacturing design. Biehl et al. (2007) analyzed the development of reverse logistics in carpet industries. Kara et al. (2007) analyzed transportation modes and costs. Hanafi, Kara, and Kaebnick (2008) analyzed product-collection network strategies. Mazhar, Kara, and Kaebnick (2007) analyzed estimating the remaining life of products. Georgiadis and Besiou (2010) analyzed environmental legislation effects. Tan and Kumar (2008) analyzed the profitability of RL. Shankar et al. (2008) analyzed three variables influencing RL (enablers, results, and inhibitors of RL). Hu and Bidanda (2009) analyzed a decision support system (DSS) on product lifecycle management. Komoto et al. (2011) introduced three indicators (costs, environmental impacts, and delivery performance) of performance evaluation of simulation results in CLSC. Carrasco-Gallego and Ponce-Cueto (2009) analyzed forecasting return. Pati et al. (2010), Das and Dutta (2013), and Chatfield and Pritchard (2013) analyzed bullwhip measuring and effects. Sloan (2007) analyzed decision making on choosing a new device or a reprocessed device. Hernández, Poler, Mula, and Lario (2011) analyzed and proposed a collaborative decision-making model. Chung, Okudan, and Wysk (2011) analyzed robust product modular structure through the life cycle.

Inventory management studies, by investigating optimal order quantities and other inventory related decisions regarding remanufacturing effects and return products, play a major role in the operational level of the supply chain. Some researchers concentrate on production planning and inventory control decisions simultaneously. This integration elevates the productivity of operational decisions in CLSC and in RL.

Another category is assigned to decision-making and performance evaluation studies, as illustrated in detail here. Pochampally, Gupta, and Govindan (2009) defined metrics for performance evaluation of a RL/CLSC. They also proposed a Quality Function Deployment (QFD) and Linear Physical Programming (LPP)-based mathematical model to measure the performance of a RL/CLSC. Gehin, Zwolinski, and Brissaud (2008) studied product design regarding EOL and developed tools to help product designers in the identification of appropriate EOL strategies in the early design phase. Wadhwa, Madaan, and Chan (2009) proposed a fuzzy-logic-based MCDM methodology to consider the knowledge of experts (evaluators or sortation specialists) in the selection of the most appropriate alternative(s) for product reprocessing with respect to existing criteria (they compared five criteria). Yoshida (2008) studying risk analysis and decision-making area, proposed a generalized model where uncertainty is expressed by fuzzy and interval numbers. Tuzkaya and Gülsün (2008) proposed an integrated Analytic Network Process (ANP)-fuzzy technique for the evaluation of potential collection center locations. Mondragon, Lalwani, and Mondragon (2011) discussed measures for CLSCs of both forward and backward directions for shorter life cycle products. Nukala and Gupta (2007) developed a fuzzy mathematical programming approach that utilizes Analytic Hierarchy Process (AHP), Taguchi loss functions, and fuzzy programming techniques to weigh suppliers qualitatively as well as determine order quantities under uncertainty. Schmidt and Schwieger (2008) studied fulfilling ecological or sustainability responsibility and eco-efficiency performance evaluation. Olugu and Wong (2012) developed an expert fuzzy rule-based system for CLSC performance evaluation in the automotive industry. Barker and Zabinsky (2011) developed eight configurations of RL network utilizing an AHP approach. Shevtshenko and Wang (2009) studied the development of robust intelligent decision support systems. Krikke (2010) studied decision making in recovery by comparing opportunistic short-term decision-making. Ji (2008) studied complaint management (CM) in CLSC.

Some researchers concentrate on the strategic stage of RL/CLSC by considering network design problems (location decision



variables). There are studies, which regard the valuable problem of a third party reverse logistic provider selection and vehicle routing problems decisions. The final category, called “hybrid planning”, focuses on the planning stage including more specific points. These are interesting papers in terms of integrating different stages of decision-making. Frota Neto, Bloemhof-Ruwaard, Van Nunen, and Van Heck (2008) considered planning and production problems. Su (2009) regarded planning and pricing problems. Tonanont, Yimsiri, Jitpitaklert, and Rogers (2008) studied planning and performance evaluation with Data Envelopment Analysis (DEA) data. Sasikumar and Haq (2011) considered planning and third party reverse logistics provider selection problems. Amaro and Barbosa-Póvoa (2008) and Kumar and Chan (2011) studied integration of planning and scheduling problems. Tsai and Hung (2009) worked on planning and purchasing quantity problems. Abdallah, Diabat, and Simchi-Levi (2012) researched planning, production planning, and inventory management problems simultaneously.

#### 4.2. Considering uncertainties

In terms of quantitative and some qualitative analyses, researchers may consider the parameters of their study as deterministic, as their precise values are known, or regard some uncertainties of real situations compatible with current markets. Different approaches are utilized by the authors to cope with data uncertainties like various stochastic approaches (considering probability distributions, chance constraints, and two-stage stochastic approaches, known as recourse problems), fuzzy logic (considering fuzzy type one and type two approaches), interval programming approaches (regarding interval values for the uncertain parameters), chaos theory, and combination of the mentioned approaches. Besides this, scenario generation approaches can be exploited separately or through solving procedures of different nondeterministic approaches. The illustration of different approaches in deterministic and nondeterministic studies is presented in Fig. 6. Appendix 4 is constructed to review different papers on this subject.

The complementary point of nondeterministic approaches is analyzing different parameters chosen as nondeterministic. This consideration reveals the importance of different data in RL and CLSC networks. The details of this analysis are depicted in Fig. 7a.

As clarified in Fig. 7a, demands and return amounts are the most considerable nondeterministic parameters. In some cases, authors consider two or more nondeterministic parameters simultaneously. Other parameters regarded as nondeterministic can be different rates (Chatfield & Pritchard, 2013; Georgiadis & Athanasiou, 2010; Kawa & Golinska, 2010; Nativi & Lee, 2012; Shankar et al., 2008), delivery time (Pishvaei & Torabi, 2010), lead-time (Lieckens & Vandaele, 2007), transportation time (Krishnamurthy, Khorrani, & Schoenwald, 2008), waste generation (Fonseca, García-Sánchez, Ortega-Mier, & Saldanha-da-Gama, 2010), environmental issues (Wang & Hsu, 2010a; Wang & Hsu, 2010b), risk factors (Lundin, 2012), and different weights (Kannan, 2009; Nukala & Gupta, 2007; Pochampally & Gupta, 2008; Tuzkaya, Gülsün, & Önsel, 2011).

#### 4.3. Analysis of modeling approaches

In terms of utilizing different approaches in modeling various problems of RL/CLSC, the integrity approach is used to construct general methods of modeling. Finally, based on various approaches of different studies, we divide the approaches into 13 categories: Conceptual and descriptive types of modeling (1), linear and mixed integer programming (MIP) (2), nonlinear programming methods (3), convex and concave programming (4), dynamic programming (5), queuing models (6), Markov decision process (7), graph theory (8), game theory (9), fuzzy logic (10), simulation modeling

(11), multi-criteria decision making (MCDM) approaches (12), and other approaches (13) like artificial neural network (ANN) (Mazhar et al., 2007), piecewise interval programming (Zhang, Liu, & Tu, 2011), dynamic regression models (Carrasco-Gallego & Ponce-Cueto, 2009), statistical modeling (Pati et al., 2010), robust Bayesian belief networks with interval probabilities (Shevtshenko & Wang, 2009), engineering economics techniques (Krikke, 2010), combining input–output analysis and Laplace transforms (Bogataj & Grubbström, 2013), theory of production frontier (Lai et al., 2013), institutional theory (Ye et al., 2013), and novel neighborhood rough set approach (Bai & Sarkis, 2013).

It should be mentioned that such classifications can overlap each other, but attempts are made to find the aim of each paper in order to place it into a specific appropriate category. The references are arranged in different classifications in Appendix 5.

Interesting analyses of modeling approaches deal with the relations between problem classifications in RL/CLSC and modeling techniques. These connections give researchers some valuable points regarding finding major conventional approaches. Appendix 6 aims to depict these relations.

Reviewing results of Appendix 6, some interesting points of these important connections are seen. For instance, almost all pricing and coordination problems are set up by game theory approaches. Fuzzy logic is often utilized in decision-making problems, which usually consist of some weights in addition to designing and planning problems. Simulation techniques are also widely used in different problems. It should be mentioned that 43.5% of the correlated papers are regarded real data and 51.3% just generate appropriate instances. The others (5.2%) worked on the data of literature. Besides, based on Fig. 7b, exactly 30.5% of the correlated papers (81 out of 265 related papers) contain linear modeling and less than 7% (exactly 6.8%) deal with nonlinear programming. Further, based on Appendix 6, it can be distinguished that around 69.4% of the “design and planning” researches (50 out of 72) are founded by linear modeling. Therefore, we can roughly claim that the linear programming approach can be introduced as the dominating modeling approach for the design and planning problems of RL/CLSC.

#### 4.4. Solution methodologies

Various approaches are used by researchers to solve mathematical problems in RL/CLSC. We have divided these solution methodologies into seven main categories. Some researchers try to solve problems with analytical or exact methods, which is complicated and limited in terms of solving large-scale problems. Some authors exploit general exact solvers like Lingo, GAMS, or CPLEX. Sample Average Approximation (SAA) techniques for solving stochastic optimization problems and other approximation methods are other types of solutions methodologies. For large-size problems, heuristic methods and meta-heuristic algorithms like Genetic Algorithm (GA), Simulated Annealing (SA), Tabu Search (TS), or Ant Colony (AC) are utilized by researchers. Simulation techniques and software are very powerful methodologies to consider uncertainties in real situations. Multi-criteria (or multi-objective) solution approaches like a goal programming approaches, AHP, ANP, and Technique for the Order of Prioritization by Similarity to Ideal Solution (TOPSIS) are used to solve appropriate problems. The frequencies of exploiting different solution methodologies are illustrated in Fig. 8. Appendix 7 presents the detailed analysis of papers in utilizing various types of solution methodologies.

An interesting analysis of solution techniques deals with relations between modeling techniques and solution methodologies. Definitely, there are reasonable interrelations between modeling approaches and appropriate solution techniques. Appendix 8 depicts these relations.






Fig. 6. Deterministic and nondeterministic approaches.

In Appendix 8, the number of papers in each cross-classifications cell are calculated and presented. Analyzing the results of Appendix 8 leads us to achieve valuable points of interrelations between modeling approaches and solution techniques. For instance, the main methods in game theory approaches are analytical and exact methods. For general linear and mixed-integer programming, different solution approaches are seen, which are utilized by the authors (the same situation is in nonlinear programming). Roughly speaking, simulation techniques, and meta-heuristic algorithms are used in different approaches of modeling by researchers.

#### 4.5. Decision variables analysis

There is a substantial number of variables in the literature, generally divided into three main categories based on Chopra and Meindl (2010):

- RL/CLSC strategic decision variables: Designing decisions, like locations and capacities of facilities (configurations and structures), are made at this level. These are long-term decisions.
- RL/CLSC planning decision variables: Include decisions regarding which markets will be supplied from what locations (allocation level), and flow of supply chain network. These are mid-term decisions.
- RL/CLSC operational decision variables: Include allocating inventory or production to individual orders, setting a date by which the order is to be filled, and other short-term decisions.

As various types of decision variables are defined and researched by different authors, we review these decision variables in Appendix 9 and illustrate that portion of each category in Fig. 9.

In Fig. 9, the number of papers that consider strategic, tactical, and operational decision variables are illustrated, complementing information in Appendix 9.

#### 4.6. Period, product, and objective

The approaches considering different objectives, period, and product can be analyzed in various ways. Figs. 10–12 illustrate the trends in utilizing single/multi objective, single/multi period, and single/multi product approaches respectively. Based on Fig. 10, the number of papers which use single or multi objective approaches in different years of our study is found. The lack of multi objective approaches in recent publications can be clearly considered (87.6% for single-objective papers and 12.4% for multi-objective papers). Besides, Fig. 11 shows various and near trends (both around 50%) in single/multi period models. However, we can conclude a negative trend for single period researches

recently in comparison with multi-period approaches. Fig. 12 proves the few researches in considering multi-part products (just 5.4%) and somehow multi-period approaches (just 29.3%) in comparison with single-period models (65.4%). It seems that computational difficulties of multi-product approach are a reason behind these results.

In order to analyze various types of objectives, Appendix 10 is developed to clarify the different objective functions used by researchers.

### 5. Discussion and future opportunities

In order to analyze the current gaps in the literature regarding various fields of RL and CLSC, this section discusses results of the review. Based on the consideration of this study, there are some research directions noticeable by researchers. Based on the classifications of Section 4, the findings of this study are categorized into six sub-sections.

#### 5.1. Problem classification opportunities

An analysis of the current study reveals the existence of several opportunities for future research based on identified gaps in various investigated papers. These gaps are discussed in a detailed manner as follows:

##### 5.1.1. Mutual interrelations

A major research opportunity is investigating the relationships between sustainability and green supply chain in RL and CLSC. From Fig. 4, it is evident that there are only few researches trying to work on green and sustainability subjects through an integrated RL/CLSC point of view. By this approach, a new definition of integration, which considers the sustainable and green issues in RL and CLSC, is proposed. Indeed, there should be some surveys, reviews, and case studies in investigating the effects of RL/CLSC in sustainable manufacturing and green production and vice versa (instead of trying to prove which one covers the other). The paper of Chaabane, Ramudhin, and Paquet (2012) is suggested as one of the sustainable-closed-loop supply chain studies. The complementary and necessary point for the mentioned integration is that when we identify green and sustainability, we mean studies that cover green or sustainability aspects of RL/CLSC. It means that the pure green (environmental issues such as CO<sub>2</sub> emissions) and/or sustainability (such as social issues) in the supply chain are not considered in our study. Therefore, this study reveals that such integrated studies between RL/CLSC with green/sustainability are a necessity and a gap in the literature. Furthermore, in terms of quantitative research, this integration can be undertaken by regarding common objective functions and decision variables.




Fig. 7a. Various nondeterministic parameters.




Fig. 7b. Various modeling approaches.




Fig. 8. Utilized solution methodologies.

### 5.1.2. Comprehensive view

Generally, research of various studies on different problems of RL and CLSC concentrate on a special subject from an independent point of view. For instance, we think of price and coordination problems as a completely separated study of network designing problems. Alternatively, no relation between 3PRLP selection investigations and pricing or planning level decisions of a network can be found. However, the cooperation between an OEM and its 3PRLPs explicitly affects pricing and determining network flow decisions. Finally, it is time to consider the impacts of various studies as illustrated in Fig. 5 in a comprehensive way but not as an individual subject of research (or direction of research). Kim, Goyal, and Kim (2013) and Amin and Zhang (2013) are two of the suggested papers in this direction.

To find a better view of interrelation study opportunities, related references and illustrations are presented in Section 4.1.

### 5.2. Opportunities for considering uncertainties

Analyses of the current study reveal that there are opportunities for future research based on the identified gaps in uncertainty

issues. These gaps are discussed in a more detailed manner as follows:

#### 5.2.1. Modification to current nondeterministic approaches

The findings of the current study from Fig. 6 and analyses of Section 4.2 lead to some modifications of the current definition of nondeterministic approaches. Previously, most researchers considered stochastic ways to deal with uncertainties. However, in recent years, three other main approaches have emerged as new, powerful, and acceptable approaches, influencing the interpretation of nondeterministic situations, namely: fuzzy logic, interval approaches, and chaos theory. Interval approaches and chaos theory are completely missing approaches in RL/CLSC by researchers. However, they can produce major achievements in dealing with uncertainties. In terms of fuzzy applications, researchers utilize fuzzy logic just to consider quantitative weights, multi objective decision making, or multi criteria analysis. Finally, the way of our thinking in nondeterministic approaches can be extended from stochastic approaches to other well-behaved approaches. Further steps for future research can be the integration between different nondeterministic approaches. Amin and Zhang (2013), Das and




Fig. 9. Distribution of different decision variables defined and utilized by researchers in RL/CLSC.




Fig. 10. Single and multiple objective analyses in different years.




Fig. 11. Single and multiple period analyses in different years.




Fig. 12. Single and multiple product analyses in different years.

Dutta (2013), Hasani, Zegordi, and Nikbakhsh (2012) and Ramezani, Bashiri, and Tavakkoli-Moghaddam (2013) are suggested papers for readers in this direction.

#### 5.2.2. Two-stage stochastic and robust optimization approaches

In terms of a stochastic way of handling uncertainties and reflecting real situations, analyses reveal that the researchers should consider two-stage stochastic approaches and robust optimization techniques as future directions of research, instead of regular stochastic programming. In addition, Fig. 6 illustrates the gaps of these near-to-reality techniques in RL/CLSC. Kara and Onut (2010), Piplani and Saraswat (2012), and Hasani et al. (2012) are suggested papers in this area.

#### 5.2.3. Forecasting

The other missing subject in uncertainty issues is forecasting parameters approaches. Only a few papers (mostly conceptual) discussed and analyzed forecasting parameters especially for return products. This issue can be considered as a potential research area and may lead to the analysis of various topics such as the bullwhip effect in RL and CLSC. For instance, to construct a profitable reverse supply chain, the amounts of return will be critical. On the other hand, there is no guarantee about rate of return of products (also their demands) which will influence RL and CLSC. Meanwhile, if we do not have precise information of some parameters like return amounts, it will be difficult to construct a reliable and profitable RL/CLSC. Finally, studying the forecasting methods of various

parameters like neural network and fuzzy approaches is a vital issue in RL/CLSC as future research. The suggested forecasting papers are those by Kumar and Yamaoka (2007), Hanafi et al. (2008), and Carrasco-Gallego and Ponce-Cueto (2009).

#### 5.2.4. Uncertain parameters

Price, demand, and costs are important parameters that are regarded as uncertain in most related studies. However, these are not the only nondeterministic parameters, as there are other influential parameters. Some of them are mentioned here, such as used products' rate of return, production delays, quality of return products, time of receipt of return products, customer willingness to return used product, and various risks in RL and CLSC network (social, environmental, economic, political, and organizational risks). More analyses about risk issues can be found in Miller, 1992 and Zsidisin, Ellram, Carter, and Cavinato (2004).

More related references and detailed illustrations are presented in Section 4.2.

#### 5.3. Opportunities in the analysis of modeling approaches

In modeling approaches, this study's analyses identified some gaps, which are clarified as follows:

##### 5.3.1. Nonlinear programming and convex optimization

As real-world problems are always complex and complicated, problems cannot be modeled using simple linear programming approaches. There is a huge need to model some problems in nonlinear programming approaches (Luenberger, 2003). Indeed, based on the tractability of linear models in solving by various methodologies and complexities on nonlinear problems, researchers tried to develop and cope with different kinds of linear problems. In such situations, new advances in convex optimization in programming and solution methodologies open a new and useful paradigm for researchers for coping with current real problems. Complementary information about convex optimization tools and techniques in various fields can be found in Boyd and Vandenberghe (2004), Chung and Wee (2008), Qiaolun, Jianhua, and Tiegang (2008), Wang, Lai, and Shi (2011), and Sun, Wu, and Hu (2013) serve as suggested papers here.

##### 5.3.2. Other approaches

Trying to model a problem through new innovative ways instead of regular modeling approaches can give researchers capabilities, advances, and benefits (also limitations) of various methods. There are some successful attempts in this field, mentioned in Section 4.3, but there are also huge opportunities in exploiting such areas. Some of these approaches can be pointed out as queuing models (Lieckens & Vandaele, 2007), graph-based models, Markov decision process (Ferguson, Fleischmann, & Souza, 2008), piecewise interval programming (Zhang, Liu et al., 2011), dynamic regression models (Carrasco-Gallego & Ponce-Cueto, 2009), statistical approaches (Pati et al., 2010), and interval mathematics (Hasani et al., 2012).

More related references and detailed illustrations are presented in Section 4.3.

#### 5.4. Opportunities in solution methodologies

Analyses of the current study reveal some critical opportunities of future research based on current gaps in solution methodologies. These gaps are clarified as follows:

##### 5.4.1. Exact solution methods vs. heuristics

There are different discussions between one who just believes in analytical or exact solution methods and one who believes in

heuristics and meta-heuristics. Actually, in many cases different approaches could be effective to some extent. For instance, when there is a large complex problem, utilizing heuristic and meta-heuristic algorithms is unavoidable, while we do not know anything about the quality of solutions in these cases. On the other hand, analytical and exact methods beside general exact solvers are rarely applicable to real-sized instances of a problem or nonlinear problems, so there is still a huge gap between theoretical solution methodologies and successful practical methods. Perhaps approximation algorithms or hybrid algorithms can present another acceptable way to solve complex problems theoretically and practically. However, advances in exact and heuristic algorithms should be continued to achieve elevated methods. In this manner, case studies such as those by Wei, Zhao, and Sun (2013), Toyasaki et al. (2013), and Subramanian, Ferguson, and Toktay (2013) can help researchers to apply and to modify their theoretical methodologies in practical situations. The analyses of Fig. 8 illustrate that simulation studies, heuristic methods, and meta-heuristic algorithms are more applicable in practical situations in comparison with analytical or exact solutions.

##### 5.4.2. Beyond the rules

Some interesting points can be found by analyzing Appendix 8, which is about hidden rules utilizing some specific methodologies for specific problems. For instance, solution methodologies of all game-based modeling, considered pricing and coordination decision variables, are analytical. Approximation methods are rarely used by researchers in any problem. On the other hand, simulation approaches are widely used in different problems, etc. Such hidden rules can be broken by researchers to clarify new achievements in solution methodologies for different problems. The researches of Hammond and Beullens (2007), Walther, Schmid, and Spengler (2008), Du and Evans (2008), Chouinard, D'Amours, and Ait-Kadi (2008), Feng, Zhang, and Tang (2013), and Minner and Kiesmüller (2012) can be mentioned here.

Related references and an illustration are presented in Section 4.4.

#### 5.5. Opportunities in decision variables analysis

Decision variables are the main parts of different studies, with necessary opportunities for future research and they are clarified as follows:

##### 5.5.1. Integration

The illustrations in Appendix 9 lead to new considerations on integrating operational decision variables with tactical and strategic ones. Although strategic decision variables (like designing and capacity) are successfully integrated with tactical decision variables (like flows of the network), operational decision variables (like production planning and inventory decisions) remain separated. Therefore, it seems that we need new approaches to integrate different decision variables of different decision levels of RL and CLSC. The idealistic points of this direction would be the integration of the decision variables of RL/CLSC networks in all three predefined decision levels. Recently published papers of Kim et al. (2013) and Souza (2013) can be suggested here.

##### 5.5.2. New variables

Definitely, case studies and survey-based analyses (like questionnaires, interviews, and experts' brainstorming meetings) are noticed by researchers to update current decision variables and to introduce new decision variables based on new requirements. Some areas could be environmental decision variables (Georgiadis & Besiou, 2010 and Wang et al., 2011), quality-analysis decision variables (Hernández et al., 2011), and different



transportation decision variables (Chaabane et al., 2012; Lundin, 2012, and Paksoy, Bektaş, & Özceylan, 2011).

Related references and an illustration are presented in Section 4.5.

### 5.6. Opportunities of single and multiple objective approaches

Analyses of the current study reveal some vital directions for future research based on current gaps in objective function analyses. These gaps are as follows:

#### 5.6.1. Multi objective and new approaches

Multi objective decision making is still a gap in different studies when compared to single objective analyses. As real world problems are rarely single objective, it is necessary for researchers to pay more attention to multi objective functions instead of single objective ones. On the other hand, the approaches for dealing with multi objective problems and achieving the optimal solutions (like Pareto optimal solutions) need to be revised to produce more robust and applicable methods in analyzing multi objective or multi criteria problems. Recent papers of Özkır and Başlıgil (2013), Amin and Zhang (2013), and Wang, Lu, and Zhang (2013) are suggested here.

#### 5.6.2. Green, sustainable and environmental issues

The most important extension in current objective functions is regarding green, sustainable, environmental, and resilience objectives. As discussed in relation to the effects of green and sustainable supply chain in RL and CLSC, it is expected that researchers regard appropriate environmental, social, and green-based objectives in their analyses, which can be a critical future avenue for all entities in the RL/CLSC network. The studies of Quariguasi Frota Neto et al. (2010), Paksoy, Özceylan, and Weber (2010), Gupta and Evans (2009), and Wang et al. (2013) can be mentioned as elite papers in this direction.

Related references and an illustration are presented in Section 4.6.

## 6. Conclusion

This paper tries to present a comprehensive literature review of recent and state-of-the-art papers in RL/CLSC regarding vast numbers of publications in different scientific journals in RL and CLSC issues. Totally, 382 published papers between January 2007 and March 2013 are selected, reviewed, categorized, and analyzed to find the future directions and opportunities of research in RL/CLSC. The gaps in literature are identified and completely discussed to clarify the future research opportunities for the authors.

Mutual interrelations and a comprehensive view in selecting different problems suggests several future directions in problem classifications and opportunities. Modification opportunities in nondeterministic approaches, utilizing two-stage stochastic and robust optimization approaches, considering forecasting methods, and regarding new uncertain parameters are identified as future opportunities in uncertain parameters. Nonlinear programming and convex optimization, and utilizing other modeling approaches are recommended as opportunities in modeling approaches. Balancing concerns between exact and heuristics solution methodologies and trying to break current hidden rules in solution tools are discussed in solution methodologies and its opportunities. The integration of different levels of decision-making and defining new decision variables are future opportunities for the decision variables category. Paying attention to multi objective problems, utilizing new approaches, and applying more green, sustainable,

and environmental objectives can be the future directions in single and multiple objective problems.

## Acknowledgement

The authors sincerely thank the editor Professor Robert Dyson and the anonymous reviewers for their kind comments.

## Appendix A. Supplementary material

Supplementary data associated with this article can be found, in the online version, at <http://dx.doi.org/10.1016/j.ejor.2014.07.012>.

## References

- Abdallah, T., Diabat, A., & Simchi-Levi, D. (2012). Sustainable supply chain design: A closed-loop formulation and sensitivity analysis. *Production Planning & Control*, 23(2–3), 120–133.
- Abraham, N. (2011). The apparel aftermarket in India—A case study focusing on reverse logistics. *Journal of Fashion Marketing and Management*, 15(2), 211–227.
- Akçali, E., & Cetinkaya, S. (2011). Quantitative models for inventory and production planning in closed-loop supply chains. *International Journal of Production Research*, 49(8), 2373–2407.
- Akçali, E., Çetinkaya, S., & Üster, H. (2009). Network design for reverse and closed-loop supply chains: An annotated bibliography of models and solution approaches. *Networks*, 53(3), 231–248.
- Alinovi, A., Bottani, E., & Montanari, R. (2012). Reverse Logistics: A stochastic EOQ-based inventory control model for mixed manufacturing/remanufacturing systems with return policies. *International Journal of Production Research*, 50(5), 1243–1264.
- Alshamrani, A., Mathur, K., & Ballou, R. H. (2007). Reverse logistics: Simultaneous design of delivery routes and returns strategies. *Computers & Operations Research*, 34(2), 595–619.
- Alumur, S. A., Nickel, S., Saldanha-da-Gama, F., & Verter, V. (2012). Multi-period reverse logistics network design. *European Journal of Operational Research*, 220(1), 67–78.
- Álvarez-Gil, M. J., Berrone, P., Husillos, F. J., & Lado, N. (2007). Reverse logistics, stakeholders' influence, organizational slack, and managers' posture. *Journal of Business Research*, 60(5), 463–473.
- Amaro, A. C. S., & Barbosa-Póvoa, A. P. F. D. (2008). Planning and scheduling of industrial supply chains with reverse flows: A real pharmaceutical case study. *Computers & Chemical Engineering*, 32(11), 2606–2625.
- Amaro, A. C. S., & Barbosa-Póvoa, A. P. F. D. (2009). The effect of uncertainty on the optimal closed-loop supply chain planning under different partnerships structure. *Computers & Chemical Engineering*, 33(12), 2144–2158.
- Amin, S. H., & Zhang, G. (2012a). An integrated model for closed-loop supply chain configuration and supplier selection: Multi-objective approach. *Expert Systems with Applications*, 39(8), 6782–6791.
- Amin, S. H., & Zhang, G. (2012b). A proposed mathematical model for closed-loop network configuration based on product life cycle. *The International Journal of Advanced Manufacturing Technology*, 58(5–8), 791–801.
- Amin, S. H., & Zhang, G. (2013). A three-stage model for closed-loop supply chain configuration under uncertainty. *International Journal of Production Research*, 51(5), 1405–1425.
- Ao, C., Xu-ping, W., Bo-jie, C., & Wu-wei, L. (2007). Research on methods of reverse logistic vendor selection under closed-loop supply chain. In *ICMSE 2007. International Conference on Management Science and Engineering*, 2007 (pp. 879–884). IEEE, August.
- Aras, N., & Aksen, D. (2008). Locating collection centers for distance-and incentive-dependent returns. *International Journal of Production Economics*, 111(2), 316–333.
- Atasu, A., & Boyaci, T. (2010). Take-back legislation and its impact on closed-loop supply chains. *Wiley Encyclopedia of Operations Research and Management Science*. <http://dx.doi.org/10.1002/9780470400531.eorms0869>.
- Atasu, A., Guide, V. D. R., Jr., & Van Wassenhove, L. N. (2010). So what if remanufacturing cannibalizes my new product sales. *California Management Review*, 52(2), 56–76.
- Atasu, A., Guide, V. D. R., & Wassenhove, L. N. (2008). Product reuse economics in closed-loop supply chain research. *Production and Operations Management*, 17(5), 483–496.
- Atasu, A., & Souza, G. C. (2012). How does product recovery affect quality choice? *Production and Operations Management*.
- Atasu, A., Toktay, L. B., & Van Wassenhove, L. N. (2013). How collection cost structure drives a manufacturer's reverse channel choice. *Production and Operations Management*. <http://dx.doi.org/10.1111/j.1937-5956.2012.01426.x>.
- Atasu, A., Van Wassenhove, L. N., & Sarvary, M. (2009). Efficient take-back legislation. *Production and Operations Management*, 18(3), 243–258.
- Badurdeen, F., Iyengar, D., Goldsby, T. J., Metta, H., Gupta, S., & Jawahir, I. S. (2009). Extending total life-cycle thinking to sustainable supply chain design. *International Journal of Product Lifecycle Management*, 4(1), 49–67.

- Bai, C., & Sarkis, J. (2013). Flexibility in reverse logistics: A framework and evaluation approach. *Journal of Cleaner Production*, 47, 306–318.
- Barbosa-Póvoa, A. P. (2009). Sustainable supply chains: Key challenges. *Computer Aided Chemical Engineering*, 27, 127–132.
- Barker, T. J., & Zabinsky, Z. B. (2008). Reverse logistics network design: A conceptual framework for decision making. *International Journal of Sustainable Engineering*, 1(4), 250–260.
- Barker, T. J., & Zabinsky, Z. B. (2011). A multicriteria decision making model for reverse logistics using analytical hierarchy process. *Omega*, 39(5), 558–573.
- Beamon, B. M. (1999). Designing the green supply chain. *Logistics information management*, 12(4), 332–342.
- Beamon, B. M. (2008). Sustainability and the future of supply chain management. *Operations and Supply Chain Management*, 1(1), 4–18.
- Benedito, E., & Corominas, A. (2013). Optimal manufacturing policy in a reverse logistic system with dependent stochastic returns and limited capacities. *International Journal of Production Research*, 51(1), 189–201.
- Bernon, M., & Cullen, J. (2007). An integrated approach to managing reverse logistics. *International Journal of Logistics: Research and Applications*, 10(1), 41–56.
- Bernon, M., Rossi, S., & Cullen, J. (2011). Retail reverse logistics: A call and grounding framework for research. *International Journal of Physical Distribution & Logistics Management*, 41(5), 484–510.
- Besiou, M., Georgiadis, P., & Van Wassenhove, L. N. (2012). Official recycling and scavengers: Symbiotic or conflicting? *European Journal of Operational Research*, 218(2), 563–576.
- Biehli, M., Prater, E., & Realf, M. J. (2007). Assessing performance and uncertainty in developing carpet reverse logistics systems. *Computers & Operations Research*, 34(2), 443–463.
- Bogatay, M., & Grubbström, R. W. (2013). Transportation delays in reverse logistics. *International Journal of Production Economics*, 143(2), 395–402.
- Bogatay, M., Grubbström, R. W., & Bogatay, L. (2011). Efficient location of industrial activity cells in a global supply chain. *International Journal of Production Economics*, 133(1), 243–250.
- Boyd, S., & Vandenberghe, L. (2004). *Convex optimization*. Cambridge University Press.
- Buscher, U., & Lindner, G. (2007). Optimizing a production system with rework and equal sized batch shipments. *Computers & Operations Research*, 34(2), 515–535.
- Cagno, E., Magalini, F., & Trucco, P. (2008). Modelling and planning of Product Recovery Network: The case study of end-of-life refrigerators in Italy. *International Journal of Environmental Technology and Management*, 8(4), 385–404.
- Carrasco-Gallego, R., & Ponce-Cueto, E. (2009). Forecasting the returns in reusable containers' closed-loop supply chains. A case in the LPG industry. In *XIII Congreso de Ingeniería de Organización* (pp. 311–320).
- Carrasco-Gallego, R., Ponce-Cueto, E., & Dekker, R. (2012). Closed-loop supply chains of reusable articles: A typology grounded on case studies. *International Journal of Production Research*, 50(19), 5582–5596.
- Carter, C. R., & Rogers, D. S. (2008). A framework of sustainable supply chain management: Moving toward new theory. *International Journal of Physical Distribution & Logistics Management*, 38(5), 360–387.
- Chaabane, A., Ramudhin, A., & Paquet, M. (2012). Design of sustainable supply chains under the emission trading scheme. *International Journal of Production Economics*, 135(1), 37–49.
- Chan, H. K., Yin, S., & Chan, F. T. (2010). Implementing just-in-time philosophy to reverse logistics systems: A review. *International Journal of Production Research*, 48(21), 6293–6313.
- Chandiran, P., & Surya Prakasa Rao, K. (2008). Design of reverse and forward supply chain network: A case study. *International Journal of Logistics Systems and Management*, 4(5), 574–595.
- Chanintrakul, P., Coronado Mondragon, A. E., Lalwani, C., & Wong, C. Y. (2009). Reverse logistics network design: A state-of-the-art literature review. *International Journal of Business Performance and Supply Chain Modelling*, 1(1), 61–81.
- Chatfield, D. C., & Pritchard, A. M. (2013). Returns and the bullwhip effect. *Transportation Research Part E: Logistics and Transportation Review*, 49(1), 159–175.
- Chen, J. (2011). The impact of sharing customer returns information in a supply chain with and without a buyback policy. *European Journal of Operational Research*, 213(3), 478–488.
- Chen, J., & Bell, P. C. (2011). Coordinating a decentralized supply chain with customer returns and price-dependent stochastic demand using a buyback policy. *European Journal of Operational Research*, 212(2), 293–300.
- Chen, J. M., & Chang, C. I. (2012). The co-opetitive strategy of a closed-loop supply chain with remanufacturing. *Transportation Research Part E: Logistics and Transportation Review*, 48(2), 387–400.
- Cheng, Y. H., & Lee, F. (2010). Outsourcing reverse logistics of high-tech manufacturing firms by using a systematic decision-making approach: TFT-LCD sector in Taiwan. *Industrial Marketing Management*, 39(7), 1111–1119.
- Chopra, S., & Meindl, P. (2010). *Supply chain management: Strategy, planning and operation* (4th ed.). Pearson Prentice Hall Inc. ISBN 81-7758-003-5.
- Choudhary, M., & Seth, N. (2011). Integration of green practices in supply chain environment the practices of inbound, operational, outbound and reverse logistics. *International Journal of Engineering Science and Technology*, 3(6), 4985–4993.
- Chouinard, M., D'Amours, S., & Ait-Kadi, D. (2008). A stochastic programming approach for designing supply loops. *International Journal of Production Economics*, 113(2), 657–677.
- Chung, W. H., Okudan, G., & Wysk, R. A. (2011). Modular Design to Optimize Product Life Cycle Metrics in a Closed-looped Supply Chain. In *Proceedings of the 2011 industrial engineering research conference*.
- Chung, C. J., & Wee, H. M. (2008). Green-component life-cycle value on design and reverse manufacturing in semi-closed supply chain. *International Journal of Production Economics*, 113(2), 528–545.
- Chung, S. L., Wee, H. M., & Yang, P. C. (2008). Optimal policy for a closed-loop supply chain inventory system with remanufacturing. *Mathematical and Computer Modelling*, 48(5), 867–881.
- Ciliberti, F., Pontrandolfo, P., & Scozzi, B. (2008). Logistics social responsibility: Standard adoption and practices in Italian companies. *International Journal of Production Economics*, 113(1), 88–106.
- Cristina Santos Amaro, A., & Barbosa-Póvoa, P. D. (2007). Optimal planning of closed loop supply chains: A discrete versus a continuous-time formulation. *Computer Aided Chemical Engineering*, 24, 673–678.
- Cruz-Rivera, R., & Ertel, J. (2009). Reverse logistics network design for the collection of end-of-life vehicles in Mexico. *European Journal of Operational Research*, 196(3), 930–939.
- Das, K. (2012). Integrating reverse logistics into the strategic planning of a supply chain. *International Journal of Production Research*, 50(5), 1438–1456.
- Das, K., & Chowdhury, A. H. (2012). Designing a reverse logistics network for optimal collection, recovery and quality-based product-mix planning. *International Journal of Production Economics*, 135(1), 209–221.
- Das, D., & Dutta, P. (2013). Simulation study of an integrated reverse logistics in fuzzy environment. In *IAENG transactions on engineering technologies* (pp. 151–165). Netherlands: Springer.
- De Brito, M. P., Dekker, R., & Flapper, S. D. P. (2005). *Reverse logistics: A review of case studies*. Berlin Heidelberg: Springer.
- de Brito, M. P., & van der Laan, E. A. (2009). Inventory control with product returns: The impact of imperfect information. *European Journal of Operational Research*, 194(1), 85–101.
- De Brito, M. P., & Van der Laan, E. A. (2010). Supply chain management and sustainability: Procrastinating integration in mainstream research. *Sustainability*, 2(4), 859–870.
- De La Fuente, M., Ros, L., & Cardos, M. (2008). Integrating forward and reverse supply chains: Application to a metal-mechanic company. *International Journal of Production Economics*, 111(2), 782–792.
- De La Fuente, M., Ros, L., & Ortiz, A. (2010). Enterprise modelling methodology for forward and reverse supply chain flows integration. *Computers in Industry*, 61(7), 702–710.
- Defee, C. C., Esper, T., & Mollenkopf, D. (2009). Leveraging closed-loop orientation and leadership for environmental sustainability. *Supply Chain Management: An International Journal*, 14(2), 87–98.
- Demirel, N. Ö., & Gökçen, H. (2008). A mixed integer programming model for remanufacturing in reverse logistics environment. *The International Journal of Advanced Manufacturing Technology*, 39(11–12), 1197–1206.
- Diabat, A., & Simchi-Levi, D. (2009). A carbon-capped supply chain network problem. In *IEEE international conference on industrial engineering and engineering management, 2009 IEEM 2009* (pp. 523–527). IEEE.
- Dowlatsahi, S. (2000). Developing a theory of reverse logistics. *Interfaces*, 30(3), 143–155.
- Dowlatsahi, S. (2010). A cost-benefit analysis for the design and implementation of reverse logistics systems: Case studies approach. *International Journal of Production Research*, 48(5), 1361–1380.
- Du, F., & Evans, G. W. (2008). A bi-objective reverse logistics network analysis for post-sale service. *Computers & Operations Research*, 35(8), 2617–2634.
- Du, L., Wu, J., & Hu, F. (2009). Logistics network design and optimization of closed-loop supply chain based on mixed integer nonlinear programming model. *ISECS international colloquium on computing, communication, control, and management, 2009. CCCM 2009* (Vol. 1, pp. 414–417). IEEE.
- Easwaran, G., & Üster, H. (2010). A closed-loop supply chain network design problem with integrated forward and reverse channel decisions. *IIE Transactions*, 42(11), 779–792.
- Efendil, T., Önlüt, S., & Kongar, E. (2008). A holistic approach for selecting a third-party reverse logistics provider in the presence of vagueness. *Computers & Industrial Engineering*, 54(2), 269–287.
- El Saadany, A., & Jaber, M. Y. (2011). A production/remanufacture model with returns' subassemblies managed differently. *International Journal of Production Economics*, 133(1), 119–126.
- El-Sayed, M., Afia, N., & El-Kharbotly, A. (2010). A stochastic model for forward–Reverse logistics network design under risk. *Computers & Industrial Engineering*, 58(3), 423–431.
- Eltayeb, T. K., Zailani, S., & Ramayah, T. (2011). Green supply chain initiatives among certified companies in Malaysia and environmental sustainability: Investigating the outcomes. *Resources, conservation and recycling*, 55(5), 495–506.
- Erol, I., Velioğlu, M. N., Serifoglu, F. S., Büyüközkan, G., Aras, N., Çakar, N. D., & Korugan, A. (2010). Exploring reverse supply chain management practices in Turkey. *Supply Chain Management: An International Journal*, 15(1), 43–54.
- Faccio, M., Persona, A., Sgarbossa, F., & Zanin, G. (2011). Multi-stage supply network design in case of reverse flows: A closed-loop approach. *International Journal of Operational Research*, 12(2), 157–191.



- Fang, Y., Cote, R. P., & Qin, R. (2007). Industrial sustainability in China: Practice and prospects for eco-industrial development. *Journal of Environmental Management*, 83(3), 315–328.
- Farzipoor Saen, R. (2009). A mathematical model for selecting third-party reverse logistics providers. *International Journal of Procurement Management*, 2(2), 180–190.
- Feng, L., Zhang, J., & Tang, W. (2013). Optimal control of production and remanufacturing for a recovery system with perishable items. *International Journal of Production Research*, (ahead-of-print), 1–18. DOI: 10.1080/00207543.2012.762133.
- Ferguson, M., Fleischmann, M., & Souza, G. (2008). Applying revenue management to the reverse supply chain. Working Paper. Rotterdam School of Management, Erasmus University: Rotterdam, the Netherlands.
- Ferguson, M., Guide, V. D., Jr, Koca, E., & Souza, G. C. (2009). The value of quality grading in remanufacturing. *Production and Operations Management*, 18(3), 300–314.
- Fernandes, A. S., Gomes-Salema, M. I., & Barbosa-Povoa, A. P. (2010). The retrofit of a closed-loop distribution network: The case of lead batteries. *Computer Aided Chemical Engineering*, 28, 1213–1218.
- Ferrer, G., & Swaminathan, J. M. (2010). Managing new and differentiated remanufactured products. *European Journal of Operational Research*, 203(2), 370–379.
- Field, J. M., & Sroufe, R. P. (2007). The use of recycled materials in manufacturing: Implications for supply chain management and operations strategy. *International Journal of Production Research*, 45(18–19), 4439–4463.
- Fonseca, M. C., García-Sánchez, Á., Ortega-Mier, M., & Saldanha-da-Gama, F. (2010). A stochastic bi-objective location model for strategic reverse logistics. *Top*, 18(1), 158–184.
- Francas, D., & Minner, S. (2009). Manufacturing network configuration in supply chains with product recovery. *Omega*, 37(4), 757–769.
- Fruta Neto, J. Q., Bloemhof-Ruwaard, J. M., Van Nunen, J. A. E. E., & Van Heck, E. (2008). Designing and evaluating sustainable logistics networks. *International Journal of Production Economics*, 111(2), 195–208.
- Galbreth, M. R., & Blackburn, J. D. (2010). Offshore remanufacturing with variable used product condition. *Decision Sciences*, 41(1), 5–20.
- Gamberini, R., Gebennini, E., Manzini, R., & Ziveri, A. (2010). On the integration of planning and environmental impact assessment for a WEEE transportation network—A case study. *Resources, Conservation and Recycling*, 54(11), 937–951.
- Ge, J. Y., & Huang, P. Q. (2007). The research of closed-loop supply chain coordination. *Industrial Engineering and Management*, 1, 29–34.
- Ge, J. Y., Huang, P. Q., & Li, J. (2007). Social environmental consciousness and price decision analysis for closed-loop supply chains—Based on vertical differentiation model. *Industrial Engineering and Management*, 4, 6–10.
- Ge, J. Y., Huang, P. Q., & Wang, Z. P. (2007). Closed-loop supply chain coordination research based on game theory. *Journal of Systems & Management*, 5, 016.
- Gehin, A., Zwolinski, P., & Brissaud, D. (2008). A tool to implement sustainable end-of-life strategies in the product development phase. *Journal of Cleaner Production*, 16(5), 566–576.
- Georgiadis, P. (2013). An integrated System Dynamics model for strategic capacity planning in closed-loop recycling networks: A dynamic analysis for the paper industry. *Simulation Modelling Practice and Theory*, 32, 116–137.
- Georgiadis, P., & Athanasiou, E. (2010). The impact of two-product joint lifecycles on capacity planning of remanufacturing networks. *European Journal of Operational Research*, 202(2), 420–433.
- Georgiadis, P., & Besiou, M. (2008). Sustainability in electrical and electronic equipment closed-loop supply chains: A system dynamics approach. *Journal of Cleaner Production*, 16(15), 1665–1678.
- Georgiadis, P., & Besiou, M. (2010). Environmental and economical sustainability of WEEE closed-loop supply chains with recycling: A system dynamics analysis. *The International Journal of Advanced Manufacturing Technology*, 47(5–8), 475–493.
- Geyer, R., & Blass, V. D. (2010). The economics of cell phone reuse and recycling. *The International Journal of Advanced Manufacturing Technology*, 47(5–8), 515–525.
- Geyer, R., Van Wassenhove, L. N., & Atasu, A. (2007). The economics of remanufacturing under limited component durability and finite product life cycles. *Management Science*, 53(1), 88–100.
- Gobbi, C. (2011). Designing the reverse supply chain: The impact of the product residual value. *International Journal of Physical Distribution & Logistics Management*, 41(8), 768–796.
- Golinska, P. (2009). The concept of an agent-based system for planning of closed loop supplies in manufacturing system. In *Distributed computing, artificial intelligence, bioinformatics, soft computing, and ambient assisted living* (pp. 382–389). Berlin Heidelberg: Springer.
- Golinska, P., Fertsch, M., Gómez, J. M., & Oleskow, J. (2007). The concept of closed-loop supply chain integration through agents-based system. In *Information Technologies in Environmental Engineering* (pp. 189–202). Berlin Heidelberg: Springer.
- González-Torre, P., Alvarez, M., Sarkis, J., & Adenso-Díaz, B. (2010). Barriers to the implementation of environmentally oriented reverse logistics: Evidence from the automotive industry sector. *British Journal of Management*, 21(4), 889–904.
- Gou, Q., Liang, L., Huang, Z., & Xu, C. (2008). A joint inventory model for an open-loop reverse supply chain. *International Journal of Production Economics*, 116(1), 28–42.
- Govindan, K., & Murugesan, P. (2011). Selection of third-party reverse logistics provider using fuzzy extent analysis. *Benchmarking: An International Journal*, 18(1), 149–167.
- Grant, D. B., & Banomyong, R. (2010). Design of closed-loop supply chain and product recovery management for fast-moving consumer goods: The case of a single-use camera. *Asia Pacific Journal of Marketing and Logistics*, 22(2), 232–246.
- Guide, V. D. R., Gunes, E. D., Souza, G. C., & Van Wassenhove, L. N. (2008). The optimal disposition decision for product returns. *Operations Management Research*, 1(1), 6–14.
- Guide, V. D. R., Jr., & Li, J. (2010). The potential for cannibalization of new products sales by remanufactured products. *Decision Sciences*, 41(3), 547–572.
- Guide, V. D. R., & Van Wassenhove, L. N. (2009). OR FORUM—The evolution of closed-loop supply chain research. *Operations Research*, 57(1), 10–18.
- Gupta, A., & Evans, G. W. (2009). A goal programming model for the operation of closed-loop supply chains. *Engineering optimization*, 41(8), 713–735.
- Gupta, S., & Palusale-Desai, O. D. (2011). Sustainable supply chain management: Review and research opportunities. *IIMB Management Review*, 23(4), 234–245.
- Halabi, A. X., Montoya-Torres, J. R., Pirachicán, D. C., & Mejía, D. (2013). A modelling framework of reverse logistics practices in the Colombian plastic sector. *International Journal of Industrial and Systems Engineering*, 13(3), 364–387.
- Halldórsson, Á., Kotzab, H., & Skjøtt-Larsen, T. (2009). Supply chain management on the crossroad to sustainability: A blessing or a curse? *Logistics Research*, 1(2), 83–94.
- Hammond, D., & Beullens, P. (2007). Closed-loop supply chain network equilibrium under legislation. *European Journal of Operational Research*, 183(2), 895–908.
- Hanafi, J., Kara, S., & Kaebner, H. (2008). Reverse logistics strategies for end-of-life products. *The International Journal of Logistics Management*, 19(3), 367–388.
- Hans, C., Hribernik, K. A., & Thoben, K. D. (2010). Improving reverse logistics processes using item-level product life cycle management. *International Journal of Product Lifecycle Management*, 4(4), 338–359.
- Hasani, A., Zegordi, S. H., & Nikbakht, E. (2012). Robust closed-loop supply chain network design for perishable goods in agile manufacturing under uncertainty. *International Journal of Production Research*, 50(16), 4649–4669.
- Hasanov, P., Jaber, M. Y., Zanoni, S., & Zavanella, L. E. (2013). Closed-loop supply chain system with energy, transportation and waste disposal costs. *International Journal of Sustainable Engineering*, 1–7 (ahead-of-print) doi: 10.1080/19397038.2012.762433.
- Hazen, B. T. (2011). Strategic reverse logistics disposition decisions: From theory to practice. *International Journal of Logistics Systems and Management*, 10(3), 275–292.
- Hellström, D., & Johansson, O. (2010). The impact of control strategies on the management of returnable transport items. *Transportation Research Part E: Logistics and Transportation Review*, 46(6), 1128–1139.
- Hernández, J. E., Poler, R., Mula, J., & Lario, F. C. (2011). The reverse logistic process of an automobile supply chain network supported by a collaborative decision-making model. *Group Decision and Negotiation*, 20(1), 79–114.
- Hong, I., Ammons, J. C., & Realf, M. J. (2008). Decentralized decision-making and protocol design for recycled material flows. *International Journal of Production Economics*, 116(2), 325–337.
- Hong, I., & Ke, J. S. (2011). Determining advanced recycling fees and subsidies in “E-scrap” reverse supply chains. *Journal of environmental management*, 92(6), 1495–1502.
- Hong, I., & Yeh, J. S. (2012). Modeling closed-loop supply chains in the electronics industry: A retailer collection application. *Transportation Research Part E: Logistics and Transportation Review*, 48(4), 817–829.
- Hsu, H. S., Alexander, C. A., & Zhu, Z. (2009). Understanding the reverse logistics operations of a retailer: A pilot study. *Industrial Management & Data Systems*, 109(4), 515–531.
- Hsueh, C. F. (2011). An inventory control model with consideration of remanufacturing and product life cycle. *International Journal of Production Economics*, 133(2), 645–652.
- Hu, G., & Bidanda, B. (2009). Modeling sustainable product lifecycle decision support systems. *International Journal of Production Economics*, 122(1), 366–375.
- Hua, W., & Lingling, C. (2010). Circular economy based on game balance of the project products pricing. In *International conference on E-Product E-Service and E-Entertainment (ICEEE)*, 2010 (pp. 1–4). IEEE.
- Huang, X. Y., Yan, N. N., & Qiu, R. Z. (2009). Dynamic models of closed-loop supply chain and robust H $\infty$  control strategies. *International Journal of Production Research*, 47(9), 2279–2300.
- Hwang, H., Ko, Y. D., Yune, S. H., & Ko, C. S. (2009). A closed-loop recycling system with a minimum allowed quality level on returned products. *International Journal of Services and Operations Management*, 5(6), 758–773.
- Ilgin, M. A., & Gupta, S. M. (2010). Environmentally conscious manufacturing and product recovery (ECMPRO): A review of the state of the art. *Journal of Environmental Management*, 91(3), 563–591.
- Jaber, M. Y., & El Saadany, A. (2009). The production, remanufacture and waste disposal model with lost sales. *International Journal of Production Economics*, 120(1), 115–124.
- Jaber, M. Y., & El Saadany, A. (2011). An economic production and remanufacturing model with learning effects. *International Journal of Production Economics*, 131(1), 115–127.
- Jaber, M. Y., & Rosen, M. A. (2008). The economic order quantity repair and waste disposal model with entropy cost. *European Journal of Operational Research*, 188(1), 109–120.
- Janse, B., Schuur, P., & de Brito, M. P. (2010). A reverse logistics diagnostic tool: The case of the consumer electronics industry. *The International Journal of Advanced Manufacturing Technology*, 47(5–8), 495–513.
- Jayant, A., Gupta, P., & Garg, S. K. (2012). Perspectives in reverse supply chain management (R-SCM): A state of the art literature review. *JMIE*, 6(1), 87–102.

- Jayaraman, V. (2007). Creating competitive advantages through new value creation: A reverse logistics perspective. *The Academy of Management Perspectives*, 21(2), 56–73.
- Jayaraman, V., Ross, A. D., & Agarwal, A. (2008). Role of information technology and collaboration in reverse logistics supply chains. *International Journal of Logistics: Research and Applications*, 11(6), 409–425.
- Ji, G. (2008). Performance evaluation of complaint management and virtual enterprise in closed-loop supply chains by using exergoeconomics and extenics. *International Journal of Services and Operations Management*, 4(3), 368–397.
- John, S. T., & Sridharan, R. (2013). Modelling and analysis of network design for a closed-loop supply chain. *International Journal of Logistics Systems and Management*, 14(3), 329–352.
- Jun, H. B., Kiritsis, D., & Xirouchakis, P. (2007). Research issues on closed-loop PLM. *Computers in Industry*, 58(8), 855–868.
- Kannan, G. (2009). Fuzzy approach for the selection of third party reverse logistics provider. *Asia Pacific Journal of Marketing and Logistics*, 21(3), 397–416.
- Kannan, D., Diabat, A., Alrefaie, M., Govindan, K., & Yong, G. (2012). A carbon footprint based reverse logistics network design model. *Resources, Conservation and Recycling*, 67, 75–79.
- Kannan, G., Murugesan, P., Senthil, P., & Noorul Haq, A. (2009). Multicriteria group decision making for the third party reverse logistics service provider in the supply chain model using fuzzy TOPSIS for transportation services. *International Journal of Services Technology and Management*, 11(2), 162–181.
- Kannan, G., Noorul Haq, A., & Devika, M. (2009). Analysis of closed loop supply chain using genetic algorithm and particle swarm optimisation. *International Journal of Production Research*, 47(5), 1175–1200.
- Kannan, G., Sasikumar, P., & Devika, K. (2010). A genetic algorithm approach for solving a closed loop supply chain model: A case of battery recycling. *Applied Mathematical Modelling*, 34(3), 655–670.
- Kapetanopoulou, P., & Tagaras, G. (2009). An empirical investigation of value-added product recovery activities in SMEs using multiple case studies of OEMs and independent remanufacturers. *Flexible services and manufacturing journal*, 21(3–4), 92–113.
- Kapetanopoulou, P., & Tagaras, G. (2011). Drivers and obstacles of product recovery activities in the Greek industry. *International Journal of Operations & Production Management*, 31(2), 148–166.
- Kara, S. S., & Onut, S. (2010). A two-stage stochastic and robust programming approach to strategic planning of a reverse supply network: The case of paper recycling. *Expert Systems with Applications*, 37(9), 6129–6137.
- Kara, S., Rugrungruang, F., & Kaebnick, H. (2007). Simulation modelling of reverse logistics networks. *International Journal of Production Economics*, 106(1), 61–69.
- Karaer, Ö., & Lee, H. L. (2007). Managing the reverse channel with RFID-enabled negative demand information. *Production and Operations Management*, 16(5), 625–645.
- Karakayali, I., Emir-Farinas, H., & Akcali, E. (2007). An analysis of decentralized collection and processing of end-of-life products. *Journal of Operations Management*, 25(6), 1161–1183.
- Kassem, S., & Chen, M. (2013). Solving reverse logistics vehicle routing problems with time windows. *The International Journal of Advanced Manufacturing Technology*, 1–12. doi 10.1007/s00170-012-4708-9.
- Kawa, A., & Golinska, P. (2010). Supply chain arrangements in recovery network. In *Agent and multi-agent systems: Technologies and applications* (pp. 292–301). Berlin Heidelberg: Springer.
- Kaya, O. (2010). Incentive and production decisions for remanufacturing operations. *European Journal of Operational Research*, 201(2), 442–453.
- Ke, Q., Zhang, H. C., Liu, G., & Li, B. (2011). Remanufacturing engineering literature overview and future research needs. In *Globalized solutions for sustainability in manufacturing* (pp. 437–442). Berlin Heidelberg: Springer.
- Kenné, J. P., Dejax, P., & Gharbi, A. (2012). Production planning of a hybrid manufacturing–Remanufacturing system under uncertainty within a closed-loop supply chain. *International Journal of Production Economics*, 135(1), 81–93.
- Ketzenberg, M. (2009). The value of information in a capacitated closed loop supply chain. *European Journal of Operational Research*, 198(2), 491–503.
- Ketzenberg, M. E., & Zuidwijk, R. A. (2009). Optimal pricing, ordering, and return policies for consumer goods. *Production and Operations Management*, 18(3), 344–360.
- Kim, T., & Goyal, S. K. (2011). Determination of the optimal production policy and product recovery policy: The impacts of sales margin of recovered product. *International Journal of Production Research*, 49(9), 2535–2550.
- Kim, T., Goyal, S. K., & Kim, C. H. (2013). Lot-streaming policy for forward–Reverse logistics with recovery capacity investment. *The International Journal of Advanced Manufacturing Technology*, 1–14. DOI 10.1007/s00170-013-4748-9.
- Kim, H., Yang, J., & Lee, K. D. (2009). Vehicle routing in reverse logistics for recycling end-of-life consumer electronic goods in South Korea. *Transportation Research Part D: Transport and Environment*, 14(5), 291–299.
- Kiritsis, D. (2011). Closed-loop PLM for intelligent products in the era of the internet of things. *Computer-Aided Design*, 43(5), 479–501.
- Kiritsis, D., Nguyen, V. K., & Stark, J. (2008). How closed-loop PLM improves Knowledge Management over the complete product lifecycle and enables the factory of the future. *International Journal of Product Lifecycle Management*, 3(1), 54–77.
- Ko, H. J., & Evans, G. W. (2007). A genetic algorithm-based heuristic for the dynamic integrated forward/reverse logistics network for 3PLs. *Computers & Operations Research*, 34(2), 346–366.
- Kocabasoglu, C., Prahinski, C., & Klassen, R. D. (2007). Linking forward and reverse supply chain investments: The role of business uncertainty. *Journal of Operations Management*, 25(6), 1141–1160.
- Komoto, H., Tomiyama, T., Silvester, S., & Brezet, H. (2011). Analyzing supply chain robustness for OEMs from a life cycle perspective using life cycle simulation. *International Journal of Production Economics*, 134(2), 447–457.
- Krikke, H. (2010). Opportunistic versus life-cycle-oriented decision making in multi-loop recovery: An eco-eco study on disposed vehicles. *The International Journal of Life Cycle Assessment*, 15(8), 757–768.
- Krikke, H. (2011). Impact of closed-loop network configurations on carbon footprints: A case study in copiers. *Resources, Conservation and Recycling*, 55(12), 1196–1205.
- Krikke, H., Hofen, D., & Wang, Y. (2013). Revealing an invisible giant: A comprehensive survey into return practices within original (closed-loop) supply chains. *Resources, Conservation and Recycling*, 73, 239–250.
- Krikke, H., le Blanc, I., van Krieken, M., & Fleuren, H. (2008). Low-frequency collection of materials disassembled from end-of-life vehicles: On the value of on-line monitoring in optimizing route planning. *International Journal of Production Economics*, 111(2), 209–228.
- Krishnamurthy, P., Khorrami, F., & Schoenwald, D. (2008). Decentralized inventory control for large-scale reverse supply chains: A computationally tractable approach. *IEEE Transactions on Systems, Man, and Cybernetics, Part C: Applications and Reviews*, 38(4), 551–561.
- Kumar, V. V., & Chan, F. T. (2011). A superiority search and optimisation algorithm to solve RFID and an environmental factor embedded closed loop logistics model. *International Journal of Production Research*, 49(16), 4807–4831.
- Kumar, S., & Craig, S. (2007). Dell, Inc.'s closed loop supply chain for computer assembly plants. *Information, Knowledge, Systems Management*, 6(3), 197–214.
- Kumar, S., & Putnam, V. (2008). Cradle to cradle: Reverse logistics strategies and opportunities across three industry sectors. *International Journal of Production Economics*, 115(2), 305–315.
- Kumar, S., & Yamaoka, T. (2007). System dynamics study of the Japanese automotive industry closed loop supply chain. *Journal of Manufacturing Technology Management*, 18(2), 115–138.
- Kusumastuti, R. D., Piplani, R., & Hian Lim, G. (2008). Redesigning closed-loop service network at a computer manufacturer: A case study. *International Journal of Production Economics*, 111(2), 244–260.
- Lai, K. H., Wu, S. J., & Wong, C. W. (2013). Did reverse logistics practices hit the triple bottom line of chinese manufacturers? *International Journal of Production Economics*. <http://dx.doi.org/10.1016/j.ijpe.2013.03.005>.
- Lambert, S., Riopel, D., & Abdul-Kader, W. (2011). A reverse logistics decisions conceptual framework. *Computers & Industrial Engineering*, 61(3), 561–581.
- Lau, K. H., & Wang, Y. (2009). Reverse logistics in the electronic industry of China: A case study. *Supply Chain Management: An International Journal*, 14(6), 447–465.
- Lee, C. K. M., & Chan, T. M. (2009). Development of RFID-based reverse logistics system. *Expert Systems with Applications*, 36(5), 9299–9307.
- Lee, D. H., & Dong, M. (2008). A heuristic approach to logistics network design for end-of-lease computer products recovery. *Transportation Research Part E: Logistics and Transportation Review*, 44(3), 455–474.
- Lee, D. H., Dong, M., & Bian, W. (2010). The design of sustainable logistics network under uncertainty. *International Journal of Production Economics*, 128(1), 159–166.
- Lee, J. E., Gen, M., & Rhee, K. G. (2009). Network model and optimization of reverse logistics by hybrid genetic algorithm. *Computers & Industrial Engineering*, 56(3), 951–964.
- Li, X., Li, Y. J., & Cai, X. Q. (2009). Collection pricing decision in a remanufacturing system considering random yield and random demand. *Systems Engineering–Theory & Practice*, 29(8), 19–27.
- Li, C., Liu, F., Cao, H., & Wang, Q. (2009). A stochastic dynamic programming based model for uncertain production planning of re-manufacturing system. *International Journal of Production Research*, 47(13), 3657–3668.
- Li, X., & Olorunniwo, F. (2008). An exploration of reverse logistics practices in three companies. *Supply Chain Management: An International Journal*, 13(5), 381–386.
- Lieckens, K., & Vandaele, N. (2007). Reverse logistics network design with stochastic lead times. *Computers & Operations Research*, 34(2), 395–416.
- Lieckens, K., & Vandaele, N. (2012). Multi-level reverse logistics network design under uncertainty. *International Journal of Production Research*, 50(1), 23–40.
- Linton, J. D., Klassen, R., & Jayaraman, V. (2007). Sustainable supply chains: An introduction. *Journal of Operations Management*, 25(6), 1075–1082.
- Listes, O. (2007). A generic stochastic model for supply-and-return network design. *Computers & Operations Research*, 34(2), 417–442.
- Liu, M., Liu, C., Xing, L., Mei, F., & Zhang, X. (2013). Study on a tolerance grading allocation method under uncertainty and quality oriented for remanufactured parts. *The International Journal of Advanced Manufacturing Technology*, 1–8. DOI 10.1007/s00170-013-4826-z.
- Loomba, A. P., & Nakashima, K. (2012). Enhancing value in reverse supply chains by sorting before product recovery. *Production Planning & Control*, 23(2–3), 205–215.
- Lu, Z., & Bostel, N. (2007). A facility location model for logistics systems including reverse flows: The case of remanufacturing activities. *Computers & Operations Research*, 34(2), 299–323.
- Lu, L. Y., Wu, C. H., & Kuo, T. C. (2007). Environmental principles applicable to green supplier evaluation by using multi-objective decision analysis. *International Journal of Production Research*, 45(18–19), 4317–4331.
- Luenberger, D. G. (2003). *Linear and nonlinear programming*. Springer.



- Lundin, J. F. (2012). Redesigning a closed-loop supply chain exposed to risks. *International Journal of Production Economics*, 140(2), 596–603.
- Mansouri, S., & Zarei, M. (2008). A multi-period reverse logistics optimisation model for end-of-life vehicles recovery based on EU Directive. *International Journal of Computer Integrated Manufacturing*, 21(7), 764–777.
- Marsillac, E. L. (2008). Environmental impacts on reverse logistics and green supply chains: Similarities and integration. *International Journal of Logistics Systems and Management*, 4(4), 411–422.
- Martin, P., Guide, V. D. R., Jr., & Craighead, C. W. (2010). Supply chain sourcing in remanufacturing operations: An empirical investigation of remake versus buy. *Decision Sciences*, 41(2), 301–324.
- Marwede, M., Berger, W., Schlummer, M., Mäurer, A., & Reller, A. (2013). Recycling paths for thin-film chalcogenide photovoltaic waste—Current feasible processes. *Renewable Energy*, 55, 220–229.
- Matsumoto, M., & Umeda, Y. (2011). An analysis of remanufacturing practices in Japan. *Journal of Remanufacturing*, 1(1), 1–11.
- Mayring, P. (2003). *Qualitative inhaltanalyse – Grundlagen und Techniken*. [Qualitative content analysis] (8th ed.). Weinheim, Germany: Beltz Verlag.
- Mazhar, M. I., Kara, S., & Kaebnick, H. (2007). Remaining life estimation of used components in consumer products: Life cycle data analysis by Weibull and artificial neural networks. *Journal of Operations Management*, 25(6), 1184–1193.
- Meade, L., Sarkis, J., & Presley, A. (2007). The theory and practice of reverse logistics. *International Journal of Logistics Systems and Management*, 3(1), 56–84.
- Melacini, M., Salgaro, A., & Brognoli, D. (2010). A model for the management of WEEE reverse logistics. *International Journal of Logistics Systems and Management*, 7(1), 1–18.
- Melo, M. T., Nickel, S., & Saldanha-Da-Gama, F. (2009). Facility location and supply chain management—A review. *European Journal of Operational Research*, 196(2), 401–412.
- Metta, H., & Badurdeen, F. (2011). Optimized closed-loop supply chain configuration selection for sustainable product designs. In *2011 IEEE Conference on Automation Science and Engineering (CASE)* (pp. 438–443). IEEE.
- Miemczyk, J. (2008). An exploration of institutional constraints on developing end-of-life product recovery capabilities. *International Journal of Production Economics*, 115(2), 272–282.
- Miller, K. D. (1992). A framework for integrated risk management in international business. *Journal of international business studies*, 311–331.
- Millet, D. (2011). Designing a sustainable reverse logistics channel: The 18 generic structures framework. *Journal of Cleaner Production*, 19(6), 588–597.
- Min, H., & Ko, H. J. (2008). The dynamic design of a reverse logistics network from the perspective of third-party logistics service providers. *International Journal of Production Economics*, 113(1), 176–192.
- Minner, S., & Kiesmüller, G. P. (2012). Dynamic product acquisition in closed loop supply chains. *International Journal of Production Research*, 50(11), 2836–2851.
- Mitra, S. (2007). Revenue management for remanufactured products. *Omega*, 35(5), 553–562.
- Mitra, S. (2009). Analysis of a two-echelon inventory system with returns. *Omega*, 37(1), 106–115.
- Mitra, S. (2012). Inventory management in a two-echelon closed-loop supply chain with correlated demands and returns. *Computers & Industrial Engineering*, 62(4), 870–879.
- Mitra, S. (2013). Periodic review policy for a two-echelon closed-loop inventory system with correlations between demands and returns. *OPSEARCH*, 1–12. DOI 10.1007/s12597-013-0121-x.
- Mitra, S., & Webster, S. (2008). Competition in remanufacturing and the effects of government subsidies. *International Journal of Production Economics*, 111(2), 287–298.
- Mollenkopf, D., Russo, I., & Frankel, R. (2007). The returns management process in supply chain strategy. *International Journal of Physical Distribution & Logistics Management*, 37(7), 568–592.
- Mondragon, A. E. C., Lalwani, C., & Mondragon, C. E. C. (2011). Measures for auditing performance and integration in closed-loop supply chains. *Supply Chain Management: An International Journal*, 16(1), 43–56.
- Morana, R., & Seuring, S. (2007). End-of-life returns of long-lived products from end customer—insights from an ideally set up closed-loop supply chain. *International Journal of Production Research*, 45(18–19), 4423–4437.
- Morana, R., & Seuring, S. (2011). A three level framework for closed-loop supply chain management—linking society, chain and actor level. *Sustainability*, 3(4), 678–691.
- Mukherjee, K., & Mondal, S. (2009). Analysis of issues relating to remanufacturing technology—A case of an Indian company. *Technology Analysis & Strategic Management*, 21(5), 639–652.
- Mukhopadhyay, S. K., & Ma, H. (2009). Joint procurement and production decisions in remanufacturing under quality and demand uncertainty. *International Journal of Production Economics*, 120(1), 5–17.
- Mutha, A., & Pokharel, S. (2009). Strategic network design for reverse logistics and remanufacturing using new and old product modules. *Computers & Industrial Engineering*, 56(1), 334–346.
- Nativi, J. J., & Lee, S. (2012). Impact of RFID information-sharing strategies on a decentralized supply chain with reverse logistics operations. *International Journal of Production Economics*, 136(2), 366–377.
- Nenes, G., & Nikolaidis, Y. (2012). A multi-period model for managing used product returns. *International Journal of Production Research*, 50(5), 1360–1376.
- Nukala, S., & Gupta, S. M. (2007). A fuzzy mathematical programming approach for supplier selection in a closed-loop supply chain network. In *Proceedings of the 2007 POMS-Dallas meeting* (pp. 4–7).
- Olorunniwo, F. O., & Li, X. (2010). Information sharing and collaboration practices in reverse logistics. *Supply Chain Management: An International Journal*, 15(6), 454–462.
- Olugu, E. U., & Wong, K. Y. (2012). An expert fuzzy rule-based system for closed-loop supply chain performance assessment in the automotive industry. *Expert Systems with Applications*, 39(1), 375–384.
- Olugu, E. U., Wong, K. Y., & Shaharoun, A. M. (2011). Development of key performance measures for the automobile green supply chain. *Resources, Conservation and Recycling*, 55(6), 567–579.
- Ordoobadi, S. M. (2009). Outsourcing reverse logistics and remanufacturing functions: A conceptual strategic model. *Management Research News*, 32(9), 831–845.
- Östlin, J., Sundin, E., & Björkman, M. (2008). Importance of closed-loop supply chain relationships for product remanufacturing. *International Journal of Production Economics*, 115(2), 336–348.
- Özceylan, E., & Paksoy, T. (2013a). A mixed integer programming model for a closed-loop supply-chain network. *International Journal of Production Research*, 51(3), 718–734.
- Özceylan, E., & Paksoy, T. (2013b). Fuzzy multi objective linear programming approach for optimizing a closed-loop supply chain network. *International Journal of Production Research*, 51(8), 2443–2461.
- Özkır, V., & Başgil, H. (2013). Multi-objective optimization of closed-loop supply chains in uncertain environment. *Journal of Cleaner Production*, 41, 114–125.
- Pagell, M., & Wu, Z. (2009). Building a more complete theory of sustainable supply chain management using case studies of 10 exemplars. *Journal of Supply Chain Management*, 45(2), 37–56.
- Pagell, M., Wu, Z., & Murthy, N. N. (2007). The supply chain implications of recycling. *Business Horizons*, 50(2), 133–143.
- Paksoy, T., Bektaş, T., & Özceylan, E. (2011). Operational and environmental performance measures in a multi-product closed-loop supply chain. *Transportation Research Part E: Logistics and Transportation Review*, 47(4), 532–546.
- Paksoy, T., Özceylan, E., & Weber, G. W. (2010, June). A multi objective model for optimization of a green supply chain network. In *AIP Conference Proceedings* (Vol. 1239, p. 311).
- Pal, B., Sana, S. S., & Chaudhuri, K. (2013). A stochastic inventory model with product recovery. *CIRP Journal of Manufacturing Science and Technology*, 6(2), 120–127.
- Pan, Z., Tang, J., & Liu, O. (2009). Capacitated dynamic lot sizing problems in closed-loop supply chain. *European Journal of Operational Research*, 198(3), 810–821.
- Panagiotidou, S., Nenes, G., & Zikopoulos, C. (2013). Optimal procurement and sampling decisions under stochastic yield of returns in reverse supply chains. *OR Spectrum*, 35(1), 1–32.
- Parlikad, A. K., & McFarlane, D. (2007). RFID-based product information in end-of-life decision making. *Control Engineering Practice*, 15(11), 1348–1363.
- Pati, R. K., Vrat, P., & Kumar, P. (2010). Quantifying bullwhip effect in a closed loop supply chain. *Opsearch*, 47(4), 231–253.
- Peng, Z. Y., & Zhong, D. Y. (2007). Optimization model for closed-loop logistics network design in manufacturing and remanufacturing system. In *International conference on service systems and service management*, 2007 (pp. 1–4). IEEE.
- Pigosso, D. C., Zanette, E. T., Ometto, A. R., & Rozenfeld, H. (2010). Ecodesign methods focused on remanufacturing. *Journal of Cleaner Production*, 18(1), 21–31.
- Piplani, R., & Saraswat, A. (2012). Robust optimisation approach to the design of service networks for reverse logistics. *International Journal of Production Research*, 50(5), 1424–1437.
- Pishvae, M. S., Farahani, R. Z., & Dullaert, W. (2010). A memetic algorithm for bi-objective integrated forward/reverse logistics network design. *Computers & Operations Research*, 37(6), 1100–1112.
- Pishvae, M. S., Kianfar, K., & Karimi, B. (2010). Reverse logistics network design using simulated annealing. *The International Journal of Advanced Manufacturing Technology*, 47(1–4), 269–281.
- Pishvae, M. S., Rabbani, M., & Torabi, S. A. (2011). A robust optimization approach to closed-loop supply chain network design under uncertainty. *Applied Mathematical Modelling*, 35(2), 637–649.
- Pishvae, M. S., & Torabi, S. A. (2010). A possibilistic programming approach for closed-loop supply chain network design under uncertainty. *Fuzzy Sets and Systems*, 161(20), 2668–2683.
- Pochampally, K. K., & Gupta, S. M. (2008). A multiphase fuzzy logic approach to strategic planning of a reverse supply chain network. *IEEE Transactions on Electronics Packaging Manufacturing*, 31(1), 72–82.
- Pochampally, K. K., & Gupta, S. M. (2012). Use of linear physical programming and Bayesian updating for design issues in reverse logistics. *International Journal of Production Research*, 50(5), 1349–1359.
- Pochampally, K. K., Gupta, S. M., & Govindan, K. (2009). Metrics for performance measurement of a reverse/closed-loop supply chain. *International Journal of Business Performance and Supply Chain Modelling*, 1(1), 8–32.
- Pokharel, S., & Mutha, A. (2009). Perspectives in reverse logistics: A review. *Resources, Conservation and Recycling*, 53(4), 175–182.
- Poles, R. (2013). System dynamics modelling of a production and inventory system for remanufacturing to evaluate system improvement strategies. *International Journal of Production Economics*. <<http://dx.doi.org/10.1016/j.ijpe.2013.02.003>>.
- Ponce-Cueto, E., Manteca, J. A. G., & Carrasco-Gallego, R. (2011). Reverse logistics for used portable batteries in Spain: An analytical proposal for collecting batteries. In *Information technologies in environmental engineering* (pp. 593–604). Berlin Heidelberg: Springer.

- Qi, Z., & Hongcheng, W. (2008). Research on construction mode of recycling network of reverse logistics of automobile enterprises. *International conference on information management, innovation management and industrial engineering, 2008, ICII'08* (Vol. 3, pp. 36–40). IEEE.
- Qiang, Q., Ke, K., Anderson, T., & Dong, J. (2013). The closed-loop supply chain network with competition, distribution channel investment, and uncertainties. *Omega*, 41(2), 186–194.
- Qiaolun, G., Jianhua, J., & Tiegang, G. (2008). Pricing management for a closed-loop supply chain. *Journal of Revenue & Pricing Management*, 7(1), 45–60.
- Qiaolun, G., & Tiegang, G. (2009). Two-period price management for closed-loop supply chain. *Second International Conference on Information and Computing Science, 2009, ICIC'09* (Vol. 3, pp. 181–184). IEEE.
- Qin, Z., & Ji, X. (2010). Logistics network design for product recovery in fuzzy environment. *European Journal of Operational Research*, 202(2), 479–490.
- Qingli, D., Hao, S., & Hui, Z. (2008). Simulation of remanufacturing in reverse supply chain based on system dynamics. In *International conference on service systems and service management, 2008* (pp. 1–6). IEEE.
- Qiu, R. Z., & Huang, X. Y. (2007). Coordination model for closed-loop supply chain with product recycling. *Journal-Northeastern University Natural Science*, 28(6), 883.
- Quariguasi Frota Neto, J., Walther, G., Bloemhof-Ruwaard, J. M., Van Nunen, J. A. E. E., & Spengler, T. (2007). From Closed-Loop to Sustainable Supply Chains: The WEEE case. ERM Report Series Reference No. ERS-2007-036-LIS.
- Quariguasi Frota Neto, J., & Van Wassenhove, L. N. (2013). Original equipment manufacturers' participation in take-back initiatives in Brazil. *Journal of Industrial Ecology*, 17(2), 238–248.
- Quariguasi Frota Neto, J., Walther, G., Bloemhof, J., Van Nunen, J. A. E. E., & Spengler, T. (2009). A methodology for assessing eco-efficiency in logistics networks. *European Journal of Operational Research*, 193(3), 670–682.
- Quariguasi Frota Neto, J., Walther, G., Bloemhof, J., Van Nunen, J. A. E. E., & Spengler, T. (2010). From closed-loop to sustainable supply chains: The WEEE case. *International Journal of Production Research*, 48(15), 4463–4481.
- Rahman, S., & Subramanian, N. (2012). Factors for implementing end-of-life computer recycling operations in reverse supply chains. *International Journal of Production Economics*, 140(1), 239–248.
- Ramanathan, R. (2011). An empirical analysis on the influence of risk on relationships between handling of product returns and customer loyalty in E-commerce. *International Journal of Production Economics*, 130(2), 255–261.
- Ramezani, M., Bashiri, M., & Tavakkoli-Moghaddam, R. (2013). A new multi-objective stochastic model for a forward/reverse logistic network design with responsiveness and quality level. *Applied Mathematical Modelling*, 37(1–2), 328–344.
- Rangwani, N., Subramanian, P., Ramkumar, N., & Narendran, T. T. (2011). Heuristic for a single period single product closed loop supply chain. *International Journal of Enterprise Network Management*, 4(3), 311–324.
- Ravi, V., Shankar, R., & Tiwari, M. K. (2008). Selection of a reverse logistics project for end-of-life computers: ANP and goal programming approach. *International Journal of Production Research*, 46(17), 4849–4870.
- Rogers, D. S., & Tibben-Lembke, R. S. (1998). *Going backwards: Reverse logistics trends and practices*. Center for Logistics Management, University of Nevada, Reno, Reverse Logistics Executive Council. 1998.
- Rouf, S., & Zhang, G. (2011). Supply planning for a closed-loop system with uncertain demand and return. *International Journal of Operational Research*, 10(4), 380–397.
- Roy, A., Maity, K., & Maiti, M. (2009). A production–Inventory model with remanufacturing for defective and usable items in fuzzy-environment. *Computers & Industrial Engineering*, 56(1), 87–96.
- Rubio, S., Chamorro, A., & Miranda, F. J. (2008). Characteristics of the research on reverse logistics (1995–2005). *International Journal of Production Research*, 46(4), 1099–1120.
- Rubio, S., & Corominas, A. (2008). Optimal manufacturing–Remanufacturing policies in a lean production environment. *Computers & Industrial Engineering*, 55(1), 234–242.
- Rubio, S., Miranda, F. J., Chamorro, A., & Valero, V. (2009). Implementing a reverse logistics system: A case study. *International Journal of Procurement Management*, 2(4), 346–357.
- Saen, R. F. (2011). A decision model for selecting third-party reverse logistics providers in the presence of both dual-role factors and imprecise data. *Asia-Pacific Journal of Operational Research*, 28(2), 239–254.
- Sahyouni, K., Savaskan, R. C., & Daskin, M. S. (2007). A facility location model for bidirectional flows. *Transportation Science*, 41(4), 484–499.
- Salema, M. I. G., Barbosa-Povoa, A. P., & Novais, A. Q. (2007). An optimization model for the design of a capacitated multi-product reverse logistics network with uncertainty. *European Journal of Operational Research*, 179(3), 1063–1077.
- Salema, M. I. G., Barbosa-Povoa, A. P., & Novais, A. Q. (2010). Simultaneous design and planning of supply chains with reverse flows: A generic modelling framework. *European Journal of Operational Research*, 203(2), 336–349.
- Salema, M. I. G., Póvoa, A. P. B., & Novais, A. Q. (2009). A strategic and tactical model for closed-loop supply chains. *OR Spectrum*, 31(3), 573–599.
- Sarkis, J., Helms, M. M., & Hervani, A. A. (2010). Reverse logistics and social sustainability. *Corporate Social Responsibility and Environmental Management*, 17(6), 337–354.
- Sarkis, J., Zhu, Q., & Lai, K. H. (2011). An organizational theoretic review of green supply chain management literature. *International Journal of Production Economics*, 130(1), 1–15.
- Sasikumar, P., & Haq, A. N. (2011). Integration of closed loop distribution supply chain network and 3PLRP selection for the case of battery recycling. *International Journal of Production Research*, 49(11), 3363–3385.
- Sasikumar, P., & Kannan, G. (2008a). Issues in reverse supply chains, part II: Reverse distribution issues—An overview. *International Journal of Sustainable Engineering*, 1(4), 234–249.
- Sasikumar, P., & Kannan, G. (2008b). Issues in reverse supply chains, part I: End-of-life product recovery and inventory management—An overview. *International Journal of Sustainable Engineering*, 1(3), 154–172.
- Sasikumar, P., & Kannan, G. (2009). Issues in reverse supply chain, part III: Classification and simple analysis. *International Journal of Sustainable Engineering*, 2(1), 2–27.
- Schmidt, M., & Schwegler, R. (2008). A recursive ecological indicator system for the supply chain of a company. *Journal of Cleaner Production*, 16(15), 1658–1664.
- Schulz, T. (2011). A new Silver-Meal based heuristic for the single-item dynamic lot sizing problem with returns and remanufacturing. *International Journal of Production Research*, 49(9), 2519–2533.
- Schweiger, K., & Sahamie, R. (2013). A hybrid Tabu Search approach for the design of a paper recycling network. *Transportation Research Part E: Logistics and Transportation Review*, 50, 98–119.
- Seitz, M. A. (2007). A critical assessment of motives for product recovery: The case of engine remanufacturing. *Journal of Cleaner Production*, 15(11), 1147–1157.
- Serrato, M. A., Ryan, S. M., & Gaytan, J. (2007). A Markov decision model to evaluate outsourcing in reverse logistics. *International Journal of Production Research*, 45(18–19), 4289–4315.
- Setaputra, R., & Mukhopadhyay, S. K. (2010). A framework for research in reverse logistics. *International Journal of Logistics Systems and Management*, 7(1), 19–55.
- Seuring, S., & Müller, M. (2007). Integrated chain management in Germany—Identifying schools of thought based on a literature review. *Journal of Cleaner Production*, 15(7), 699–710.
- Seuring, S., & Müller, M. (2008a). From a literature review to a conceptual framework for sustainable supply chain management. *Journal of Cleaner Production*, 16(15), 1699–1710.
- Seuring, S., & Müller, M. (2008b). Core issues in sustainable supply chain management—A Delphi study. *Business Strategy and the Environment*, 17(8), 455–466.
- Shankar, R., Ravi, V., & Tiwari, M. K. (2008). Analysis of interaction among variables of reverse logistics: A system dynamics approach. *International Journal of Logistics Systems and Management*, 4(1), 1–20.
- Sharma, A., Iyer, G. R., Mehrotra, A., & Krishnan, R. (2010). Sustainability and business-to-business marketing: A framework and implications. *Industrial Marketing Management*, 39(2), 330–341.
- Shevtshenko, E., & Wang, Y. (2009). Decision support under uncertainties based on robust Bayesian networks in reverse logistics management. *International Journal of Computer Applications in Technology*, 36(3), 247–258.
- Shi, L., Fan, H., Gao, P., & Zhang, H. (2009). Network model and optimization of medical waste reverse logistics by improved genetic algorithm. In *Advances in computation and intelligence* (pp. 40–52). Berlin Heidelberg: Springer.
- Shi, X., Li, L. X., Yang, L., Li, Z., & Choi, J. Y. (2012). Information flow in reverse logistics: An industrial information integration study. *Information Technology and Management*, 13(4), 217–232.
- Shi, J., Zhang, G., & Sha, J. (2011a). Optimal production and pricing policy for a closed loop system. *Resources, Conservation and Recycling*, 55(6), 639–647.
- Shi, J., Zhang, G., & Sha, J. (2011b). Optimal production planning for a multi-product closed loop system with uncertain demand and return. *Computers & Operations Research*, 38(3), 641–650.
- Shi, J., Zhang, G., Sha, J., & Amin, S. H. (2010). Coordinating production and recycling decisions with stochastic demand and return. *Journal of Systems Science and Systems Engineering*, 19(4), 385–407.
- Silva Filho, O. S. (2013). An open-loop approach for a stochastic production planning problem with remanufacturing process. In *Informatics in control. Automation and robotics* (pp. 211–225). Berlin Heidelberg: Springer.
- Simpson, D. (2010). Use of supply relationships to recycle secondary materials. *International Journal of Production Research*, 48(1), 227–249.
- Sloan, T. W. (2007). Safety-cost trade-offs in medical device reuse: A Markov decision process model. *Health Care Management Science*, 10(1), 81–93.
- Soleimani, H., Seyyed-Esfahani, M., & Kannan, G. (2013). Incorporating risk measures in closed-loop supply chain network design. *International Journal of Production Research*. 10.1080/00207543.2013.849823.
- Soleimani, H., Seyyed-Esfahani, M., & Shirazi, M. A. (2013a). Designing and planning a multi-echelon multi-period multi-product closed-loop supply chain utilizing genetic algorithm. *The International Journal of Advanced Manufacturing Technology*, 68(1–4), 917–931.
- Soleimani, H., Seyyed-Esfahani, M., & Shirazi, M. A. (2013b). A new multi-criteria scenario-based solution approach for stochastic forward/reverse supply chain network design. *Annals of Operations Research*. <http://dx.doi.org/10.1007/s10479-013-1435-z>.
- Solvang, W. D., & Hakam, M. H. (2010). Sustainable logistics networks in sparsely populated areas. *Journal of Service Science and Management*, 3(1), 72–77.
- Souza, G. C. (2013). Closed-loop supply chains: A critical review, and future research. *Decision Sciences*, 44(1), 7–38.
- Srivastava, S. K. (2007). Green supply-chain management: A state-of-the-art literature review. *International Journal of Management Reviews*, 9(1), 53–80.
- Srivastava, S. K. (2008a). Network design for reverse logistics. *Omega*, 36(4), 535–548.



- Srivastava, S. K. (2008b). Value recovery network design for product returns. *International Journal of Physical Distribution & Logistics Management*, 38(4), 311–331.
- Su, X. (2009). Consumer returns policies and supply chain performance. *Manufacturing & Service Operations Management*, 11(4), 595–612.
- Subramanian, R., Ferguson, M. E., & Toktay, L. B. (2013). Remanufacturing and the component commonality decision. *Production and Operations Management*, 22(1), 36–53.
- Subramanian, P., Ramkumar, N., & Narendran, T. T. (2010). Mathematical model for multi-echelon, multi-product, single time-period closed loop supply chain. *International Journal of Business Performance and Supply Chain Modelling*, 2(3), 216–236.
- Subramoniam, R., Huisinigh, D., & Chinnam, R. B. (2009). Remanufacturing for the automotive aftermarket-strategic factors: Literature review and future research needs. *Journal of Cleaner Production*, 17(13), 1163–1174.
- Subramoniam, R., Huisinigh, D., & Chinnam, R. B. (2010). Aftermarket remanufacturing strategic planning decision-making framework: Theory & practice. *Journal of Cleaner Production*, 18(16), 1575–1586.
- Sun, X., Wu, M., & Hu, F. (2013). Two-period inventory control with manufacturing and remanufacturing under return compensation policy. *Discrete Dynamics in Nature and Society*. Article ID 871286.
- Sundin, E., Östlin, J., Rönnbäck, A. Ö., Lindahl, M., & Sandström, G. Ö. (2008). Remanufacturing of products used in product service system offerings. In *Manufacturing Systems and Technologies for the New Frontier* (pp. 537–542). London: Springer.
- Tagaras, G., & Zikopoulos, C. (2008). Optimal location and value of timely sorting of used items in a remanufacturing supply chain with multiple collection sites. *International Journal of Production Economics*, 115(2), 424–432.
- Talbot, S., Lefebvre, E., & Lefebvre, L. A. (2007). Closed-loop supply chain activities and derived benefits in manufacturing SMEs. *Journal of Manufacturing Technology Management*, 18(6), 627–658.
- Tan, A., & Kumar, A. (2008). A decision making model to maximise the value of reverse logistics in the computer industry. *International Journal of Logistics Systems and Management*, 4(3), 297–312.
- Tang, J., Liu, Y., Fung, R. Y., & Luo, X. (2008). Industrial waste recycling strategies optimization problem: Mixed integer programming model and heuristics. *Engineering Optimization*, 40(12), 1085–1100.
- Teunter, R. H., & Flapper, S. D. P. (2011). Optimal core acquisition and remanufacturing policies under uncertain core quality fractions. *European Journal of Operational Research*, 210(2), 241–248.
- Teunter, R., Kaparis, K., & Tang, O. (2008). Multi-product economic lot scheduling problem with separate production lines for manufacturing and remanufacturing. *European Journal of Operational Research*, 191(3), 1241–1253.
- Thun, J. H., & Müller, A. (2010). An empirical analysis of green supply chain management in the German automotive industry. *Business Strategy and the Environment*, 19(2), 119–132.
- Toktay, L. B., & Wei, D. (2011). Cost allocation in manufacturing–Remanufacturing operations. *Production and Operations Management*, 20(6), 841–847.
- Tonanont, A., Yimsiri, S., Jitpitakert, W., & Rogers, K.J. (2008). Performance evaluation in reverse logistics with data envelopment analysis. In: *Proceedings of the 2008 Industrial Engineering Research Conference* (pp. 764–769).
- Topcu, A., Benneyan, J. C., & Cullinane, T. P. (2013). A simulation–Optimisation approach for reconfigurable inventory space planning in remanufacturing facilities. *International Journal of Business Performance and Supply Chain Modelling*, 5(1), 86–114.
- Toyasaki, F., Boyacı, T., & Verter, V. (2011). An analysis of monopolistic and competitive take-back schemes for WEEE recycling. *Production and Operations Management*, 20(6), 805–823.
- Toyasaki, F., Wakolbinger, T., & Kettinger, W. J. (2013). The value of information systems for product recovery management. *International Journal of Production Research*, 51(4), 1214–1235.
- Tsai, W. H., & Hung, S. J. (2009). Treatment and recycling system optimisation with activity-based costing in WEEE reverse logistics management: An environmental supply chain perspective. *International Journal of Production Research*, 47(19), 5391–5420.
- Tuzkaya, G., & Gülsün, B. (2008). Evaluating centralized return centers in a reverse logistics network: An integrated fuzzy multi-criteria decision approach. *International Journal of Environmental Science & Technology*, 5(3), 339–352.
- Tuzkaya, G., Gülsün, B., & Önsel, Ş. (2011). A methodology for the strategic design of reverse logistics networks and its application in the Turkish white goods industry. *International Journal of Production Research*, 49(15), 4543–4571.
- Üster, H., Easwaran, G., Akçali, E., & Çetinkaya, S. (2007). Benders decomposition with alternative multiple cuts for a multi-product closed-loop supply chain network design model. *Naval Research Logistics (NRL)*, 54(8), 890–907.
- Vadde, S., Kamarthi, S. V., & Gupta, S. M. (2007). Optimal pricing of reusable and recyclable components under alternative product acquisition mechanisms. *International Journal of Production Research*, 45(18–19), 4621–4652.
- Van Wassenhove, L. N., & Zikopoulos, C. (2010). On the effect of quality overestimation in remanufacturing. *International Journal of Production Research*, 48(18), 5263–5280.
- Verstrepen, S., Cruijssen, F., de Brito, M. P., & Dullaert, W. (2007). An exploratory analysis of reverse logistics in Flanders. *European Journal of Transport and Infrastructure Research*, 7(4), 301–316.
- Vidovic, M., Dimitrijevic, B., Ratkovic, B., & Simic, V. (2011). A novel covering approach to positioning ELV collection points. *Resources, Conservation and Recycling*, 57, 1–9.
- Vishwa, V. K., Chan, F. T., Mishra, N., & Kumar, V. (2010). Environmental integrated closed loop logistics model: An artificial bee colony approach. In *8th international conference on Supply Chain Management and Information Systems (SCMIS)*, 2010 (pp. 1–7). IEEE.
- Visich, J. K., Li, S., & Khumawala, B. M. (2007). Enhancing product recovery value in closed-loop supply chains with RFID. *Journal of Managerial Issues*, 436–452.
- Vlachos, D., Georgiadis, P., & Iakovou, E. (2007). A system dynamics model for dynamic capacity planning of remanufacturing in closed-loop supply chains. *Computers & Operations Research*, 34(2), 367–394.
- Wadhwa, S., Madaan, J., & Chan, F. T. S. (2009). Flexible decision modeling of reverse logistics system: A value adding MCDM approach for alternative selection. *Robotics and Computer-Integrated Manufacturing*, 25(2), 460–469.
- Walther, G., Schmid, E., & Spengler, T. S. (2008). Negotiation-based coordination in product recovery networks. *International Journal of Production Economics*, 111(2), 334–350.
- Wang, H. F., & Hsu, H. W. (2010a). A closed-loop logistic model with a spanning-tree based genetic algorithm. *Computers & Operations Research*, 37(2), 376–389.
- Wang, H. F., & Hsu, H. W. (2010b). Resolution of an uncertain closed-loop logistics model: An application to fuzzy linear programs with risk analysis. *Journal of Environmental Management*, 91(11), 2148–2162.
- Wang, F., Lai, X., & Shi, N. (2011). A multi-objective optimization for green supply chain network design. *Decision Support Systems*, 51(2), 262–269.
- Wang, Y., Lu, T., & Zhang, C. (2013). Integrated logistics network design in hybrid manufacturing/remanufacturing system under low-carbon restriction. In *LISS 2012* (pp. 111–121). Berlin Heidelberg: Springer.
- Wang, J., Zhao, J., & Wang, X. (2011). Optimum policy in hybrid manufacturing/remanufacturing system. *Computers & Industrial Engineering*, 60(3), 411–419.
- Webster, S., & Mitra, S. (2007). Competitive strategy in remanufacturing and the impact of take-back laws. *Journal of Operations Management*, 25(6), 1123–1140.
- Wei, J. (2013). *Pricing and remanufacturing decisions of a decentralized fuzzy supply chain*. *Discrete Dynamics in Nature and Society*. <<http://dx.doi.org/10.1155/2013/986704>>.
- Wei, J., & Zhao, J. (2011). Pricing decisions with retail competition in a fuzzy closed-loop supply chain. *Expert Systems with Applications*, 38(9), 11209–11216.
- Wei, J., Zhao, J., & Sun, X. (2013). Reverse channel decisions for a fuzzy closed-loop supply chain. *Applied Mathematical Modelling*, 37(3), 1502–1513.
- Wikner, J., & Tang, O. (2008). A structural framework for closed-loop supply chains. *International Journal of Logistics Management*, 19(3), 344–366.
- Wilcox, W., Horvath, P. A., Griffis, S. E., & Autry, C. W. (2011). A Markov model of liquidity effects in reverse logistics processes: The effects of random volume and passage. *International Journal of Production Economics*, 129(1), 86–101.
- Winkler, H. (2011). Closed-loop production systems—A sustainable supply chain approach. *CIRP Journal of Manufacturing Science and Technology*, 4(3), 243–246.
- Wu, Y. C. J., & Cheng, W. P. (2007). Creating an effective reverse supply chain in China: The publishing industry. *International Journal of Services Operations and Informatics*, 2(4), 391–409.
- Xanthopoulos, A., & Iakovou, E. (2009). On the optimal design of the disassembly and recovery processes. *Waste Management*, 29(5), 1702–1711.
- Xiao, T., Shi, K., & Yang, D. (2010). Coordination of a supply chain with consumer return under demand uncertainty. *International Journal of Production Economics*, 124(1), 171–180.
- Xu, D. F., Li, Q., Jun, H. B., Browne, J., Chen, Y. L., & Kiritsis, D. (2009). Modelling for product information tracking and feedback via wireless technology in closed-loop supply chains. *International Journal of Computer Integrated Manufacturing*, 22(7), 648–670.
- Yang, Y., Min, H., & Zhou, G. (2009). Theory of constraints for recycling automobile tyres in the reverse logistics system. *International Journal of Integrated Supply Management*, 5(2), 158–172.
- Yang, G. F., Wang, Z. P., & Li, X. Q. (2009). The optimization of the closed-loop supply chain network. *Transportation Research Part E: Logistics and Transportation Review*, 45(1), 16–28.
- Yang, P. C., Wee, H. M., Chung, S. L., & Ho, P. C. (2010). Sequential and global optimization for a closed-loop deteriorating inventory supply chain. *Mathematical and Computer Modelling*, 52(1), 161–176.
- Ye, F., Zhao, X., Prahinski, C., & Li, Y. (2013). The impact of institutional pressures, top managers' posture and reverse logistics on performance—Evidence from China. *International Journal of Production Economics*, 143(1), 132–143.
- Yingfei, Z., Shuxia, Z., Xiaojing, C., & Fang, L. (2011). Application of modified Shapley value in gains allocation of closed-loop supply chain under third-party reclaim. *Energy Procedia*, 5, 980–984.
- Yoshida, Y. (2008). A risk-minimizing portfolio model with fuzziness. In *IEEE international conference on fuzzy systems, 2008. FUZZ-IEEE 2008. (IEEE world congress on computational intelligence)* (pp. 909–914). IEEE.
- Yuan, K. F., & Gao, Y. (2010). Inventory decision-making models for a closed-loop supply chain system. *International Journal of Production Research*, 48(20), 6155–6187.
- Zarandi, M. H. F., Sisakht, A. H., & Davari, S. (2011). Design of a closed-loop supply chain (CLSC) model using an interactive fuzzy goal programming. *The International Journal of Advanced Manufacturing Technology*, 56(5–8), 809–821.
- Zarei, M., Mansour, S., Husseinzadeh Kashan, A., & Karimi, B. (2010). Designing a reverse logistics network for end-of-life vehicles recovery. *Mathematical Problems in Engineering*. <http://dx.doi.org/10.1155/2010/649028>.
- Zhang, Y. M., Huang, G. H., & He, L. (2011). An inexact reverse logistics model for municipal solid waste management systems. *Journal of Environmental Management*, 92(3), 522–530.

- Zhang, X., & Jin, C. (2011). The pricing model construction of reverse supply chain based on game theory. *International conference on Electronic and Mechanical Engineering and Information Technology (EMEIT), 2011* (Vol. 4, pp. 1880–1883). IEEE.
- Zhang, J., Liu, X., & Tu, Y. L. (2011). A capacitated production planning problem for closed-loop supply chain with remanufacturing. *The International Journal of Advanced Manufacturing Technology*, 54(5–8), 757–766.
- Zhou, G., & Min, H. (2011). Designing a closed-loop supply chain with stochastic product returns: A Genetic Algorithm approach. *International Journal of Logistics Systems and Management*, 9(4), 397–418.
- Zhou, Y., & Wang, S. (2008). Generic model of reverse logistics network design. *Journal of Transportation Systems Engineering and Information Technology*, 8(3), 71–78.
- Zhu, Q., Sarkis, J., Cordeiro, J. J., & Lai, K. H. (2008). Firm-level correlates of emergent green supply chain management practices in the Chinese context. *Omega*, 36(4), 577–591.
- Zhu, Q., Sarkis, J., & Lai, K. H. (2008). Green supply chain management implications for “closing the loop”. *Transportation Research Part E: Logistics and Transportation Review*, 44(1), 1–18.
- Zhu, X., & Xiuquan, X. U. (2013). An integrated optimization model of a closed-loop supply chain under uncertainty. In *LISS 2012* (pp. 1389–1395). Berlin Heidelberg: Springer.
- Zikopoulos, C., & Tagaras, G. (2007). Impact of uncertainty in the quality of returns on the profitability of a single-period refurbishing operation. *European Journal of Operational Research*, 182(1), 205–225.
- Zikopoulos, C., & Tagaras, G. (2008). On the attractiveness of sorting before disassembly in remanufacturing. *IIE Transactions*, 40(3), 313–323.
- Zoeteman, B. C., Krikke, H. R., & Venselaar, J. (2010). Handling WEEE waste flows: On the effectiveness of producer responsibility in a globalizing world. *The International Journal of Advanced Manufacturing Technology*, 47(5), 415–436.
- Zsidisin, G. A., Ellram, L. M., Carter, J. R., & Cavinato, J. L. (2004). An analysis of supply risk assessment techniques. *International Journal of Physical Distribution & Logistics Management*, 34(5), 397–413.
- Zuidwijk, R., & Krikke, H. (2008). Strategic response to EEE returns: Product eco-design or new recovery processes? *European Journal of Operational Research*, 191(3), 1206–1222.