

2024-2025 Spring

IE 554 Project – Mathematical Models

Emek Irmak & Ömer Turan Şahinaslan

CONTENTS

1	Introduction	1
2	Mathematical Formulation of Dominator Partition Problem	1
3	Valid Inequalities	1
4	Impact of Valid Inequalities to Performance	1
5	Conclusion	1

1 Introduction

2 Mathematical Formulation of Dominator Partition Problem

Sets & Parameters

$G = (V, E)$: a graph with vertex set V and edge set E

π : dominator partition of size k of G

Decision Variables

x_{vi} : 1 if vertex v is assigned to the i^{th} block

d_{vi} : 1 if vertex v dominates block i

Objective Function & Constraints

$$\begin{array}{ll} \min & 0 \quad \text{(no objective)} \\ \text{s.t.} & \sum_{i=1}^k x_{vi} = 1, \quad \forall v \in V \quad \text{(each vertex is assigned to one block)} \\ & \sum_{v \in V} x_{vi} \geq 1 \quad \forall i \in \pi \quad \text{(no empty blocks)} \\ & x_{ui} + d_{vi} \leq 1 \quad \{\forall u, v \in V \mid \{u, v\} \notin E\}, i \in \pi \quad \text{(domination condition)} \\ & \sum_{i=1}^k d_{vi} \geq 1 \quad \forall v \in V \quad \text{(each vertex dominates at least one block)} \\ & \sum_{v \in V} x_{vi} \geq \sum_{v \in V} x_{v,i+1} \quad \forall i \in \{1, 2, \dots, k-1\} \quad \text{(blocks are used in order)} \\ & x_{vi}, d_{vi} \quad \forall v \in V, i \in \pi \quad \text{(binary variables)} \end{array}$$

3 Valid Inequalities

4 Impact of Valid Inequalities to Performance

5 Conclusion