

Item Drop for REAPER

User Manual

A REAPER script — moves the selected items to another track with one click

Emelowsky Plugins

Document version 1.0 (Item Drop 1.1.0)

Contents

(If the table below looks empty, right-click it and choose “Update Field” → “Update entire table”.)

1

1. Introduction

You have your own **mix template**: tracks, folders, sends and colors laid out the way you like. You get tracks to mix and they have to go into that template — exactly where you want them, without ruining the layout of your own session. That is what Item Drop is for.

Item Drop moves the selected **items** to another track with one click in the track list. Position, length and all takes stay — only the track changes. Handy when your template already has its track layout and you just want to drop the delivered material onto it.

Sometimes it is easier to move whole tracks, sometimes just the items — that is why there are two scripts: **Track Drop** (tracks into folders) and **Item Drop** (items to another track). They work the same way and look the same; use one or both.




Fig. 1. Item Drop next to a project: the track list with folders, the selection state and the last target at the top.

Without a license Item Drop runs right away as a **DEMO** — no time limit, with one limit: at most **3 items** per move. A license key unlocks the full version in the same file (section 3). Product page: https://emelowsky.com/plugins/

2. Requirements and installation

2.1 What you need

- **REAPER 7** (the file from the `Lua 5.4 (REAPER 7)` folder) or **REAPER 6** (the separate "(REAPER 6, Lua 5.3)" package).
- **ReaImGui 0.10 or newer** — the extension that draws the script's windows. Install: Extensions → ReaPack → Browse packages…, search for "ReaImGui" → Install → Apply, then restart REAPER.
- **js_ReaScriptAPI** (optional, also from ReaPack) — "Always on top" only over REAPER: when you click another program, the script window goes behind it.

If ReaImGui is missing, the script shows a message at startup; the "Yes" button opens reapack.com with instructions for installing ReaPack.

2.2 Installing with ReaPack (recommended)

With ReaPack, updates arrive on their own (Extensions → ReaPack → Synchronize packages). The ReaPack package also contains the manuals, EULA, quick start and the toolbar icon.

1. Extensions → ReaPack → **Import repositories…** and paste the address:

`https://raw.githubusercontent.com/Emelowsky/reapack/main/index.xml`

2. Extensions → ReaPack → **Browse packages…** → search for "Item Drop" → tick "Emelowsky - Item Drop for REAPER" (REAPER 6: the package marked "(REAPER 6, Lua 5.3)") → Install → Apply.

Done — ReaPack adds the "Emelowsky - Item Drop for REAPER" action to the Action List by itself.

Important: ReaPack installs the script into a different folder than a manual install: `Scripts/Emelowsky/Item Drop for REAPER/` (with an extra "Emelowsky" folder), not `Scripts/Item Drop for REAPER/`. Pick one way to install. When you switch from a manual install to ReaPack, delete the old manual copy and its action — the script will not start a second time from another location while the first copy runs.

2.3 Manual installation (from the shop package)

1. In REAPER: Options → **Show REAPER resource path in explorer/finder**.
2. In the `Scripts` folder, create a subfolder `Item Drop for REAPER`.
3. Copy `Emelowsky - Item Drop for REAPER.lua` from the package's `Lua 5.4 (REAPER 7)` folder into it (REAPER 6: from the "(REAPER 6, Lua 5.3)" package).
4. Actions → **Show action list** → New action… → **Load ReaScript…** → pick the copied file. The action appears as "Emelowsky - Item Drop for REAPER".

Tip: When you assign a keyboard shortcut, set the Scope to "Global + text fields" in the key dialog, not just "Global" — otherwise the shortcut will not work while the cursor is in a text field (e.g. the search field).

2.4 Toolbar button

The toolbar button lights up while the Item Drop window is open, and a second click closes it. The icon is in the package: `Emelowsky - Item Drop for REAPER (toolbar icon).zip`.

1. Unzip it into REAPER's resource folder (Options → Show REAPER resource path…). The files go to `Data/toolbar_icons/` (three sizes: normal, 150% and 200%).
2. Right-click the toolbar → **Customize toolbar…** → Add… → pick the "Emelowsky - Item Drop for REAPER" action.
3. Select the new button → **Icon…** → pick "Emelowsky - Item Drop for REAPER" → OK → Save.

3. License: DEMO and activation

3.1 The DEMO version

Without a license Item Drop runs right away, with no time limit, in **DEMO** mode: the window title says "— DEMO", a red "⚠ DEMO VERSION ⚠" banner with the **"I have a key - activate"** button is at the top, and the list shows a "DEMO" watermark.

- One move takes at most **3 items**. If you select more, the first 3 are moved and the rest stay where they are, still selected — just click again.
- Options are locked (except the language and the "About" section).
- The DEMO never deletes or changes anything beyond the moves you make.




Fig. 2. The DEMO version: the banner with "I have a key - activate" and the watermark on the list.

3.2 Activating your license

After buying on Gumroad you get a **Gumroad license key** by e-mail. That is not the script key yet — you get the product key (bound to your computer) in the customer panel:

1. In the script window click **"I have a key - activate"**. The "Licence activation" window opens with your **Machine ID** — copy it with **Copy**.

2. Open the customer panel (the **“Open customer panel”** button or https://plugins.emelowsky.com) and log in with your purchase e-mail and the Gumroad license key.
3. Enter your Machine ID in the panel — it gives you a **product key**.
4. Back in the activation window, enter your purchase **e-mail address**, paste the **product key** (Ctrl+V) and click **Activate**. The script switches to the full version right away.



Fig. 3. The “Licence activation” window: Machine ID, seller e-mail, e-mail, product key.

Important: Paste the **product key from the customer panel** into the key field, not the Gumroad license key — otherwise the script reports an invalid key.

You only need the internet to activate. No internet or no license server **never deactivates your license** — the script keeps working normally. **“Back to DEMO version”** closes the activation window without changes.

3.3 New computer and deactivation

The license works on one computer. When you change computers (or your Machine ID changes), move the license in the customer panel: enter the new Machine ID and get a new product key. On the old computer you can first click **Options → License → “Deactivate license”** — the script goes back to DEMO. When you run out of transfers in the panel, contact the seller.

4. The main window

Run the “Emelowsky - Item Drop for REAPER” action. On the first run the window is in English (change the language in Options) and nothing else opens on its own. In a project without tracks the window shows a short hint and an **“Insert new track”** button.




Fig. 4. The main window: selection state, last target, search field and the track list.

Element	What it shows / does
Top row	How many items are selected to move and the **last target** (Enter moves there again). On the right, the **Options** button.
Search field	Filters the list by word fragments in any order — e.g. “gt di” finds “gtDI01”. Ctrl+F puts the cursor in it.
Track list	Every track in the project with its color and folder indent; folders are marked [Folder]. Tracks that hold selected items are highlighted with bright text.

The script follows your selection in REAPER live — select items in the project and the window shows right away what will be moved. The list refreshes by itself when you change the project.

Moving and docking: drag the window by its title bar or any empty spot. To dock it, drag it with **Shift** held; to undock, just drag it out of the docker. Right-click an empty spot in the window for a menu: Dock / Undock window, Close.

5. Moving

1. Select items in REAPER (they may sit on different tracks).
2. Click the **target track** in the Item Drop list.

- Every selected item goes to the clicked track — **position, length and all takes stay**.
- The source tracks stay where they were: Item Drop does not change the track order or folders.
- An item that already sits on the clicked track stays as it is. When all selected items sit on one track, that track is marked “(already here)” in the list.
- The color square next to a track: filled = the track has items, outline only = empty track — easy to spot the empty tracks of your template.




Fig. 5. Before and after: items from the delivered tracks clicked onto the template tracks.

Every move is **one Undo step** — Ctrl+Z (in REAPER or in the script window) undoes it completely. After a move a short message at the bottom of the window says what was moved.

5.1 Last target and shortcuts

Key	Action (when the script window has focus)
Enter	Moves the selection to the **last target** again (top row of the window).
Ctrl+F	Cursor in the search field.
Ctrl+Z	Undoes the last operation in the project (in the search field — undoes the text).
Esc	Closes the window (in the search field — just leaves the field).

6. The Options panel

The **Options** button in the top right opens the Options window (a second click closes it). Options do not block the main window. Changes apply immediately and are saved automatically — **Close** at the bottom (or Esc) closes the window and keeps your changes. In the DEMO, Options are locked (except the language and “About”).




Fig. 6. Options: logo, Language, General and Appearance.

Section	Settings
Language	PL / EN / DE / FR / ES — applies immediately.
General	**Close the window after moving** — the window closes after every move (handy with a shortcut).
Appearance	Font size, Folder indent, colors: text of tracks with selected items, text of other tracks, message background; Corner rounding (buttons and fields, sliders). **Restore default appearance** brings back the factory look.
Window	Always on top (main window / popups), Popups always on the script's screen (a popup opens in the middle of the script window and remembers where you moved it). A hint about docking with Shift.
License	Status, “Registered to”, **Deactivate license**, customer panel.
About	Company logo, version, seller e-mail, purchase page, customer panel and **Copy diagnostic info** (REAPER and extension versions, Machine ID) — include it when you report a problem.

Picking a color: click a color square — a window with OK / Cancel (Enter = OK, Esc = Cancel) and an opacity slider; the color changes live.



Fig. 7. Options: Window, License and About.

7. The “What's new” window

After the script is updated, the “What's new” window shows up once and lists the changes. Close it with **Close** or Esc.

8. Tips: your mix template

- Your template already has tracks with plugins and sends? Import the delivered files, select their items and click the template track — the material lands in place, with all the template's settings.
- Empty template tracks show an outline-only square in the list — you see at once which ones are waiting for material.
- Search field + Enter: type part of a track name, click once, then send the next items with Enter.
- Prefer to move whole tracks into the template's folders? Use **Track Drop**.

9. Troubleshooting

Symptom / message	What to do
A message about missing ReaImGui at startup	Install ReaImGui with ReaPack (section 2.1) and restart REAPER.
“Invalid key for this e-mail and this device”	Paste the product key from the customer panel (not the Gumroad key) and your purchase e-mail. The key is bound to this computer's Machine ID.

“The saved key no longer matches this computer”	Your Machine ID changed — move the license in the customer panel and activate with the new key.
“Item Drop is already running from another location”	A second copy of the script is running (e.g. manual and ReaPack). Close it or restart REAPER; keep one copy.
In the DEMO only 3 items moved	That is the DEMO limit — click again or activate a license.
The window hides behind other windows	Turn on “Always on top” in Options → Window; with js_ReaScriptAPI the window stays on top over REAPER only.
Another error (a window with error text)	Take a screenshot of the error window and send it to emelowsky.plugins@gmail.com together with “Copy diagnostic info” (Options → About).

10. Contact and support

E-mail: **emelowsky.plugins@gmail.com**

Emelowsky Plugins product page: https://emelowsky.com/plugins/

Shop: https://emelowsky.gumroad.com · Customer panel: https://plugins.emelowsky.com

Videos and tutorials: https://www.youtube.com/@EmelowskyPlugins

10.1 Version history

- **1.1.0** — new name Item Drop (formerly “Move item from track to another track”), one DEMO file with activation, licensing through the Emelowsky license server, Options in a separate window, 5 languages, the look of the Emelowsky Plugins family, search by word fragments, REAPER 6 version.
- **1.0.5** — previous release as “Move item from track to another track”.