

Track Drop for REAPER

User Manual

A REAPER script — moves the selected tracks into a folder with one click

Emelowsky Plugins

Document version 1.0 (Track Drop 1.1.0)

Contents

(If the table below looks empty, right-click it and choose “Update Field” → “Update entire table”.)

1

1. Introduction

You have your own **mix template**: tracks, folders, sends and colors laid out the way you like. You get tracks to mix and they have to go into that template — exactly where you want them, without ruining the layout of your own session. That is what Track Drop is for.

Track Drop moves the selected **tracks** into a folder with one click in the track list. Click a folder — the tracks go to its end. Click a normal track — it becomes a folder with the selected tracks inside. Folders move together with everything in them, and the rest of the project stays untouched.

Sometimes it is easier to move whole tracks, sometimes just the items — that is why there are two scripts: **Track Drop** (tracks into folders) and **Item Drop** (items to another track). They work the same way and look the same; use one or both.




Fig. 1. Track Drop next to a project: the track list with folders, the selection state and the last target at the top.

Without a license Track Drop runs right away as a **DEMO** — no time limit, with one limit: at most **3 tracks** per move. A license key unlocks the full version in the same file (section 3). Product page: https://emelowsky.com/plugins/

2. Requirements and installation

2.1 What you need

- **REAPER 7** (the file from the `Lua 5.4 (REAPER 7)` folder) or **REAPER 6** (the separate "(REAPER 6, Lua 5.3)" package).
- **ReaImGui 0.10 or newer** — the extension that draws the script's windows. Install: Extensions → ReaPack → Browse packages…, search for "ReaImGui" → Install → Apply, then restart REAPER.
- **js_ReaScriptAPI** (optional, also from ReaPack) — "Always on top" only over REAPER: when you click another program, the script window goes behind it.

If ReaImGui is missing, the script shows a message at startup; the "Yes" button opens reapack.com with instructions for installing ReaPack.

2.2 Installing with ReaPack (recommended)

With ReaPack, updates arrive on their own (Extensions → ReaPack → Synchronize packages). The ReaPack package also contains the manuals, EULA, quick start and the toolbar icon.

1. Extensions → ReaPack → **Import repositories…** and paste the address:

`https://raw.githubusercontent.com/Emelowsky/reapack/main/index.xml`

2. Extensions → ReaPack → **Browse packages…** → search for "Track Drop" → tick "Emelowsky - Track Drop for REAPER" (REAPER 6: the package marked "(REAPER 6, Lua 5.3)") → Install → Apply.

Done — ReaPack adds the "Emelowsky - Track Drop for REAPER" action to the Action List by itself.

> **Important:** ReaPack installs the script into a different folder than a manual install: `Scripts/Emelowsky/Track Drop for REAPER/` (with an extra "Emelowsky" folder), not `Scripts/Track Drop for REAPER/`. Pick one way to install. When you switch from a manual install to ReaPack, delete the old manual copy and its action — the script will not start a second time from another location while the first copy runs.

2.3 Manual installation (from the shop package)

1. In REAPER: Options → **Show REAPER resource path in explorer/finder**.
2. In the `Scripts` folder, create a subfolder `Track Drop for REAPER`.
3. Copy `Emelowsky - Track Drop for REAPER.lua` from the package's `Lua 5.4 (REAPER 7)` folder into it (REAPER 6: from the "(REAPER 6, Lua 5.3)" package).
4. Actions → **Show action list** → New action… → **Load ReaScript…** → pick the copied file. The action appears as "Emelowsky - Track Drop for REAPER".

> **Tip:** When you assign a keyboard shortcut, set the Scope to "Global + text fields" in the key dialog, not just "Global" — otherwise the shortcut will not work while the cursor is in a text field (e.g. the search field).

2.4 Toolbar button

The toolbar button lights up while the Track Drop window is open, and a second click closes it. The icon is in the package: `Emelowsky - Track Drop for REAPER (toolbar icon).zip`.

1. Unzip it into REAPER's resource folder (Options → Show REAPER resource path…). The files go to `Data/toolbar_icons/` (three sizes: normal, 150% and 200%).
2. Right-click the toolbar → **Customize toolbar…** → Add… → pick the "Emelowsky - Track Drop for REAPER" action.
3. Select the new button → **Icon…** → pick "Emelowsky - Track Drop for REAPER" → OK → Save.

3. License: DEMO and activation

3.1 The DEMO version

Without a license Track Drop runs right away, with no time limit, in **DEMO** mode: the window title says "— DEMO", a red "⚠ DEMO VERSION ⚠" banner with the **"I have a key - activate"** button is at the top, and the list shows a "DEMO" watermark.

- One move takes at most **3 tracks**. If you select more, the first 3 are moved and the rest stay where they are, still selected — just click again.
- Options are locked (except the language and the "About" section).
- The DEMO never deletes or changes anything beyond the moves you make.




Fig. 2. The DEMO version: the banner with "I have a key - activate" and the watermark on the list.

3.2 Activating your license

After buying on Gumroad you get a **Gumroad license key** by e-mail. That is not the script key yet — you get the product key (bound to your computer) in the customer panel:

1. In the script window click **"I have a key - activate"**. The "Licence activation" window opens with your **Machine ID** — copy it with **Copy**.

2. Open the customer panel (the **“Open customer panel”** button or https://plugins.emelowsky.com) and log in with your purchase e-mail and the Gumroad license key.
3. Enter your Machine ID in the panel — it gives you a **product key**.
4. Back in the activation window, enter your purchase **e-mail address**, paste the **product key** (Ctrl+V) and click **Activate**. The script switches to the full version right away.




Fig. 3. The “Licence activation” window: Machine ID, seller e-mail, e-mail, product key.

Important: Paste the **product key from the customer panel** into the key field, not the Gumroad license key — otherwise the script reports an invalid key.

You only need the internet to activate. No internet or no license server **never deactivates your license** — the script keeps working normally. **“Back to DEMO version”** closes the activation window without changes.

3.3 New computer and deactivation

The license works on one computer. When you change computers (or your Machine ID changes), move the license in the customer panel: enter the new Machine ID and get a new product key. On the old computer you can first click **Options → License → “Deactivate license”** — the script goes back to DEMO. When you run out of transfers in the panel, contact the seller.

4. The main window

Run the “Emelowsky - Track Drop for REAPER” action. On the first run the window is in English (change the language in Options) and nothing else opens on its own. In a project without tracks the window shows a short hint and an **“Insert new track”** button.




Fig. 4. The main window: selection state, last target, search field and the track list.

Element	What it shows / does
Top row	How many tracks are selected to move and the **last target** (Enter moves there again). On the right, the **Options** button.
Search field	Filters the list by word fragments in any order — e.g. “gt di” finds “gtDI01”. Ctrl+F puts the cursor in it.
Track list	Every track in the project with its color and folder indent; folders are marked [Folder]. Selected tracks are highlighted with bright text.

The script follows your selection in REAPER live — select tracks in the project and the window shows right away what will be moved. The list refreshes by itself when you change the project.

Moving and docking: drag the window by its title bar or any empty spot. To dock it, drag it with **Shift** held; to undock, just drag it out of the docker. Right-click an empty spot in the window for a menu: Dock / Undock window, Close.

5. Moving

1. Select tracks in REAPER (click, Ctrl+click, Shift+click — as usual).
2. Click the **target** in the Track Drop list.

You click…	What happens
A folder	The selected tracks go to the **end** of that folder, as its direct children.
A normal track	The track becomes a **new folder** with the selected tracks inside.

- Moving a **folder** takes everything in it along (subfolders and the tracks inside).
- Tracks keep their project order. Works up and down the tree, also with several tracks from different places at once.
- A folder cannot go into itself (or into its own subfolder) — such a track is skipped with the message “A folder cannot be moved into itself”.
- The rest of the project keeps its structure: folders you took tracks from close properly.
- After the move the selection goes back to what it was, without the moved tracks.




Fig. 5. Before and after: tracks from a delivered session clicked into a folder of the template.

Every move is **one Undo step** — Ctrl+Z (in REAPER or in the script window) undoes it completely. After a move a short message at the bottom of the window says what was moved.

5.1 Last target and shortcuts

Key	Action (when the script window has focus)
Enter	Moves the selection to the **last target** again (top row of the window).
Ctrl+F	Cursor in the search field.
Ctrl+Z	Undoes the last operation in the project (in the search field — undoes the text).
Esc	Closes the window (in the search field — just leaves the field).

6. The Options panel

The **Options** button in the top right opens the Options window (a second click closes it). Options do not block the main window. Changes apply immediately and are saved automatically — **Close** at the bottom (or Esc) closes the window and keeps your changes. In the DEMO, Options are locked (except the language and “About”).




Fig. 6. Options: logo, Language, General and Appearance.

Section	Settings
Language	PL / EN / DE / FR / ES — applies immediately.
General	**Close the window after moving** — the window closes after every move (handy with a shortcut).
Appearance	Font size, Folder indent, colors: text of selected tracks, text of other tracks, message background; Corner rounding (buttons and fields, sliders). **Restore default appearance** brings back the factory look.
Window	Always on top (main window / popups), Popups always on the script's screen (a popup opens in the middle of the script window and remembers where you moved it). A hint about docking with Shift.
License	Status, “Registered to”, **Deactivate license**, customer panel.
About	Company logo, version, seller e-mail, purchase page, customer panel and **Copy diagnostic info** (REAPER and extension versions, Machine ID) — include it when you report a problem.

Picking a color: click a color square — a window with OK / Cancel (Enter = OK, Esc = Cancel) and an opacity slider; the color changes live.




Fig. 7. Options: Window, License and About.

7. The “What's new” window

After the script is updated, the “What's new” window shows up once and lists the changes. Close it with **Close** or Esc.

8. Tips: your mix template

- Import the delivered tracks at the end of the project, select a group (e.g. all drums) and click the “DRUMS” folder of your template — they land at its end and the template stays untouched.
- Clicking a normal track turns it into a folder — a quick way to make a new group (e.g. “GTR”).
- Search field + Enter: type part of a folder name, click once, then send the next groups with Enter.
- Prefer to keep your template tracks and only move the recordings onto them? Use **Item Drop**.

9. Troubleshooting

Symptom / message	What to do
A message about missing ReaImGui at startup	Install ReaImGui with ReaPack (section 2.1) and restart REAPER.
“Invalid key for this e-mail and this device”	Paste the product key from the customer panel (not the Gumroad key) and your purchase e-mail. The key is bound to this computer's Machine ID.
“The saved key no longer matches this	Your Machine ID changed — move the license in the customer

computer”	panel and activate with the new key.
“Track Drop is already running from another location”	A second copy of the script is running (e.g. manual and ReaPack). Close it or restart REAPER; keep one copy.
In the DEMO only 3 tracks moved	That is the DEMO limit — click again or activate a license.
The window hides behind other windows	Turn on “Always on top” in Options → Window; with js_ReaScriptAPI the window stays on top over REAPER only.
Another error (a window with error text)	Take a screenshot of the error window and send it to emelowsky.plugins@gmail.com together with “Copy diagnostic info” (Options → About).

10. Contact and support

E-mail: **emelowsky.plugins@gmail.com**

Emelowsky Plugins product page: https://emelowsky.com/plugins/

Shop: https://emelowsky.gumroad.com · Customer panel: https://plugins.emelowsky.com

Videos and tutorials: https://www.youtube.com/@EmelowskyPlugins

10.1 Version history

- **1.1.0** — new name Track Drop (formerly “Move track to folder”), one DEMO file with activation, licensing through the Emelowsky license server, Options in a separate window, 5 languages, the look of the Emelowsky Plugins family, search by word fragments, REAPER 6 version; moving down and moving folders with their content fixed.
- **1.0.1** — previous release as “Move track to folder”.