



PRODUCT GUIDE

TOUGH
IS BUILT INTO ALL
OF OUR PRODUCTS™



TABLE OF CONTENTS



KRYLON INDUSTRIAL

Krylon® Industrial is a leader of both high performance liquid coatings and durable aerosol paints. Designed for environments ranging from utility locating to property maintenance to the harshest industrial facility, our comprehensive line of innovative products and services provides the performance and peace of mind you need. Whatever the application, Krylon Industrial has proven solutions that will make your job easier and your operations safe and efficient.

Our reputation depends on it.

RESOURCE CENTER

Customer Value-Added Services	2
MRO Industrial Aerosol Product Selection Guide	8
Locating: APWA Uniform Color Code	13
Liquid Coatings System Recommendations	32-33
Applicators	34-37
Thinner/Reducers - Solvent Selection	38
Liquid Coatings VOC Guide	39
OSHA Safety Color Coding	40

MRO/INDUSTRIAL AEROSOLS

Tough Coat® Acrylic Alkyd Enamels	4
Rust Tough® Acrylic Alkyd Enamels	5
Rust Tough Utili-Coat™ Acrylic Alkyd Enamels	6
Iron Guard® Latex Enamels	6
Acryli-Quik™ Acrylic Lacquers	7

LOCATING/MARKING

Quik-Tap for Quik-Mark®	10
Quik-Mark® Inverted Marking Paints	11
Quik-Mark® Inverted Marking Chalks	12
Quik-Mark® Overhead Marking Paints	12

STRIPING

Line-Up® Athletic Field Striping Paints	16
Line-Up® Pavement Striping Paints	17
Marking Wands	17
Striping Machines	18

MRO/INDUSTRIAL COATINGS

Enamels	20-24
Epoxy	24-25
Floor Coatings	26-27
Primers	28-30
Urethanes	28
Thinners & Reducers	30
Dry Falls	31
Economy Spray Paints	41

SPECIAL PURPOSE

Krylon® Fusion All-In-One Acrylic Aerosol™	44
OSHA Paints	45
Clear Polyurethane/Varnish Coatings	45
Fluorescent Paints	45
Farm & Implement Paints	46
Metallic Paints	47
High-Heat Paints	47
Appliance Epoxy Paints	47
Camouflage Paints	48
Maintenance Clear Coatings	48

INDEX

Product Index	49-59
---------------------	-------

A close-up photograph of industrial piping and valves. A prominent red valve is in the upper right, and a yellow valve is at the bottom right. The pipes are made of metal and are connected by various fittings. The background is slightly blurred.

Krylon® Industrial offers a broad range of resources, including toll-free customer service and technical service numbers, a network of distributors from coast to coast and an informative website.

CUSTOMER SERVICE

Our professional Industrial Customer Service Representatives are very knowledgeable and are available to make ordering easier.

Call U.S. Toll Free: 800-777-2966 or 800-247-3266
or Fax: 800-243-3075

Call Canada Toll Free: 866-736-1486
or Fax: 800-243-3075

E-mail: kpgindustrialorders@sherwin.com

TECHNICAL SERVICE

A staff of experts trained in paints can assist you with any application or technical issue.

Call Toll Free: 800-251-2486

DISTRIBUTION

Our products are sold through more than 5,000 Industrial distributors across the country. To find a distributor in your area, visit our website or call our customer service line.

WEBSITE

Our fact-filled website is ideal for researching product information and discovering how you can benefit from Krylon Industrial's family of industrial coating products. At your convenience, visit our site to learn more about our products, download SDS sheets, watch educational videos and to learn where to buy the world's most reputable brand of industrial coatings and aerosol paints.

www.krylonindustrial.com

MRO/INDUSTRIAL AEROSOLS

The industrial MRO market includes industrial plants and facilities in a multitude of markets, including non-residential commercial, petrochemical, utilities and more.

Krylon® Industrial works hard at providing tough coatings and aerosols for tough conditions and the protection you need.

TOUGH COAT® ACRYLIC ALKYD ENAMEL

Tough Coat® Acrylic Alkyd Enamel features our exclusive EZ TOUCH 360° Dial. This patented valve sprays a horizontal or vertical pattern and requires 50% less finger pressure than any other paint valve. A high-solids formula ensures maximum coverage and performance. Tough Coat delivers the ultimate in protection, durability, high gloss and color retention.

- Specially formulated for a variety of industrial applications
- Ideal for light- to heavy-duty painting projects, both indoors and outdoors
- Tough, protective coating resists chipping and peeling
- Dries to touch in 15 minutes



Features the EZ TOUCH 360° Dial




COLORS	16 oz. (12 oz. net wt.)	COLORS	16 oz. (12 oz. net wt.)
OSHA Purple	A01580007	Industrial Gray	A01630007
Zinger Pink	A01150007	Medium Gray	A01615007
International Harvester Red	A01003007	Machinery Dark Gray (ANSI-49)	A00325007
Bright Red	A01005007	Blue/Gray	A01625007
Cherry Red	A01101007	Machinery Blue Gray (ANSI-24)	A00329007
OSHA Red	A01110007	OSHA Black	A01770007
Implement Orange	A01212007	OSHA White	A01800007
Joy Orange	A01213007	Flat White	A03720007
OSHA Orange (#60 Equipment Orange)	A01210007	Clear Gloss	A01000007
Federal Highway Yellow	A01009007	Semi-Flat Black	A03725007
OSHA Yellow	A01310007	Max Flat Black	A03727007
New Caterpillar Yellow	A01319007	REBAR GREEN EPOXY 16 oz. (12 oz. net wt.)	
Old Caterpillar Yellow	A01321007	Rebar Green	K01732007
Machine Green	A01415007	HIGH-HEAT PAINT 16 oz. (12 oz. net wt.)	
Medium Green	A01445007	High-Heat Aluminum	A00324
OSHA Green	A01470007	High-Heat Black	A00332
Ivy Green (John Deere & Case Green)	A01485007	FLUORESCENT 16 oz. (11 oz. net wt.)	
OSHA Blue	A01510007	Fluorescent Orange	A01811007
Ford Blue	A01008007	Fluorescent Red	A01812007
Dark Blue	A01515007	Fluorescent Electric Green	A01815007
Light Blue	A01540007	PRIMERS 16 oz. (12 oz. net wt.)	
Cordova Brown	A01285007	Green Rust Inhibitor	A00344007
Gold	A01765007	Red Oxide Rust Control	A00339007
Light Beige	A01305007	Red Oxide Sandable	A00342007
Aluminum	A01760007	Gray Rust Control	A00340007
Machinery Light Gray (ANSI-61)	A00326007	Light Gray Sandable	A00341007
Machinery Gray	A01620007	Silver Zinc	A00345007
Light Gray	A01645007	Stain Blocking Primer	A00347007
Case Pack: 12			

RUST TOUGH® ACRYLIC ALKYD ENAMEL

Offering state-of-the-art corrosion protection, these rust-preventive acrylic alkyd enamel paints provide excellent gloss and color retention, superior durability and one-coat coverage. Unlike other brands, Rust Tough® can be applied directly to metal without a primer coating. Save time and save money with Rust Tough!

- Premium rust and corrosion protection
- Direct-to-metal, rust-preventive formula — no primer needed
- Complete coverage with one coat
- Dries to touch in 25 minutes; dries to handle in 1 hour



Features the EZ TOUCH®
FANSPRAY® Nozzle

COLORS	20 oz. (15 oz. net wt.)
Light Blue	K00239007
Safety Blue (OSHA)	K00249007
Deep Blue	K00259007
Safety Green (OSHA)	K00339007
Bright Green	K00349007
Dark Green	K00379007
Safety Yellow (OSHA)	K00439007
Federal Safety Railing Yellow	K00449007
Industrial Yellow	K00479007
Equipment Yellow	K00489007
Safety Orange (OSHA)	K00559007
Equipment Orange	K00569007
Safety Red (OSHA)	K00639007
Bright Red	K00649007
Tan	K00719007
Chestnut Brown	K00759007
Lt. Machinery Gray (ANSI-61)	K00839007
Aluminum	K00159007
Dk. Machinery Gray (ANSI-49)	K00879007
Flat White	K00909007
Semi-Gloss White	K00919007
Gloss White	K00929007
Flat Black	K00789007
Gloss Black	K00799007
Semi-Gloss Black	K00779007
PRIMERS	20 oz. (15 oz. net wt.)
Red Oxide	K00699007
Cold Galvanizing	K00859007
Gray	K00829007
HIGH-HEAT PAINT	20 oz. (15 oz. net wt.)
Hi-Temp Black	K00769
FLUORESCENTS	20 oz. (14 oz. net wt.)
Fluorescent Yellow	K10429007
Fluorescent Orange	K10559007
Fluorescent Red	K10649007
Fluorescent Green	K10339007
Case Pack: 6	




RUST TOUGH® UTILI-COAT™ ENAMEL

Developed for the toughest environments, Utili-Coat's unique, high-solids, direct-to-metal (on new or clean metal) formulation delivers long-lasting performance.

- Premium rust-preventive enamel
- State-of-the-art corrosion protection
- One-coat coverage
- Direct-to-metal, rust-preventive formula — no primer needed
- Equipped with a standard conical actuator
- Excellent gloss and color retention

COLORS	20 oz. (15 oz. net wt.)
Utility Meter Gray (ANSI-49)	K20879007
PRIMERS	20 oz. (15 oz. net wt.)
Gray	K20829007

Case Pack: 6



IRON GUARD® LATEX ENAMEL

Provides all the advantages of high gloss, the durability of an enamel, and soap-and-water clean-up while wet. Iron Guard is a latex formula that will handle today's most stringent industrial, commercial, and institutional requirements with ease.

- Dries quickly—20 minutes to the touch
- Soap-and-water clean-up while wet
- Topcoat at any time with no lifting

COLORS	16 oz. (12 oz. net wt.)
Cherry Red	K07901000
OSHA Red	K07902000
OSHA Orange	K07903000
OSHA Yellow	K07904000
OSHA Green	K07905000
Island Green	K07906000
OSHA Blue	K07907000
Satin Gray	K07914000
Clear Gloss	K07900000
Gloss White	K07909000
Flat White	K07910000

COLORS	16 oz. (12 oz. net wt.)
Max Flat Black	K07911000
Satin White	K07912000
Satin Black	K07913000
Gloss Black	K07908000

Case Pack: 12



ACRYLI-QUIK™ ACRYLIC LACQUER

These paints are specifically formulated for industrial maintenance and touch-up applications. Performance is exceptional, and the broad selection includes interior/exterior acrylic lacquers, primers and specialty paints. Acryli-Quik offers high solids, fast-drying times and an excellent appearance. No Runs, No Drips, No Errors!™

- No recoat window — recoat anytime
- Hard, protective, durable finish
- Dries to touch in 8 minutes
- High-gloss finish

COLORS 16 oz. (12 oz. net wt.)

Sun Yellow	K01806A07
Daisy Yellow	K01813A07
Regal Blue	K01901A07
True Blue (OSHA Safety Blue)	K01910A07
Purple	K01913A07
Hunter Green	K02001A07
Emerald Green	K02016A07
Cherry Red	K02101A07
Banner Red	K02108A07
Safety Orange (Pumpkin)	K02411A07
Leather Brown	K02501A07
Almond	K01506A07
Khaki	K02504A07
Pewter Gray	K01606A07
Stone Gray	K01605A07
Shadow Gray	K01604A07
Smoke Gray	K01608A07
Gloss White	K01501A07
Flat White	K01502A07
Semi-Gloss White	K01508A07
Crystal Clear	K01301A07
Ultra-Flat Black	K01602A07
Semi-Flat Black	K01613A07
Gloss Black	K01601A07

PRIMERS (ALKYD ENAMELS) 16 oz. (12 oz. net wt.)

Platinum	K01314A07
White	K01315A07
Charcoal Black	K01316A07
Ruddy Brown	K01317A07
Gray	K01318A07

Case Pack: 6



PRODUCT SELECTION GUIDE



PRODUCT	RUST TOUGH®	TOUGH COAT®	ACRYLI-QUIK™	IRON GUARD®
Formula	Acrylic Alkyd Enamel	Acrylic Alkyd Enamel	Acrylic Lacquer Enamel	Acrylic Latex Enamel
VOC/MIR Compliant	Yes	Yes	Yes	Yes
Hiding	Best	Very Good	Good	Very Good
Durability	Best	Very Good	Good	Very Good
Dry to the Touch	25 minutes	15 minutes	8 minutes	20 minutes
Recoat Window	Before 2 hours or after 48 hours	Before 2 hours or after 48 hours	Anytime (not for use over acrylics)	Anytime
Cleanup	Mineral spirits, turpentine (wet). When dry, lacquer thinner, stripper.	Mineral spirits, turpentine (wet). When dry, lacquer thinner, stripper.	Lacquer thinner	Soap and water (wet). Lacquer thinner, stripper when dry.
Corrosion Resistance	Excellent with or without primer.	Good by itself. Very good with primer.	Excellent with primer.	Good by itself.
Gloss	High	High	High	High
Gasoline & Oil Resistance	Film does not soften.	Film softens after 15 minutes.	Film softens after 15 minutes.	Film softens after 15 minutes.

LOCATING/ MARKING

Our breadth of aerosol technologies are easy to apply with excellent, durable, one-coat coverage serving all of your temporary and long-term locating needs.

We have safety colors which meet both OSHA and ANSI specifications, as well as fluorescents to help workers locate and identify utilities easily. Krylon® Industrial marking paints save you labor, time and money, all in a matter of minutes.

QUIK-TAP™ FOR QUIK-MARK®

Quik-Tap Reusable Spray Device for Quik-Mark Paints

- Designed to get all of the paint out of the can
- Ready to use in seconds
- Lasts up to 130 cans
- Easy disposal of empty cans in any recycling or waste bin
- Minimizes downtime and maximizes productivity

Spray Device

Quick-Tap QT1000000



About Quik-Mark Paint

Both APWA and fluorescent colors are available in water- and solvent-based formulations, in 20 oz. and 25 oz. size cans. One-coat coverage and our Spray-Thru™ cap allow for inverted painting ease. Use on concrete, pavement, gravel, grass, brick or asphalt, for utility locating, excavation, ground surveying or construction marking.

WATER-BASED MARKING PAINTS		SOLVENT-BASED MARKING PAINTS	
APWA	TallBoy™ (22 oz.)	APWA	TallBoy (22 oz.)
APWA Utility Yellow	QT0380100	APWA Utility Yellow	QT0382300
APWA Hi-Vis Yellow	QT0392100	APWA Hi-Vis Yellow	QT0382100
APWA Orange	QT0390500	APWA Orange	QT0373100
APWA Blue	QT0390300	APWA Blue	QT0362100
APWA Green	QT0390400	APWA Green	QT0363100
APWA White	QT0390100	APWA White	QT0390000
APWA Red	QT0391100	APWA Red	QT0361100
APWA Black	QT0392300	APWA Black	QT0355000
APWA Clear*	QT0350000	APWA Clear*	QT0360000
FLUORESCENT	TallBoy (22 oz.)	FLUORESCENT	TallBoy (22 oz.)
Fluorescent Red/Orange	QT0365000	Fluorescent Red/Orange	QT0370100
Fluorescent Red	QT0361000	Fluorescent Red	QT0361300
Fluorescent Pink	QT0361200	Fluorescent Pink	QT0362200
Fluorescent Purple	QT0371500	Fluorescent Purple	QT0361500
Fluorescent Blue	QT0362000	Fluorescent Blue	QT0372200
Fluorescent Green	QT0363000	Fluorescent Green	QT0361400
Fluorescent Orange	QT0370000	Fluorescent Orange	QT0370200

Case Pack: 12

*Extends wear and impedes fading.

QUIK-MARK® INVERTED MARKING PAINTS

- The TallBoy™ provides 22 oz. of paint (29% more) increasing productivity with less trips to the truck™, fewer cans to dispose and less product to carry
- High-solids formulation for bold, bright, visible markings
- Fast-drying formula penetrates and adheres to hot and cold surfaces
- Convenient Spray-Thru™ cap
- Non-clogging spray tip

WATER-BASED MARKING PAINTS		
APWA	TallBoy™ (22 oz.)	17 oz.
APWA High-Vis Yellow	T03921004	A03921004
APWA Red	T03911004	A03911004
APWA White	T03901004	A03901004
APWA Utility Yellow	T03801004	A03801004
APWA Blue	T03903004	A03903004
APWA Orange		A03905004
APWA Green		A03904004
APWA Clear*		A03500
APWA Black		A03923004
FLUORESCENT	TallBoy (22 oz.)	17 oz.
Fluorescent Blue		A03620004
Fluorescent Orange	T03700004	A03700004
Fluorescent Pink	T03612004	A03612004
Fluorescent Purple		A03715004
Fluorescent Red		A03610004
Fluorescent Red/Orange		A03650005
Fluorescent Green		A03630004

SOLVENT-BASED MARKING PAINTS		
APWA	TallBoy (22 oz.)	17 oz.
APWA High-Vis Yellow	T03821007	A03821007
APWA Red	T03611007	A03611007
APWA White	T03900007	A03900007
APWA Utility Yellow		A03823007
APWA Blue		A03621007
APWA Orange		A03731007
APWA Green		A03631007
APWA Clear*		A03600007
APWA Black		A03550007
APWA Silver (16oz. Net.)		A03640007
FLUORESCENT	TallBoy (22 oz.)	17 oz.
Fluorescent Blue		A03722007
Fluorescent Orange	T03702007	A03702007
Fluorescent Pink		A03622007
Fluorescent Purple		A03615007
Fluorescent Red		A03613007
Fluorescent Red/Orange	TT3701007	AT3701007
Fluorescent Green		A03614007



Case Pack: 12

*Extends wear and impedes fading.

See page 17 for Marking Wands

QUIK-MARK® INVERTED MARKING CHALK

- For temporary markings on common outdoor surfaces, including roads, pavements, gravel, soil, grass and more
- Easily removed from hard surfaces with wire brush and water
- Lasts 30 or more days, depending on conditions
- Convenient Spray-Thru™ cap
- Non-clogging spray tip

WATER-BASED MARKING CHALK	
APWA	20 oz. (15oz. net wt.)
Yellow	KWBC3502A
Orange	KWBC3501A
Red	KWBC3503A
Blue	KWBC3504A
Green	KWBC3506A
White	KWBC3505A
Case Pack: 12	




QUIK-MARK® OVERHEAD MARKING PAINT

This easy-to-use, water-based product sprays in an upright position, penetrates and adheres to uneven surfaces. It's the easiest way to mark overhead surfaces in mines, excavation sites, underground utilities and bridges.

- High-visibility fluorescent colors
- Fast drying

COLORS	20 oz. (17 oz. net wt.)
Fluorescent Red	K04001004
Fluorescent Red-Orange	K04002004
Fluorescent Orange	K04003004
Fluorescent Green	K04005004
Case Pack: 12	



APWA UNIFORM COLOR CODE

Colors	Water-Based	Solvent-Based	Applications
APWA Utility Yellow	A03801004 T03801004 QT0380100	A03823007 T03821004 QT0382300	 Gas, Oil, Steam, Petroleum or Gaseous Materials
APWA Hi Vis Yellow	A03921004 T03921004 QT0392100	A03821007 T03821007 QT0382100	 Roads, Highway Pavement
APWA Blue	A03903004 T03903004 QT0390300	A03621007 T03621000 QT0362100	 Potable Water
APWA Red	A03911004 T03911004 QT0391100	A03611007 T03611000 QT0361100	 Electric Power Lines, Cables, Conduit and Lighting Cables
APWA Green	A03904004 T03904000 QT0390400	A03631007 T03631000 QT0363100	 Sewers and Drain Lines
APWA Orange	A03905004 T03905000 QT0390500	A03731007 T03731000 QT0373100	 Communication, Alarm or Signal Lines, Cables or Conduit
APWA White	A03901004 T03901004 QT0390100	A03900007 T03900007 QT0390000	 Proposed Excavation
APWA Black	A03923004 T03923000 QT0392300	A03550007 T03550000 QT0355000	Cover-Up
APWA Silver		A03640007	User Performance
APWA Clear	A03500 QT0350000	A03600007 QT0360000	General Purpose and Chalk Line Extender

FLUORESCENT COLORS

Colors	Water-Based	Solvent-Based	Applications
Fluorescent Orange	A03700004 T03700004 QT0370000	A03702007 T03702007 QT0370200	 Communication, Alarm or Signal Lines, Cables or Conduit
Fluorescent Red/Orange	A03650004 T03650000 QT0365000	AT37010007 TT37010007 TTT370100	
Fluorescent Red	A03610004 T03610000 QT0361300	A03613007 T03613000 QT0361300	 Electric Power Lines, Cables, Conduit and Lighting Cables
Fluorescent Blue	A03620004 T03620000 QT0362200	A03722007 T03722000 QT0372200	 Potable Water
Fluorescent Green	A03630004 T03630000 QT0363100	A03614007 T03614000 QT0361400	 Sewers and Drain Lines
Fluorescent Pink	A03612004 T03612004 QT0361200	A03622007 T03622000 QT0362200	 Temporary Survey Markings
Fluorescent Purple	A03715004 T03715000 QT0371500	A03615007 T03615000 QT0361500	 Reclaimed Water, Irrigation and Slurry Lines

STRIPING

Krylon® Industrial has a wide variety of products suited for athletic field and pavement striping. We have a long, rich history with aerosol and liquid coatings and are proud to bring you an expanded selection of paints and applicators specifically designed to meet the dynamic needs of striping maintenance professionals.

STRIPING

LINE-UP® ATHLETIC FIELD STRIPING PAINT

For athletic fields, where bright, crisp lines are required, Line-Up Striping Paints provide a professional-looking job quickly and easily. These highly pigmented water-based paints produce sharp, durable stripes in one pass. They are available in both aerosol and bulk, across a large selection of colors.

- Highly pigmented formulas fortified with optical brighteners for eye-catching lines that pop under stadium lighting
- Won't harm grass or stunt its growth
- Won't stain uniforms
- Safe alternative to lime
- Fast drying

COLORS

Can be diluted up to 1:1 water to paint

CONCENTRATES

Can be diluted up to 3:1 water to paint



AEROSOL COLORS	20 oz. (17 oz. net wt.)
Old Gold	K08316007
Athletic Yellow	K08306007
Athletic Orange	K08307007
Athletic Fluorescent Orange	K08314000
Athletic Scarlet	K08308007
Athletic Maroon	K08311007
Athletic Navy	K08313007
Athletic Royal	K08309007
Athletic Fluorescent Green	K08315000
Turf Green	K08317007
Athletic White*	K08305
Athletic Black	K08310007

Case Pack: 12

*18 oz. net wt. for Athletic White only.

LIQUID COLORS	5 gal.
Yellow	K52133000-20
Orange	K52130499-20
Red	K52130101-20
NFL Blue	K52131800-20
Athletic White	K51130404-20
Black	K52130113-20

BASES	5 gal.
Neutral	K52137253-20

CONCENTRATES	5 gal.
Bright White	K52137249-20
White	K52130404-20



Grass

LINE-UP® PAVEMENT STRIPING PAINTS

Krylon® Industrial also offers solvent-based aerosols and solvent- and water-based liquid products for use on blacktop, concrete, curbs or other smooth, hard surfaces.

- Fast drying; traffic-ready in 60 minutes
- One aerosol can stripes approximately 250 linear feet
- Excellent bleed retention
- Universal, nonclogging spray tip is compatible with most striping machines
- Conforms with U.S. Bureau of Public Roads colors

SOLVENT-BASED AEROSOLS 20 oz. (18 oz. net wt.)

Highway Yellow	K08301007
Firelane Red	K08303
Handicap Blue	K08302007
Highway White	K08300007
Cover-Up Black	K08304007

Case Pack: 12

SOLVENT-BASED LIQUID 1 gal. 5 gal.

Parking Lot Yellow	K42132920-16	K42132920-20
Parking Lot Red		K42130110-20
Parking Lot White		K42130404-20
Parking Lot Black		K42130113-20

WATER-BASED LIQUID 1 gal. 5 gal.

Parking Lot Yellow	K41132920-16	K41132920-20
Parking Lot Blue	K41131881-16	K41131881-20
Parking Lot White	K41130404-16	K41130404-20
Parking Lot Black		K41130113-20



Concrete

MARKING WANDS

- Use for easy stenciling or line touch-ups
- Durable construction
- 34" length for convenient operation

WAND

Spotter Handheld Wand (12" Length)	K07095
Wheeler Handheld Wand (34" Length)	K07096
Handheld Wand with Flag Holder (34" Length)	K07094000
Line-Up Striping Wand (34" Length)	K08360000

Case Pack: 1



STRIPING MACHINES

We now offer 3 machines — 2 for striping athletic fields and 1 for striping pavement. Durable 18-gauge, all-steel construction. Collapsible for compact, easy storage. Easy-to-use, convenient handlebar to control the paint applied to the field. Adjustable: striping widths of approximately 2"-4".

Athletic:

- Ideal for grass, dirt, gravel or any uneven surface
- Dual-can machine provides twice the paint for even bolder, thicker lines
- 10" wheels elevate the carriage to provide an even ride over rough or uneven surfaces

Single Can

Holds 12 Cans

K08350

Dual Can

Holds 8 Cans

K08370000




Pavement:

- Ideal for pavement, concrete, blacktop or metal
- 7" wheels provide a smooth ride over hard surfaces

Single Can

Holds 12 Cans

K08340



MRO/INDUSTRIAL COATINGS

The industrial MRO market includes industrial plants and facilities in a multitude of markets, including non-residential commercial, petrochemical, utilities and more.

Krylon® Industrial works hard at providing tough coatings and aerosols for tough conditions and the protection you need.

RUST TOUGH® ACRYLIC ALKYD ENAMEL

Rust Tough is a rust-preventative acrylic alkyd enamel that offers state-of-the-art corrosion protection. These advanced coatings provide excellent gloss, superior durability and one-coat coverage. Rust Tough can be applied directly to new or clean metal without a primer. Fast dry times, easy application and long-lasting color retention make Rust Tough the unparalleled choice for rust protection.

- High-solids maintenance coating
- Excellent color retention that resists fading, with outstanding durability
- Ideal for interior or exterior applications
- Safe for incidental food contact
- VOC Compliant in National/EPA-regulated states

COLORS	1 qt.	1 gal.
Safety Yellow (OSHA)	K00431	
Equipment Yellow	K00481	
Safety Orange (OSHA)	K00551	
Safety Red (OSHA)	K00631	
Gloss White	K00921	
Aluminum*	K00151	
Lt. Machinery Gray (ANSI-61)	K00831	
Dk. Machinery Gray (ANSI-49)	K00874000	K00871
Semi-Gloss Black	K00771	
Gloss Black	K00791	
Flat Black	K00781	
BASES	1 gal.	
White †	K01011	
Clear	K01041	
PRIMERS	1 gal.	
Red Oxide	K00691	
Gray	K00821	

†Can be used as packaged or tinted.
*Compliant everywhere except SCAQMD.




RUST TOUGH® 250 ACRYLIC ALKYD ENAMEL

Rust Tough 250 performs like a traditional alkyd, but with a VOC content less than 250 g/L. It is intended for new construction, commercial and institutional applications, and maintenance use in moderate-to-severe industrial environments. It is acceptable for use in federally inspected meat and poultry plants.

- Corrosion-resistant DTM
- Protects against mild chemicals, fumes, oil and grease stains
- Excellent hide, color and gloss retention
- Superior chip, crack and peel resistance
- VOC Compliant everywhere except SCAQMD
- Safe for incidental food contact

COLORS	1 gal.
Safety Yellow (OSHA)	K00112910-16
Equipment Yellow (OSHA)	K00110451-16
Safety Orange (OSHA)	K00110499-16
Safety Red (OSHA)	K00110101-16
Safety Blue (OSHA)	K00111800-16
Gloss White	K00110404-16
Lt. Machinery Gray (ANSI-61)	K00110327-16
Dk. Machinery Gray (ANSI-49)	K00110663-16
Gloss Black	K00110113-16
PRIMERS	1 gal.
Red Oxide	K00110695-16
Gray	K00110825-16



MODIFIED ALKYD ENAMEL

Modified Alkyd Enamel is a one-component product suitable for interior and exterior use.

- Formulated for fast drying and curing, allowing for multiple coats to be applied in one shift
- Suitable for multiple uses in the industrial, OEM and metal-fabrication applications
- Requires the use of a primer (Weld-Thru Primer is recommended)
- VOC Compliant everywhere except SCAQMD
- Safe for incidental food contact

COLORS	1 gal.	5 gal.
Black	K00420113-16	K00420113-20
BASES	1 gal.	5 gal.
White †	K00427250-16	K00427250-20
Clear	K00427253-16	K00427253-20

†Can be used as packaged or tinted.



TOUGH COAT® ALKYD ENAMEL

Tough Coat is an interior/exterior multipurpose alkyd gloss enamel designed for new construction and industrial maintenance applications. This product's high-gloss finish makes it resistant to dirt and easy to clean.

- Chip and flake resistant
- Safe for incidental food contact
- VOC Compliant everywhere except SCAQMD, CARB and Utah

COLORS	1 gal.	5 gal.
Safety Yellow	K00532910-16	K00532910-20
Safety Orange	K00530499-16	
Safety Red	K00530101-16	
Safety Blue	K00538400-16	
Safety Green	K00538500-16	
Tan	K00538000-16	
Gloss White	K00538300-16	K00538300-20
Aluminum*	K00532500-16	K00532500-20
Lt. Machinery Gray (ANSI-61)	K00538100-16	
Dk. Machinery Gray (ANSI-49)	K00538200-16	
Gloss Black	K00530113-16	K00530113-20
BASES	1 gal.	5 gal.
White [†]	K00537250-16	K00537250-20
Deep	K00537252-16	K00537252-20
Clear	K00537253-16	K00537253-20

*Compliant everywhere except SCAQMD.
†Can be used as packaged or tinted.



TOUGH COAT® QUIK-DRY™ ALKYD ENAMEL

Tough Coat Quik-Dry Alkyd Enamel is a fast-drying, interior/exterior industrial finishing enamel intended for coating various metal parts. It is ideal for industrial, OEM and metal fabrication. It offers versatility and efficiency of application.

- Very fast drying
- High-gloss, durable finish
- VOC Compliant in National/EPA regulated states only
- Safe for incidental food contact

COLORS	1 gal.	5 gal.
Gloss Black	K00780113-16	K00780113-20
Flat Black	K00780464-16	K00780464-20
Int'l Harvester Red	K00780117-16	K00780117-20
Machine White	K00780404-16	K00780404-20
BASES	1 gal.	5 gal.
White [†]	K00787250-16	K00787250-20
Clear	K00787253-16	K00787253-20

†Can be used as packaged or tinted.




ALKYD HARDENER

Alkyd Hardener is intended to be used in Krylon® Industrial alkyd products. When used properly, Alkyd Hardener will significantly enhance the performance properties of the coatings. Mix at an 8:1 ratio, 1 pint hardener per gallon of alkyd enamel. Wait 15 minutes before using.

- Increased chemical and abrasion resistance
- Improved hardness, gloss and color retention
- Safe for incidental food contact

HARDENER	1 qt.
Hardener	K00579999-14



IRON GUARD® WATER-BASED ACRYLIC ENAMEL

Iron Guard is a high-gloss, 100% acrylic, waterborne, corrosion-resistant coating designed for new construction or maintenance use. This product can be used directly over prepared substrates.

- Can be applied directly to new and clean metal without a primer
- Outstanding adhesion
- Excellent early moisture resistance
- Flash rust/early rust resistant
- VOC Compliant everywhere
- Safe for incidental food contact



COLORS	1 gal.	5 gal.	BASES	1 gal.	5 gal.
Safety Yellow (OSHA)	K11029101		White [†]	K11072501	K11072505
New Cat Yellow	K11004711		Deep	K11072521	K11072525
Safety Orange (OSHA)	K11004991		Clear	K11072531	K11072535
Safety Red (OSHA)	K11001011				
Safety Blue (OSHA)	K11018001		Red Oxide	K11001801-16	K11001801-20
Safety Green (OSHA)	K11044001		Gray	K11001802-16	K11001802-20
Gloss White	K11004041	K11004045	White	K11001803-16	K11001803-20
Lt. Machinery Gray (ANSI-61)	K11003271				
Dk. Machinery Gray (ANSI-49)	K11006631				
Gloss Black	K11001131	K11001135			
Flat Black	K11001201				
Semi-Gloss Black	K11007751				

†Can be used as packaged or tinted.

*Primers not for use on concrete.

WATERBORNE ACRYLIC ENAMEL

Waterborne Acrylic Enamel is an interior/exterior, single-component, corrosion-resistant DTM enamel designed for light- to moderate-duty industrial and commercial applications. It offers superior chemical resistance and outstanding color and gloss retention. Use for new construction or maintenance work.

- Early rust and moisture resistance
- Flash rust resistant
- Corrosion and chemical resistant
- VOC Compliant everywhere
- Safe for incidental food contact

COLORS	1 gal.	
Gloss Safety Yellow	K000Z6840-16	
Gloss Safety Red	K000Z6820-16	
Gloss Black	K000Z6810-16	

BASES	1 gal.	5 gal.
Gloss/White Base 1 [†]	K000Z6841-16	K000Z6841-20
Gloss/Deep Base 2	K000Z6842-16	K000Z6842-20
Gloss/Neutral Base 3	K000Z6843-16	K000Z6843-20
Semi-Gloss/White Base 1 [†]	K000Z6761-16	K000Z6761-20
Semi-Gloss/Deep Base 2	K000Z6762-16	K000Z6762-20
Semi-Gloss/Neutral Base 3	K000Z6763-16	K000Z6763-20
Satin/White Base 1 [†]	K000Z6671-16	K000Z6671-20
Satin/Deep Base 2	K000Z6672-16	K000Z6672-20
Satin/Neutral Base 3	K000Z6673-16	K000Z6673-20

[†]Can be used as packaged or tinted.



PRECAT EPOXY ACRYLIC

PreCat Epoxy is an interior, single-component, precatalyzed waterborne acrylic epoxy with the durability, adhesion and resistance to stains and cleaning solvents similar to two-component waterborne acrylic epoxies. Ideal for institutional and commercial high-maintenance areas.

- Single-component precatalyzed
- Excellent adhesion
- Corrosion and chemical resistant
- Safe for incidental food contact
- Interior use only
- VOC Compliant everywhere except SCAQMD

BASES	1 gal.	5 gal.
Eggshell/White Base 1 [†]	K000Z7131-16	K000Z7131-20
Eggshell/Deep Base 2	K000Z7132-16	
Eggshell/Neutral Base 3	K000Z7133-16	
Semi-Gloss/White Base 1 [†]	K000Z7231-16	K000Z7231-20
Semi-Gloss/Deep Base 2	K000Z7232-16	
Semi-Gloss/Neutral Base 3	K000Z7233-16	



HIGH BUILD EPOXY MASTIC 100

This high-solids, fast-drying formula with less than 100 g/l ensures protection of sharp edges, corners and welds. It is chemical and abrasion resistant to allow for direct application on marginally prepared steel surfaces. VOC Compliant everywhere. Safe for incidental food contact.

BASES	1 gal.	5 gal.
Semi-Gloss/Neutral Base 3	K000S3733-16	K000S3733-20
Semi-Gloss/White Base 1 [†]	K000S3731-16	K000S3731-20

HARDENER	1 gal.	5 gal.
Hardener	K000S3715-16	K000S3715-20

[†]Can be used as packaged or tinted.



PALGARD® POLYAMIDE EPOXY

Palgard is an interior/exterior, two-component polyamide-cured epoxy that protects steel and concrete in industrial environments. Formulated for use on interior and exterior surfaces of steel, iron, aluminum, galvanized metal, concrete block and masonry.

- Excellent adhesion
- Chemical and abrasion resistant
- Interior/exterior use
- Safe for incidental food contact
- VOC Compliant everywhere except SCAQMD, CARB and Utah

COLORS	1 gal.
Clear*	K000S3415-16

BASES	1 gal.
White Base 1 [†]	K00VS3491-16
Deep Base 2	K00VS3492-16
Neutral Base 3	K00VS3493-16

HARDENER	1 gal.
Satin	K000S3496-16
Gloss	K000S3498-16

[†]Can be used as packaged or tinted.

*Clear is not compliant in OTC, LADCO and Canada.



VERSASHIELD™ WB POLYURETHANE

VersaShield is a unique, two component, water-based, aliphatic urethane that offers outstanding performance characteristics on its own, or as a topcoat over another coating. Suitable for use on horizontal or vertical surfaces, it dries to a high gloss, glass-like finish.

- Multipurpose and multi-surface
- Great for use on floors, railings and posts, handrails and more
- Safe for incidental food contact
- Non-yellowing
- 3:1 mixing ratio that is pre-measured for jobsite convenience

BASES	1 gal.	5 gal.
Part A	K09700000-16	K09700000-30

HARDENER	1 qt.	1 gal.
Part B	K09701000-14	K09701000-16



ACRYLIC URETHANE

Acrylic Urethane is a two-component, water-based gloss coating. It is designed for high-performance use in industrial and commercial environments. It offers outstanding abrasion resistance and has excellent weathering properties.

- Retains its appearance over a wide range of chemical, weather and mechanical conditions
- Can be applied directly to water-based or solvent-based organic, zinc-rich primers
- Nonflammable
- VOC Compliant everywhere
- Safe for incidental food contact

BASES	1 gal.
White Base 1 [†]	K000Z6461-16
Neutral Base 3	K000Z6463-16

HARDENER	1 qt.
Hardener	K000Z6415-14

[†]Can be used as packaged or tinted.



DURA-TOP® EPOXY FLOOR COATING

Dura-Top Epoxy is a self-leveling, 100% solids, two-component epoxy floor coating system that provides a brilliant gloss and seamless surface that is hard-wearing and durable. Dura-Top has good chemical resistance under spill/splash conditions for warehouses, workshops, auto shops and light assembly areas.

- Good chemical resistance under spill/splash conditions
- Can be applied at thicknesses from 10.0 to 30.0 mils dft
- A non-slip texture can be added
- VOC Compliant everywhere

COLORS	5 gal.
Haze Gray	K05400105-30
Deck Gray	K05400125-30
HARDENER	1 gal.
Hardener	K05409005-16



ACRYLIC FLOOR COATING

Acrylic Floor Coating is an interior/exterior, semi-gloss, industrial-grade, single-component waterborne floor coating. It offers a quick-drying, abrasion-resistant formula and easy water cleanup.

- Abrasion resistant
- Tough alkali-resistant finish
- Fast drying
- VOC Compliant everywhere
- Safe for incidental food contact

COLORS	1 gal.	5 gal.
Haze Gray	K05000100-16	K05000100-20

BASES	1 gal.	5 gal.
White Base 1 [†]	K000Z1611-16	K000Z1611-20
Neutral Base 3	K000Z1613-16	K000Z1613-20

PRIMERS	1 gal.
White	K000Z2800-16

[†]Can be used as packaged or tinted.



FAST DRY PRIMER

Fast Dry Primer is an economical, rapid-drying primer for use on miscellaneous fabricated metal parts. Good corrosion protection will result from a 1.0-1.75 dry mil coat.

- Fast drying
- Fast recoat with aliphatic solvent alkyd enamels
- Interior and exterior use
- Apply by spray or dip
- VOC Compliant in National/EPA regulated states only
- Safe for incidental food contact

COLORS	5 gal.	Drum
Red Oxide	K00020200-20	K00020200-27
Gray	K00020300-20	K00020300-27



ALKYD SHOPCOAT PRIMER

Alkyd Shopcoat Primer is an interior/exterior fast-drying, heavy-duty primer that offers outstanding protection for up to 6 months for steel in normal industrial environments. Its high-volume solids make it an economical primer with good coverage and excellent hiding power. Can topcoat with latex and alkyd enamels.

- Corrosion- and rust-inhibitive protection
- Weld-Thru formula
- Abrasion resistant
- Good coverage and excellent hiding power
- Fast drying — dries to touch in 15 minutes
- VOC Compliant in National/EPA regulated states only
- Safe for incidental food contact

COLORS	5 gal.	Drum
Gray	K000S3102-20	K000S3102-27
Red Oxide	K000S4501-20	K000S4501-27



INDUSTRIAL PRIMER

Industrial Primer is a heavy-duty primer that offers good protection for steel in normal industrial environments. This product is a high-solids primer.

- Fast drying
- Can be topcoated with alkyd and latex coatings
- Interior/exterior use
- VOC Compliant everywhere except SCAQMD, CARB and Utah
- Safe for incidental food contact

COLORS	1 gal.	5 gal.	Drum
Red Oxide	K00020001-16	K00020001-20	K00020001-27
Gray	K00020002-16	K00020002-20	K00020002-27



UNIVERSAL METAL PRIMER

Universal Metal Primer is a fast-drying, high-performance, high-solids, rust-inhibitive, alkyd metal primer designed for use over iron and steel substrates. Can be used as a universal primer under high-performance topcoats and is also suitable as a barrier coat over conventional coatings that would normally be attacked by strong solvents in high-performance coatings.

- High build to protect sandblasted steel
- Good corrosion protection
- May be topcoated with alkyd, acrylic and high-performance coatings
- Premium shopcoat primer
- Interior or exterior use
- VOC Compliant everywhere except SCAQMD, CARB, and Utah
- Safe for incidental food contact

COLORS	1 gal.	5 gal.
White	K000S4700-16	K000S4700-20



WELD-THRU PRIMER

Weld-Thru Primer is a rust-inhibitive product designed for shop-priming structural steel.

- An excellent choice when harsh environments put heavy performance demands on a shop-applied primer
- May be welded through with no effect on the weld's integrity
- VOC Compliant everywhere except SCAQMD
- Safe for incidental food contact

COLORS	1 gal.	5 gal.
Red Oxide	K00020101-16	K00020101-20
Gray	K00020102-16	K00020102-20
Black	K00020103-16	K00020103-20



ACRYLIC WATERBORNE BONDING PRIMER

Acrylic Waterborne Bonding Primer is an adhesion-promoting bonding primer for application over hard, slick, glossy surfaces and previously painted surfaces. It is ideal for prefinished metal siding containing fluorocarbon (Kynar), polyester polymers and silicone polyester. Designed for both new construction and maintenance applications. Must be topcoated with a water-based topcoat.

- Single component
- Corrosion resistant
- Interior and exterior use
- VOC Compliant everywhere
- Safe for incidental food contact

COLORS	1-gal.	5-gal.
White	K000Z6650-16	K000Z6650-20



ACRYLIC BLOCK FILLER

Acrylic Block Filler is a high-hiding, high-solids, easy-to-use product that primes and fills interior and exterior above-grade, unpainted aggregate block, poured and precast concrete, and rough masonry.

- Excellent filling characteristics
- Superior moisture resistance
- Ideal for resurfacing deteriorated concrete walls and ceilings
- Provides a smooth, uniform finish on concrete block
- VOC Compliant everywhere
- Safe for incidental food contact

COLORS	5 gal.
White	K000Z8465-20



WATERBORNE DRY FALL

Waterborne Dry Fall is a high-solids, industrial-grade dry fall with high reflectance properties, producing an intense white finish that promotes a safe work environment. This product is also high hiding and provides a flash-rust resistant coating. For interior use only.

- High hiding
- Increased light efficiency
- High light reflectance 83%
- 10-foot dry fallout
- VOC Compliant everywhere

COLORS	5 gal.
Flat White	K000Z5900-20
Semi-Gloss White	K000Z5910-20
Flat Black	K000Z5931-20



DRY FALLS

THINNERS AND REDUCERS

Krylon® Industrial offers thinners and reducers to ensure the correct tailor-made properties are obtained for each coating or application requirement.

TYPE	1 gal.	5 gal.	Drum
Acetone	K01663000-16	K01663000-20	K01663000-27
Lacquer Thinner	K01661800-16	K01661800-20	
MEK	K01661300-16	K01661300-20	
Mineral Spirits	K01661600-16	K01661600-20	
Toluene	K01661524-16		
VM&P Naphtha	K01661714-16	K01661714-20	
Xylene	K01661530-16	K01661530-20	

See page 38 for Solvent Selection table



ALKYD DRY FALL

Alkyd Dry Fall is a high-solids, industrial-grade dry fall with high reflectance and high-hiding properties. It produces an intense white finish that promotes a safe work environment. For interior use only.

- High light reflectance 83%
- High hiding
- Flash-rust resistant
- 8-ft. dry fallout
- VOC Compliant everywhere except SCAQMD, CARB and Utah
- Safe for incidental food contact

COLORS	5 gal.	Drum
Flat White	K00E3411-20	K00E3411-27
Semi-Gloss White*	K000S4536-20	

*Not compliant in OTC, LADCO or Canada.



SYSTEM RECOMMENDATIONS**

ALUMINUM/GALVANIZED METAL APPLICATIONS

RECOMMENDED PRODUCT		PRIMER	SURFACE PREPARATION*	PAGE
LIGHT	Tough Coat® Alkyd Enamel	Iron Guard® Primer	SSPC-SP1	22
MODERATE	Iron Guard Water-Based Acrylic Enamel	Iron Guard Primer	SSPC-SP1	23
HEAVY DUTY	Waterborne Acrylic Enamel	Iron Guard Primer	SSPC-SP1	24
	PreCat Epoxy	Iron Guard Primer	SSPC-SP1	26
	Acrylic Urethane	Iron Guard Primer	SSPC-SP2	26
	High-Build Epoxy Mastic 100	None needed	SSPC-SP6	25
	PalGard® Epoxy	Iron Guard Primer	SSPC-SP1	25

CEILING APPLICATIONS

RECOMMENDED PRODUCT		PRIMER	SURFACE PREPARATION*	PAGE
HEAVY DUTY	Waterborne Dry Fall	None needed	SSPC-SP1/SP2	31
MODERATE	Alkyd Dry Fall or Waterborne Dry Fall	N/A	SSPC-SP1/SP2	31
	Alkyd Dry Fall or Waterborne Dry Fall	Acrylic Block Filler	SSPC-SP1/SP2	31
	Alkyd Dry Fall or Waterborne Dry Fall	Iron Guard Primer	SSPC-SP1/SP2	31

CONCRETE/MASONRY APPLICATIONS

RECOMMENDED PRODUCT		PRIMER	SURFACE PREPARATION*	PAGE
LIGHT	Tough Coat Alkyd Enamel	Iron Guard Primer or Rust Tough® Primer	SSPC-SP13	22
	Tough Coat Alkyd Enamel	Acrylic Block Filler	SSPC-SP13	22
	Modified Alkyd Enamel	Iron Guard Primer or Rust Tough Primer	SSPC-SP13	21
	Waterborne Acrylic Enamel	Acrylic Block Filler	SSPC-SP13	24
	Iron Guard Water-Based Acrylic Enamel	Iron Guard Primer or Rust Tough Primer	SSPC-SP13	23
	Rust Tough 250 Acrylic Alkyd Enamel	Iron Guard Primer or Rust Tough Primer	SSPC-SP13	21
	Rust Tough Acrylic Alkyd Enamel	Iron Guard Primer or Rust Tough Primer	SSPC-SP13	20
	PreCat Epoxy	Acrylic Block Filler	SSPC-SP13	26
	PalGard Epoxy	Iron Guard Primer	SSPC-SP13	25
	Acrylic Urethane	Acrylic Block Filler	SSPC-SP13	26
	High Build Epoxy Mastic 100	Acrylic Block Filler	SSPC-SP13	25
	Acrylic Urethane	N/A	SSPC-SP13	26
	Acrylic Urethane	Acrylic Block Filler	SSPC-SP13	26

*For an explanation of the Surface Preparation standards, refer to www.sspc.org

**See Product Data Sheets for detailed product information

SYSTEM RECOMMENDATIONS**

HEAVY-DUTY CONDITIONS

 Frequent fumes and spills of strong chemicals (acids, alkalis and solvents), high humidity and moisture conditions. Frequent product spills and frequent chemical cleaning.

MODERATE CONDITIONS

 Frequent fumes and spills of mild chemicals, occasional product spills, occasional chemical cleaning. Intermittent high humidity, moisture, mold and mildew conditions.

LIGHT CONDITIONS

 Outdoor weathering, mild industrial fumes and normal humidity with mold and mildew conditions.

FLOORING APPLICATIONS

HEAVY DUTY	RECOMMENDED PRODUCT	PRIMER	SURFACE PREPARATION*	PAGE
LIGHT	VersaShield™		SSPC-SP13	26
	Acrylic Floor Coating	Acrylic Floor Primer	SSPC-SP13	27
	Dura-Top® Epoxy Floor Coating		Brush Blast/Concrete	27

STEEL/IRON APPLICATIONS

LIGHT	RECOMMENDED PRODUCT	PRIMER	SURFACE PREPARATION*	PAGE
	Waterborne Acrylic Enamel	Iron Guard® Primer	SSPC-SP2	24
	Waterborne Acrylic Enamel	Universal Metal Primer	SSPC-SP2	24
	Modified Alkyd Enamel	Weld-Thru Primer	SSPC-SP2	21
	Tough Coat® Alkyd Enamel	Industrial Primer	SSPC-SP2	22
	Tough Coat Alkyd Enamel	Iron Guard Primer	SSPC-SP2	22
	Tough Coat Alkyd Enamel	Universal Metal Primer or Alkyd Shopcoat Primer	SSPC-SP2	22
	Iron Guard Water-Based Acrylic Enamel	Iron Guard Primer	SSPC-SP2	23
	Rust Tough 250 Acrylic Alkyd Enamel	Rust Tough® 250 Primer	SSPC-SP2	21
	Rust Tough Acrylic Alkyd Enamel	Rust Tough Primer	SSPC-SP2	20
	Waterborne Acrylic Enamel	Industrial Primer	SSPC-SP2	24
	PreCat Epoxy	Universal Metal Primer	SSPC-SP2	26
	Acrylic Urethane	Universal Metal Primer	SSPC-SP2	26
	Waterborne Acrylic Enamel	Alkyd Shopcoat Primer	SSPC-SP2	24
	Tough Coat Quik-Dry Alkyd Enamel	Industrial Primer or Universal Metal Primer	SSPC-SP2, SSPC-SP6	22
	High Build Epoxy Mastic 100	None needed	SSPC-SP6	25
	PalGard® Epoxy	Iron Guard Primer or Universal Metal Primer	SSPC-SP2	25

*For an explanation of the Surface Preparation standards, refer to www.sspc.org

**See Product Data Sheets for detailed product information

APPLICATORS

		Black Bristle	XL™ Elite™	XL™	Pro Extra®	Clearcut™	White Dove™	Ultra Finish®	Marathon™	Golden Eagle™
Rust Tough® & Rust Tough® 250		●					●	●		
Alkyd Enamels		●					●	●		
Acrylic Enamels			●	●			●	●		
Polyamide Epoxies		●					●	●	●	●
Acrylic Epoxies		●					●	●	●	●
Water-Based Urethanes			●	●			●	●	●	●
			●	●			●	●		

APPLICATORS


		Black Bristle	XL™ Elite™	XL™	Pro Extra®	Clearcut™	White Dove™	Ultra Finish®	Marathon™	Golden Eagle™
Floor Coatings							●	●	●	●
Alkyd Primers							●	●	●	●
Acrylic Primers					●					
Dry Falls							●	●	●	●
							●	●	●	●
										Spray Application Only

Applicators suggested are available in various sizes, please contact Customer Service or your local Sales Representative for more information.
 *1/4" or 3/8" covers **high nap size

APPLICATORS

									
Rust Tough® & Rust Tough® 250		●	●						
Acrylic Alkyd Enamels									
Tough Coat®, Tough Coat® Quik-Dry™ & Modified Alkyd Enamel		●	●						
Alkyd Enamels									
Iron Guard®				●	●	●	●		
Acrylic Enamels									
Waterborne Acrylic Enamel			●	●		●			
Polyamide Epoxies									
High Build Epoxy Mastic 100				●		●			
PalGard®				●		●			
Acrylic Epoxies									
PreCat Epoxy				●	●	●	●		
Water-Based Urethanes									
Acrylic Urethane, VersaShield™			●	●		●	●		

APPLICATORS*

									
Floor Coatings					●	●	●	●	
Acrylic Primers					●	●	●	●	
Alkyd Primers									●
Dry Falls					●				●
									
									Spray Application Only
Applicators suggested are available in various sizes, please contact Customer Service or your local Sales Representative for more information. *high nap size									

THINNERS/REDUCERS—SOLVENT SELECTION

Krylon® Industrial offers thinners and reducers to ensure that the correct tailor-made properties are obtained for each coating or application requirement. The following chart provides a list of solvents, blended solvents and some specific properties. For the proper selection of a thinner or reducer, see the respective Product Data Sheet, which then can be tied in with the chart below.

PRODUCT	EVAPORATION RATE-MINUTES ¹	SOLVENT STRENGTH ²	FLASH POINT ³	FLOW ⁴	SET-UP TIME ⁵	HAPS ⁶	NON-PHOTO CHEMICALLY REACTIVE	CHARACTERISTIC SUMMARY
ALIPHATIC/AROMATIC								
MINERAL SPIRITS	50	1	105	5	5		yes	Weak, slow evaporating, used predominately in alkyds
XYLENE	11	6	30	4	3	no	no	Medium-fast evaporating for use in epoxies and alkyds
TOLUENE	4	6	40	2	1	no	no	Fast evaporating
VM&P NAPHTHA	4	2	50	2	2		yes	Weak, fast evaporating, very good for solvent cleaning when using alkyd topcoats
BLENDED SOLVENTS								
LACQUER THINNER	N/A	N/A	1	5	N/A	N/A	YES	Fast evaporating, weak solvent for spray application or cleaning use
KETONES								
MEK	2	10	18	2	2	no	yes	Very fast evaporating for spray application with zinc-rich coatings. Used in small amounts
ACETONE	1	10	1	1	1		no	Very fast evaporating

¹ Measure of time in minutes required for 90% to evaporate. ASTM-D3539.

² Ratings express the approximate ability to dissolve resin and reduce viscosity. Rated 1 to 10 (10 best).

³ Temperature (°F) at which sufficient vapors are given off to ignite by open flame (Closed Cup Method).

⁴ Rated from 1 to 10 (10 best). Good flow permits paint film to level out into a smooth film of uniform thickness without orange peel, brush marks, etc.

⁵ Rates from 1 to 10 (10 slow) relative rating of time necessary to obtain surface or dry-free drying of film.

⁶ Status relative to proposed Federal EPA HAPS Rule. "No" means listed and regulated as hazardous air pollutant.

See page 30 for SKU detail.




INDUSTRIAL MAINTENANCE COATINGS VOC COMPLIANCE

The chart below shows the regional VOC Compliance status (as of 1/1/2017) for our product lines, as regulated by Architectural and Industrial Maintenance (AIM) rules. If the products are intended to be applied in a shop or manufacturing environment, the chart is not applicable and the usage of these products is regulated by each shop owner's operational permits, local shop limits, or in Utah, where the shop must meet published regulatory limits. Shop customers may contact our Customer Service department, who will help you with your OEM/Shop Exempt Form in order to ship our products into highly regulated areas.

	SCAQMD	CARB	UTAH	OTC	LADCO	NATIONAL	CANADA
Rust Tough® Acrylic Alkyd Enamel	N	N	N	N	N	Y	N
Rust Tough 250 Acrylic Alkyd Enamel	N	Y	Y	Y	Y	Y	Y
Tough Coat® Alkyd Enamel	N	N	N	Y	Y	Y	Y
Tough Coat Quik-Dry™ Alkyd Enamel	N	N	N	N	N	Y	N
Modified Alkyd Enamel	N	Y	Y	Y	Y	Y	Y
Iron Guard® Water-Based Acrylic Enamel	Y	Y	Y	Y	Y	Y	Y
Waterborne Acrylic Enamel	Y	Y	Y	Y	Y	Y	Y
High Build Epoxy Mastic 100	Y	Y	Y	Y	Y	Y	Y
PalGard® Epoxy	N	N	N	Y	Y	Y	Y
Precat Epoxy	N	Y	Y	Y	Y	Y	Y
Dura-Top® Epoxy Floor Coating	Y	Y	Y	Y	Y	Y	Y
Acrylic Floor Coating	Y	Y	Y	Y	Y	Y	Y
Acrylic Urethane	Y	Y	Y	Y	Y	Y	Y
Alkyd Dry Fall	N	N	N	Y	Y	Y	Y
Waterborne Dry Fall	Y	Y	Y	Y	Y	Y	Y
Industrial Primer	N	N	N	Y	Y	Y	Y
Fast Dry Primer	N	N	N	N	N	Y	N
Weld-Thru Primer	N	Y	Y	Y	Y	Y	Y
Alkyd Shopcoat Primer	N	N	N	N	N	Y	N
Universal Metal Primer	N	N	N	Y	Y	Y	Y
Acrylic Waterborne Bonding Primer	Y	Y	Y	Y	Y	Y	Y
Acrylic Block Filler	Y	Y	Y	Y	Y	Y	Y
VersaShield™ Polyurethane	Y	Y	Y	Y	Y	Y	Y
Line-Up® Striping Paint	Y	Y	Y	Y	Y	Y	Y

¹ OTC-Phase II follows same regulations as CARB.



VOC REGULATED LOCATIONS

- Federal EPA: www.epa.gov
- California: www.arb.ca.gov
- OTC Model Rule: www.otcair.org
- OTC-Phase II: [www.otcair.org*](http://www.otcair.org)
- Maricopa County, Arizona: www.maricopa.gov
- California SCAQMD – South Coast Air Quality Management District: www.aqmd.gov
- Canada VOC Rule: www.ec.gc.ca
- Virginia: www.deq.virginia.gov
- Utah: www.rules.utah.gov

There may be SKUs in each family that do not comply with what is shown in the chart above. Due to rapidly changing regulations, please contact your local Sales Representative or Customer Service for the most up-to-date information.

SAFETY COLOR CODING GUIDE	
Based on the original OSHA code.	
	EMERGENCY Use RED for the identification of fire protection equipment and apparatus, danger and stop.
	WARNING Use ORANGE for designating dangerous parts of machines or energized equipment that may cut, crush, shock, or otherwise injure, and to emphasize such hazards when enclosure doors are open or removed, or when gear, belt or other guards around moving equipment are open or removed, exposing unguarded hazards.
	CAUTION Use YELLOW for designating caution and for marking physical hazards such as striking against, stumbling, falling, tripping and "caught in between." Solid yellow, and yellow with black stripes or checkers should be used interchangeably, using the combination that will attract the most attention in the particular area.
	SAFETY EQUIPMENT Use GREEN or similar color for designating safety and the location of first aid equipment (other than firefighting equipment). Green background with a white cross is accepted as identifying first aid equipment.
	SAFETY INFORMATION Use BLUE for identification of safety information used on informational signs and bulletin boards. In railroad areas only, blue shall be the color for designating caution, limited to warning against the starting, the use or the movement of equipment under repair or being worked on.
	TRAFFIC HOUSEKEEPING Use BLACK & WHITE to designate traffic and housekeeping markings. Solid white, solid black, single-color striping, alternate stripes of black and white, or black and white checkers should be used in accordance with local conditions. (Purple, gray and brown may be used to accentuate color contrast and make other colors more visible).

IDENTIFICATION OF PIPING SYSTEMS

Based on the original OSHA code.

	FIRE PROTECTION & SPRINKLER PIPING RED is for ANSI Class F-Fire. This classification includes sprinkler systems and other fire protection equipment.
	DANGEROUS MATERIALS YELLOW is for ANSI Class D. This group includes materials that are hazardous to life or property because they are easily ignited, toxic, corrosive at high temperatures and pressures, produce poisonous gas or are themselves poisonous.
	SAFE MATERIALS GREEN is for ANSI Class S. This group includes those materials involving little or no hazard to life or property in their handling.
	PROTECTIVE MATERIALS BLUE is for ANSI Class P. This group includes materials that are piped through plants for the express purpose of being able to prevent or minimize the hazard of dangerous materials.

ECONOMY SPRAY PAINTS

COLOR WORKS™ MAINTENANCE CHOICE™ ENAMEL PAINTS			
COLORS	16 oz. (11 oz. net wt.)	COLORS	16 oz. (11 oz. net wt.)
Gloss Black	CWBK01007	Equipment Orange	CWBK01177
Flat Black	CWBK01017	Safety Yellow	CWBK01187
Gloss White	CWBK01027	Walnut Brown	CWBK01217
Flat White	CWBK01037	Almond	CWBK01227
Lt Mach Gray	CWBK01047	Silver Aluminum	CWBK01237
Dk Mach Gray	CWBK01057	Sunshine Yellow	CWBK01267
Industrial Gray	CWBK01067	Harvester Red	CWBK01277
Safety Blue	CWBK01087	Citrus Yellow	CWBK01287
Royal Blue	CWBK01097	Meadow Green	CWBK01297
Navy Blue	CWBK01107	Zinger Pink	CWBK01327
Safety Green	CWBK01117	Fl Jamaica Orange	CWBK01337
Emerald Green	CWBK01127	Fl Sunset Orange	CWBK01357
Hunter Green	CWBK01137	Clear Lacquer	CWBK01407
Safety Red	CWBK01147	Metallic Gold	CWBK01417
Cherry Red	CWBK01157	PRIMERS*	16 oz. (11 oz. net wt.)
Safety Orange	CWBK01167	Gray Primer	CWBK01247
		Red Oxide Primer	CWBK01257

Case Pack: 12

- High paint solids formula for quality hide
- High gloss retention
- Fast drying
- Interior/Exterior use




WORK DAY™ ENAMEL PAINTS

COLORS	16 oz. (10 oz. net wt.)	COLORS	16 oz. (10 oz. net wt.)
Gloss White	A04401007	Flat Black	A04412007
Gloss Black	A04402007	Orange	A04413007
Blue	A04403007	Clear	A04414007
Gloss Red	A04404007	Dark Gray	A04420007
Gray	A04405007	Flat White	A04422007
Yellow	A04406007	Brown	A04431007
Gloss Pink	A04407007	True Blue	A04456007
Green	A04408007	PRIMERS*	16 oz. (10 oz. net wt.)
Sky Blue	A04409007	Gray Primer	A04418007
		Red Primer	A04419007

Case Pack: 12

- Economical
- Dries to touch in 12 minutes
- Features standard conical nozzle



*Alkyd Enamels

SPECIAL PURPOSE

Special projects require unique solutions. Krylon® Industrial is proud to offer an array of products designed for specific substrates and environments, from high temperatures to appliance paints.



KRYLON® FUSION ALL-IN-ONE™ ACRYLIC AEROSOL

- Bonds to plastic, laminate, wood, metal, masonry
- Maximum rust protection
- Superior adhesion and durability
- No sanding or priming required
- Easy-push spray tip with spray any way capabilities



COLORS **16 oz.
(12 oz. net wt.)**

Satin Beach Glass	K02731007
Satin Brick	K02733007
Satin Bright White	K02734007
Satin Daisy Yellow	K02736007
Satin Dover White	K02737007
Satin Espresso	K02738007
Satin Ivory	K02739007
Satin Key Lime	K02793007
Satin Khaki	K02740007
Satin Lagoon Blue	K02741007
Satin Lavender	K02742007
Satin Light Peach	K02743007
Satin Otter Brown	K02795007
Satin Peacock Blue	K02792007
Satin Pewter Gray	K02744007
Satin Pink Blush	K02745007
Satin Rolling Surf	K02747007
Satin Sangria	K02748007
Satin Shadow Gray	K02749007
Satin Spiced Amber	K02750007
Satin Spring Grass	K02751007
Satin Terracotta	K02752007
Matte Clamshell	K02799007
Matte Desert Orange	K02755007
Matte Fire Red	K02756007
Matte Glacier Gray	K02757007
Matte Ink Blue	K02758007
Matte Light Lilac	K02759007
Matte Merlot	K02760007
Matte Pale Sage	K02761007
Matte River Rock	K02794007

COLORS **16 oz.
(12 oz. net wt.)**

Matte Sea Green	K02762007
Matte Spanish Moss	K02796007
Matte Spring Shower	K02763007
Matte Sweet Fig	K02798007
Matte Vintage Blue	K02797007
Matte Wild Honey	K02765007
Gloss Blue Hyacinth	K02703007
Gloss Burgundy	K02704007
Gloss Dover White	K02706007
Gloss Espresso	K02707007
Gloss Honeycomb	K02791007
Gloss Hot Pink	K02708007
Gloss Hunter Green	K02789007
Gloss Icy Grape	K02709007
Gloss Ivory	K02711007
Gloss Jungle Green	K02712007
Gloss Khaki	K02713007
Gloss Navy	K02714007
Gloss Ocean Blue	K02715007
Gloss Patriotic Blue	K02716007
Gloss Pink Blush	K02717007
Gloss Popsicle Orange	K02718007
Gloss Purple	K02719007
Gloss Red Pepper	K02720007
Gloss River Rock	K02721007
Gloss Rolling Surf	K02722007
Gloss Smoke Gray	K02723007
Gloss Spring Grass	K02724007
Gloss Sunbeam	K02725007
Gloss Vintage Gray	K02726007



CLEAR POLYURETHANE/ VARNISH COATINGS



COATINGS **16 oz. (11 oz. net wt.)**

Gloss Varnish	K07001777
Satin Varnish	K07002777
Polyurethane Gloss	K07005777
Polyurethane Satin	K07006777
Case Pack: 6	



OSHA PAINTS

- Color standards approved by the Occupational Safety and Health Act Governing Board
- High-visibility safety colors
- Colors mark physical hazard and designate caution for workers' safety
- US Only

COLORS **16 oz. (12 oz. net wt.)**

Safety Yellow	K01813777
Safety Purple	K01929777
Safety Green	K02012777
Safety Red	K02116777
Safety Orange	K02410777
Safety Blue	K02416777
Case Pack: 6	



FLUORESCENT PAINTS

- Bright, bold neon colors for maximum visibility and safety
- Increases brilliance by 200% to 400%
- Glows under ultraviolet (black) light
- Apply over white base coat for optimum brightness
- US Only

COLORS **16 oz. (11 oz. net wt.)**

Red/Orange	K03101777
Yellow/Orange	K03102777
Lemon Yellow	K03104777
Cerise	K03105777
Green	K03106777
Blue	K03107777
Case Pack: 6	



FARM & IMPLEMENT PAINTS

- Original equipment colors
- Fast drying
- High-gloss, durable finish
- Corrosion resistant
- Direct-to-metal application
- US Only

COLORS	16 oz.	1 qt.	1 gal.
New Equipment Yellow	K01944000	K02037000	K01974000
School Bus Yellow (Transport Yellow)	K01957000	K02038000	K01976000
New Holland Yellow	K01949000	K02032000	K01975000
John Deere Yellow	K01934000	K02025000	K01970000
Old Equipment Cat Yellow	K01953000	K02042000	K01985000
Allis Chalmers Orange	K01940000	K02030000	K01971000
Old Kubota Orange	K01946000	K02033000	K01978000
Husqvarna Orange	K01961777		
New Kubota Orange	K01954000	K02043000	K01986000
Ford Red	K01941000	K02029000	K01972000
Massey Ferguson Red	K01939000	K02026000	K01968000
International Harvester Red	K01933000	K02024000	K01964000
New Holland Red	K01947000	K02035000	K01977000
Troy Bilt Red	K01960777		
Ford Blue	K01936000	K02027000	K01967000
Ford Gray	K01942000	K02028000	K01973000
John Deere Green	K01932000	K02023000	K01966000
Oliver Green	K01943000	K02036000	K01979000
Massey Ferguson Gray	K01938000	K02031000	K01969000
Gloss Black	K01931007	K02020000	K01962000
Low Gloss Black	K01935007	K02022000	K01965000
Gloss White	K01937007	K02021000	K01963000
International Harvester White	K01945000	K02034000	K01980000
PRIMERS			
Sandable Gray Primer	K01950007	K02039000	K01981000
Sandable Red Oxide Primer	K01951007	K02040000	K01982000

Case Pack: 6

Case Pack: 2

Case Pack: 4

HARDENERS	1 pt.	1/2 pt.
Reducer	K02045000	
Catalyst Hardener	K02046000	



METALLIC PAINTS

- Dries quickly
- Easy to use
- Brilliant metallic-like finish
- US Only



COLORS	16 oz. (12 oz. net wt.)
Regular Metallics	
Bright Silver*	K01401777
Dull Aluminum*	K01403777
Chrome Aluminum	K01404777
Bright Gold	K01701A77
Craft Metallics	
Silver Metallic	K01406
Gold Metallic	K01706007
Copper Metallic	K02203007
Brass Metallic	K02204007

Case Pack: 6

*11 oz. net wt. for Bright Silver and Dull Aluminum only



HIGH-HEAT PAINTS

- Withstands temperatures up to 1200 °F intermittently, up to 600 °F continuously
- Provides a clean, durable finish
- Protects against rust
- Dries to the touch in minutes
- US Only



COLORS	16 oz. (12 oz. net wt.)
High-Heat White	K01505777
High-Heat Black	K01618777
High-Heat Beige	K01408777
High-Heat Aluminum	K01407777
High-Heat Flat White	K01708077
High-Heat Flat Brown	K01709077
High-Heat Flat Black	K01707077

Case Pack: 6



APPLIANCE EPOXY PAINTS

- Chemical and stain resistant
- Durable, scrubbable and colorfast
- Dries to touch in 30 minutes
- US Only

COLORS	16 oz. (12 oz. net wt.)
Almond	K03203777
Bisque	K03207777
White	K03201777
Black	K03206777

Case Pack: 6



CAMOUFLAGE PAINTS

- Bonds to most plastics
- No sanding or priming
- Dries in 15 minutes or less
- Ultra-flat, nonreflective colors
- US Only

COLORS	16 oz. (12 oz. net wt.)
Khaki	K04291777
Brown	K04292777
Olive	K042393777
Sand	K04295777
Woodland Light Green	K04296077
Black	K04290777

Case Pack: 6



MAINTENANCE CLEAR COATINGS

- Provides a tough, long-lasting protective coating
- Guards against electrical failures
- Will not affect resistance values or conduct current
- Seals porous surfaces
- Dries in 15 minutes or less
- US Only

COLORS	16 oz. (11 oz. net wt.)
Crystal Clear Graphic Arts (MIL-TT-L-50)	K01303007
Crystal Clear U.V. Gloss	K01305007
Matte Finish	K01311007
Workable Fixatif	K01306

Case Pack: 6



INDEX

PRODUCT #	PRODUCT DESCRIPTION	PAGE #
A00324	Tough Coat® Acrylic Alkyd Enamel - High-Heat Aluminum	4
A00325007	Tough Coat® Acrylic Alkyd Enamel - Machinery Dark Gray (ANSI-49)	4
A00326007	Tough Coat® Acrylic Alkyd Enamel - Machinery Light Gray (ANSI-61)	4
A00329007	Tough Coat® Acrylic Alkyd Enamel - Machinery Blue Gray (ANSI-24)	4
A00332	Tough Coat® Acrylic Alkyd Enamel - High-Heat Black	4
A00339007	Tough Coat® Acrylic Alkyd Enamel - Red Oxide Rust Control Primer	4
A00340007	Tough Coat® Acrylic Alkyd Enamel - Gray Rust Control Primer	4
A00341007	Tough Coat® Acrylic Alkyd Enamel - Light Gray Sandable Primer	4
A00342007	Tough Coat® Acrylic Alkyd Enamel - Red Oxide Sandable Primer	4
A00344007	Tough Coat® Acrylic Alkyd Enamel - Green Rust Inhibitor Primer	4
A00345007	Tough Coat® Acrylic Alkyd Enamel - Silver Zinc Primer	4
A00347007	Tough Coat® Acrylic Alkyd Enamel - Stain Blocking Primer	4
A01000007	Tough Coat® Acrylic Alkyd Enamel - Clear Gloss	4
A01003007	Tough Coat® Acrylic Alkyd Enamel - International Harvester Red	4
A01005007	Tough Coat® Acrylic Alkyd Enamel - Bright Red	4
A01008007	Tough Coat® Acrylic Alkyd Enamel - Ford Blue	4
A01009007	Tough Coat® Acrylic Alkyd Enamel - Federal Highway Yellow	4
A01101007	Tough Coat® Acrylic Alkyd Enamel - Cherry Red	4
A01110007	Tough Coat® Acrylic Alkyd Enamel - OSHA Red	4
A01150007	Tough Coat® Acrylic Alkyd Enamel - Zinger Pink	4
A01210007	Tough Coat® Acrylic Alkyd Enamel - OSHA Orange (#60 Equipment Orange)	4
A01212007	Tough Coat® Acrylic Alkyd Enamel - Implement Orange	4
A01213007	Tough Coat® Acrylic Alkyd Enamel - Joy Orange	4
A01285007	Tough Coat® Acrylic Alkyd Enamel - Cordova Brown	4
A01305007	Tough Coat® Acrylic Alkyd Enamel - Light Beige	4
A01310007	Tough Coat® Acrylic Alkyd Enamel - OSHA Yellow	4
A01319007	Tough Coat® Acrylic Alkyd Enamel - New Caterpillar Yellow	4
A01321007	Tough Coat® Acrylic Alkyd Enamel - Old Caterpillar Yellow	4
A01415007	Tough Coat® Acrylic Alkyd Enamel - Machine Green	4
A01445007	Tough Coat® Acrylic Alkyd Enamel - Medium Green	4
A01470007	Tough Coat® Acrylic Alkyd Enamel - OSHA Green	4
A01485007	Tough Coat® Acrylic Alkyd Enamel - Ivy Green (John Deere & Case Green)	4
A01510007	Tough Coat® Acrylic Alkyd Enamel - OSHA Blue	4
A01515007	Tough Coat® Acrylic Alkyd Enamel - Dark Blue	4
A01540007	Tough Coat® Acrylic Alkyd Enamel - Light Blue	4
A01580007	Tough Coat® Acrylic Alkyd Enamel - OSHA Purple	4
A01615007	Tough Coat® Acrylic Alkyd Enamel - Medium Gray	4
A01620007	Tough Coat® Acrylic Alkyd Enamel - Machinery Gray	4
A01625007	Tough Coat® Acrylic Alkyd Enamel - Blue/Gray	4
A01630007	Tough Coat® Acrylic Alkyd Enamel - Industrial Gray	4
A01645007	Tough Coat® Acrylic Alkyd Enamel - Light Gray	4

PRODUCT #	PRODUCT DESCRIPTION	PAGE #	PRODUCT #	PRODUCT DESCRIPTION	PAGE #
A01760007	Tough Coat® Acrylic Alkyd Enamel - Aluminum	4	A03923004	Quik-Mark® Inverted Water Based Marking Paints - APWA Black	11
A01765007	Tough Coat® Acrylic Alkyd Enamel - Gold	4	A04401007	Work Day™ Enamel Paints - Gloss White	41
A01770007	Tough Coat® Acrylic Alkyd Enamel - OSHA Black	4	A04402007	Work Day™ Enamel Paints - Gloss Black	41
A01800007	Tough Coat® Acrylic Alkyd Enamel - OSHA White	4	A04403007	Work Day™ Enamel Paints - Blue	41
A01811007	Tough Coat® Acrylic Alkyd Enamel - Fluorescent Orange	4	A04404007	Work Day™ Enamel Paints - Gloss Red	41
A01812007	Tough Coat® Acrylic Alkyd Enamel - Fluorescent Red	4	A04405007	Work Day™ Enamel Paints - Gray	41
A01815007	Tough Coat® Acrylic Alkyd Enamel - Fluorescent Electric Green	4	A04406007	Work Day™ Enamel Paints - Yellow	41
A03500	Quik-Mark® Inverted Water Based Marking Paints - APWA Clear	11	A04407007	Work Day™ Enamel Paints - Gloss Pink	41
A03550007	Quik-Mark® Inverted Solvent Based Marking Paints - APWA Black	11	A04408007	Work Day™ Enamel Paints - Green	41
A03600007	Quik-Mark® Inverted Solvent Based Marking Paints - APWA Clear	11	A04409007	Work Day™ Enamel Paints - Sky Blue	41
A03610004	Quik-Mark® Inverted Water Based Marking Paints - Fluorescent Red	11	A04412007	Work Day™ Enamel Paints - Flat Black	41
A03611007	Quik-Mark® Inverted Solvent Based Marking Paints - APWA Red	11	A04413007	Work Day™ Enamel Paints - Orange	41
A03612004	Quik-Mark® Inverted Water Based Marking Paints - Fluorescent Pink	11	A04414007	Work Day™ Enamel Paints - Clear	41
A03613007	Quik-Mark® Inverted Solvent Based Marking Paints - Fluorescent Red	11	A04418007	Work Day™ Enamel Paints - Gray Primer	41
A03614007	Quik-Mark® Inverted Solvent Based Marking Paints - Fluorescent Green	11	A04419007	Work Day™ Enamel Paints - Red Primer	41
A03615007	Quik-Mark® Inverted Solvent Based Marking Paints - Fluorescent Purple	11	A04420007	Work Day™ Enamel Paints - Dark Gray	41
A03620004	Quik-Mark® Inverted Water Based Marking Paints - Fluorescent Blue	11	A04422007	Work Day™ Enamel Paints - Flat White	41
A03621007	Quik-Mark® Inverted Solvent Based Marking Paints - APWA Blue	11	A04431007	Work Day™ Enamel Paints - Brown	41
A03622007	Quik-Mark® Inverted Solvent Based Marking Paints - Fluorescent Pink	11	A04456007	Work Day™ Enamel Paints - True Blue	41
A03630004	Quik-Mark® Inverted Water Based Marking Paints - Fluorescent Green	11	AT3701007	Quik-Mark® Inverted Solvent Based Marking Paints - Fluorescent Red/Orange	11
A03631007	Quik-Mark® Inverted Solvent Based Marking Paints - APWA Green	11	CWBK01007	Color Works™ Maintenance Choice™ Enamel Paints - Gloss Black	41
A03640007	Quik-Mark® Inverted Solvent Based Marking Paints - APWA Silver	11	CWBK01017	Color Works™ Maintenance Choice™ Enamel Paints - Flat Black	41
A03650005	Quik-Mark® Inverted Water Based Marking Paints - Fluorescent Red/Orange	11	CWBK01027	Color Works™ Maintenance Choice™ Enamel Paints - Gloss White	41
A03700004	Quik-Mark® Inverted Water Based Marking Paints - Fluorescent Orange	11	CWBK01037	Color Works™ Maintenance Choice™ Enamel Paints - Flat White	41
A03702007	Quik-Mark® Inverted Solvent Based Marking Paints - Fluorescent Orange	11	CWBK01047	Color Works™ Maintenance Choice™ Enamel Paints - Lt Mach Gray	41
A03715004	Quik-Mark® Inverted Water Based Marking Paints - Fluorescent Purple	11	CWBK01057	Color Works™ Maintenance Choice™ Enamel Paints - Dk Mach Gray	41
A03720007	Tough Coat® Acrylic Alkyd Enamel - Flat White	4	CWBK01067	Color Works™ Maintenance Choice™ Enamel Paints - Industrial Gray	41
A03722007	Quik-Mark® Inverted Solvent Based Marking Paints - Fluorescent Blue	11	CWBK01087	Color Works™ Maintenance Choice™ Enamel Paints - Safety Blue	41
A03725007	Tough Coat® Acrylic Alkyd Enamel - Semi-Flat Black	4	CWBK01097	Color Works™ Maintenance Choice™ Enamel Paints - Royal Blue	41
A03727007	Tough Coat® Acrylic Alkyd Enamel - Max Flat Black	4	CWBK01107	Color Works™ Maintenance Choice™ Enamel Paints - Navy Blue	41
A03731007	Quik-Mark® Inverted Solvent Based Marking Paints - APWA Orange	11	CWBK01117	Color Works™ Maintenance Choice™ Enamel Paints - Safety Green	41
A03801004	Quik-Mark® Inverted Water Based Marking Paints - APWA Utility Yellow	11	CWBK01127	Color Works™ Maintenance Choice™ Enamel Paints - Emerald Green	41
A03821007	Quik-Mark® Inverted Solvent Based Marking Paints - APWA High-Vis Yellow	11	CWBK01137	Color Works™ Maintenance Choice™ Enamel Paints - Hunter Green	41
A03823007	Quik-Mark® Inverted Solvent Based Marking Paints - APWA Utility Yellow	11	CWBK01147	Color Works™ Maintenance Choice™ Enamel Paints - Safety Red	41
A03900007	Quik-Mark® Inverted Solvent Based Marking Paints - APWA White	11	CWBK01157	Color Works™ Maintenance Choice™ Enamel Paints - Cherry Red	41
A03901004	Quik-Mark® Inverted Water Based Marking Paints - APWA White	11	CWBK01167	Color Works™ Maintenance Choice™ Enamel Paints - Safety Orange	41
A03903004	Quik-Mark® Inverted Water Based Marking Paints - APWA Blue	11	CWBK01177	Color Works™ Maintenance Choice™ Enamel Paints - Equipment Orange	41
A03904004	Quik-Mark® Inverted Water Based Marking Paints - APWA Green	11	CWBK01187	Color Works™ Maintenance Choice™ Enamel Paints - Safety Yellow	41
A03905004	Quik-Mark® Inverted Water Based Marking Paints - APWA Orange	11	CWBK01217	Color Works™ Maintenance Choice™ Enamel Paints - Walnut Brown	41
A03911004	Quik-Mark® Inverted Water Based Marking Paints - APWA Red	11	CWBK01227	Color Works™ Maintenance Choice™ Enamel Paints - Almond	41
A03921004	Quik-Mark® Inverted Water Based Marking Paints - APWA High-Vis Yellow	11	CWBK01237	Color Works™ Maintenance Choice™ Enamel Paints - Silver Aluminum	41

PRODUCT #	PRODUCT DESCRIPTION	PAGE #	PRODUCT #	PRODUCT DESCRIPTION	PAGE #
CWBK01247	Color Works™ Maintenance Choice™ Enamel Paints - Gray Primer	41	K000S4700-16	Universal Metal Primer - White	29
CWBK01257	Color Works™ Maintenance Choice™ Enamel Paints - Red Oxide Primer	41	K000S4700-20	Universal Metal Primer - White	29
CWBK01267	Color Works™ Maintenance Choice™ Enamel Paints - Sunshine Yellow	41	K000Z1611-16	Dura-Top® Epoxy Floor Coating - White Base 1	27
CWBK01277	Color Works™ Maintenance Choice™ Enamel Paints - Harvester Red	41	K000Z1611-20	Dura-Top® Epoxy Floor Coating - White Base 1	27
CWBK01287	Color Works™ Maintenance Choice™ Enamel Paints - Citrus Yellow	41	K000Z1613-16	Dura-Top® Epoxy Floor Coating - Neutral Base 3	27
CWBK01297	Color Works™ Maintenance Choice™ Enamel Paints - Meadow Green	41	K000Z1613-20	Dura-Top® Epoxy Floor Coating - Neutral Base 3	27
CWBK01327	Color Works™ Maintenance Choice™ Enamel Paints - Zinger Pink	41	K000Z2800-16	Dura-Top® Epoxy Floor Coating - White	27
CWBK01337	Color Works™ Maintenance Choice™ Enamel Paints - FI Jamaica Orange	41	K000Z5900-20	Waterborne Dry Fall - Flat White	31
CWBK01357	Color Works™ Maintenance Choice™ Enamel Paints - FI Sunset Orange	41	K000Z5910-20	Waterborne Dry Fall - Semi-Gloss White	31
CWBK01407	Color Works™ Maintenance Choice™ Enamel Paints - Clear Lacquer	41	K000Z5931-20	Waterborne Dry Fall - Flat Black	31
CWBK01417	Color Works™ Maintenance Choice™ Enamel Paints - Metallic Gold	41	K000Z6415-14	Acrylic Urethane - Hardener	26
K00020001-16	Industrial Primer - Red Oxide	28	K000Z6461-16	Acrylic Urethane - White Base 1	26
K00020001-20	Industrial Primer - Red Oxide	28	K000Z6463-16	Acrylic Urethane - Neutral Base 3	26
K00020001-27	Industrial Primer - Red Oxide	28	K000Z6650-16	Acrylic Waterborne Bonding Primer - White	29
K00020002-16	Industrial Primer - Gray	28	K000Z6650-20	Acrylic Waterborne Bonding Primer - White	29
K00020002-20	Industrial Primer - Gray	28	K000Z6671-16	Waterborne Acrylic Enamel - Satin/White Base 1	24
K00020002-27	Industrial Primer - Gray	28	K000Z6671-20	Waterborne Acrylic Enamel - Satin/White Base 1	24
K00020101-16	Weld-Thru Primer - Red Oxide	28	K000Z6672-16	Waterborne Acrylic Enamel - Satin/Deep Base 2	24
K00020101-20	Weld-Thru Primer - Red Oxide	28	K000Z6672-20	Waterborne Acrylic Enamel - Satin/Deep Base 2	24
K00020102-16	Weld-Thru Primer - Gray	28	K000Z6673-16	Waterborne Acrylic Enamel - Satin/Neutral Base 3	24
K00020102-20	Weld-Thru Primer - Gray	28	K000Z6673-20	Waterborne Acrylic Enamel - Satin/Neutral Base 3	24
K00020103-16	Weld-Thru Primer - Black	28	K000Z6761-16	Waterborne Acrylic Enamel - Semi-Gloss/White Base 1	24
K00020103-20	Weld-Thru Primer - Black	28	K000Z6761-20	Waterborne Acrylic Enamel - Semi-Gloss/White Base 1	24
K00020200-20	Fast Dry Primer - Red Oxide	28	K000Z6762-16	Waterborne Acrylic Enamel - Semi-Gloss/Deep Base 2	24
K00020200-27	Fast Dry Primer - Red Oxide	28	K000Z6762-20	Waterborne Acrylic Enamel - Semi-Gloss/Deep Base 2	24
K00020300-20	Fast Dry Primer - Gray	28	K000Z6763-16	Waterborne Acrylic Enamel - Semi-Gloss/Neutral Base 3	24
K00020300-27	Fast Dry Primer - Gray	28	K000Z6763-20	Waterborne Acrylic Enamel - Semi-Gloss/Neutral Base 3	24
K000S3102-20	Alkyd Shopcoat Primer - Gray	29	K000Z6810-16	Waterborne Acrylic Enamel - Gloss Black	24
K000S3102-27	Alkyd Shopcoat Primer - Gray	29	K000Z6820-16	Waterborne Acrylic Enamel - Gloss Safety Red	24
K000S3415-16	Palgard® Polyamide Epoxy - Clear	25	K000Z6840-16	Waterborne Acrylic Enamel - Gloss Safety Yellow	24
K000S3496-16	Palgard® Polyamide Epoxy - Satin Hardener	25	K000Z6841-16	Waterborne Acrylic Enamel - Gloss/White Base 1	24
K000S3498-16	Palgard® Polyamide Epoxy - Gloss Hardener	25	K000Z6841-20	Waterborne Acrylic Enamel - Gloss/White Base 1	24
K000S3715-16	High Build Epoxy Mastic 100 - Hardener	25	K000Z6842-16	Waterborne Acrylic Enamel - Gloss/Deep Base 2	24
K000S3715-20	High Build Epoxy Mastic 100 - Hardener	25	K000Z6842-20	Waterborne Acrylic Enamel - Gloss/Deep Base 2	24
K000S3731-16	High Build Epoxy Mastic 100 - Semi-Gloss/White Base 1	25	K000Z6843-16	Waterborne Acrylic Enamel - Gloss/Neutral Base 3	24
K000S3731-20	High Build Epoxy Mastic 100 - Semi-Gloss/White Base 1	25	K000Z6843-20	Waterborne Acrylic Enamel - Gloss/Neutral Base 3	24
K000S3733-16	High Build Epoxy Mastic 100 - Semi-Gloss/Neutral Base 3	25	K000Z7131-16	Precat Epoxy Acrylic - Eggshell/White Base 1	24
K000S3733-20	High Build Epoxy Mastic 100 - Semi-Gloss/Neutral Base 3	25	K000Z7131-20	Precat Epoxy Acrylic - Eggshell/White Base 1	24
K000S4501-20	Alkyd Shopcoat Primer - Red Oxide	29	K000Z7132-16	Precat Epoxy Acrylic - Eggshell/Deep Base 2	24
K000S4501-27	Alkyd Shopcoat Primer - Red Oxide	29	K000Z7133-16	Precat Epoxy Acrylic - Eggshell/Neutral Base 3	24
K000S4536-20	Alkyd Dry Fall - Semi-Gloss White	31	K000Z7231-16	Precat Epoxy Acrylic - Semi-Gloss/White Base 1	24

PRODUCT #	PRODUCT DESCRIPTION	PAGE #	PRODUCT #	PRODUCT DESCRIPTION	PAGE #
K000Z7231-20	Precat Epoxy Acrylic - Semi-Gloss/White Base 1	24	K00532910-16	Tough Coat® Alkyd Enamel - Safety Yellow	22
K000Z7232-16	Precat Epoxy Acrylic - Semi-Gloss/Deep Base 2	24	K00532910-20	Tough Coat® Alkyd Enamel - Safety Yellow	22
K000Z7233-16	Precat Epoxy Acrylic - Semi-Gloss/Neutral Base 3	24	K00537250-16	Tough Coat® Alkyd Enamel - White Base	22
K000Z8465-20	Acrylic Block Filler - White	30	K00537250-20	Tough Coat® Alkyd Enamel - White Base	22
K00110101-16	Rust Tough® 250 Acrylic Alkyd Enamel - Safety Red (OSHA)	21	K00537252-16	Tough Coat® Alkyd Enamel - Deep Base	22
K00110113-16	Rust Tough® 250 Acrylic Alkyd Enamel - Gloss Black	21	K00537252-20	Tough Coat® Alkyd Enamel - Deep Base	22
K00110327-16	Rust Tough® 250 Acrylic Alkyd Enamel - Lt. Machinery Gray (ANSI-61)	21	K00537253-16	Tough Coat® Alkyd Enamel - Clear Base	22
K00110404-16	Rust Tough® 250 Acrylic Alkyd Enamel - Gloss White	21	K00537253-20	Tough Coat® Alkyd Enamel - Clear Base	22
K00110451-16	Rust Tough® 250 Acrylic Alkyd Enamel - Equipment Yellow (OSHA)	21	K00538000-16	Tough Coat® Alkyd Enamel - Tan	22
K00110499-16	Rust Tough® 250 Acrylic Alkyd Enamel - Safety Orange (OSHA)	21	K00538100-16	Tough Coat® Alkyd Enamel - Lt. Machinery Gray (ANSI-61)	22
K00110663-16	Rust Tough® 250 Acrylic Alkyd Enamel - Dk. Machinery Gray (ANSI-49)	21	K00538200-16	Tough Coat® Alkyd Enamel - Dk. Machinery Gray (ANSI-49)	22
K00110695-16	Rust Tough® 250 Acrylic Alkyd Enamel - Red Oxide Primer	21	K00538300-16	Tough Coat® Alkyd Enamel - Gloss White	22
K00110825-16	Rust Tough® 250 Acrylic Alkyd Enamel - Gray Primer	21	K00538300-20	Tough Coat® Alkyd Enamel - Gloss White	22
K00111800-16	Rust Tough® 250 Acrylic Alkyd Enamel - Safety Blue (OSHA)	21	K00538400-16	Tough Coat® Alkyd Enamel - Safety Blue	22
K00112910-16	Rust Tough® 250 Acrylic Alkyd Enamel - Safety Yellow (OSHA)	21	K00538500-16	Tough Coat® Alkyd Enamel - Safety Green	22
K00151	Rust Tough® Acrylic Alkyd Enamel - Aluminum	20	K00551	Rust Tough® Acrylic Alkyd Enamel - Safety Orange (OSHA)	20
K00159007	Rust Tough® Acrylic Alkyd Enamel - Aluminum	5	K00559007	Rust Tough® Acrylic Alkyd Enamel - Safety Orange (OSHA)	5
K00239007	Rust Tough® Acrylic Alkyd Enamel - Light Blue	5	K00569007	Rust Tough® Acrylic Alkyd Enamel - Equipment Orange	5
K00249007	Rust Tough® Acrylic Alkyd Enamel - Safety Blue (OSHA)	5	K00579999-14	Alkyd Hardener	23
K00259007	Rust Tough® Acrylic Alkyd Enamel - Deep Blue	5	K00631	Rust Tough® Acrylic Alkyd Enamel - Safety Red (OSHA)	20
K00339007	Rust Tough® Acrylic Alkyd Enamel - Safety Green (OSHA)	5	K00639007	Rust Tough® Acrylic Alkyd Enamel - Safety Red (OSHA)	5
K00349007	Rust Tough® Acrylic Alkyd Enamel - Bright Green	5	K00649007	Rust Tough® Acrylic Alkyd Enamel - Bright Red	5
K00379007	Rust Tough® Acrylic Alkyd Enamel - Dark Green	5	K00691	Rust Tough® Acrylic Alkyd Enamel - Red Oxide Primer	20
K00420113-16	Modified Alkyd Enamel - Black	21	K00699007	Rust Tough® Acrylic Alkyd Enamel - Red Oxide Primer	5
K00420113-20	Modified Alkyd Enamel - Black	21	K00719007	Rust Tough® Acrylic Alkyd Enamel - Tan	5
K00427250-16	Modified Alkyd Enamel - White Base	21	K00759007	Rust Tough® Acrylic Alkyd Enamel - Chestnut Brown	5
K00427250-20	Modified Alkyd Enamel - White Base	21	K00769	Rust Tough® Acrylic Alkyd Enamel - Hi-Temp Black	5
K00427253-16	Modified Alkyd Enamel - Clear Base	21	K00771	Rust Tough® Acrylic Alkyd Enamel - Semi-Gloss Black	20
K00427253-20	Modified Alkyd Enamel - Clear Base	21	K00779007	Rust Tough® Acrylic Alkyd Enamel - Semi-Gloss Black	5
K00431	Rust Tough® Acrylic Alkyd Enamel - Safety Yellow (OSHA)	20	K00780113-16	Tough Coat® Quik-Dry™ Alkyd Enamel - Gloss Black	22
K00439007	Rust Tough® Acrylic Alkyd Enamel - Safety Yellow (OSHA)	5	K00780113-20	Tough Coat® Quik-Dry™ Alkyd Enamel - Gloss Black	22
K00449007	Rust Tough® Acrylic Alkyd Enamel - Federal Safety Railing Yellow	5	K00780117-16	Tough Coat® Quik-Dry™ Alkyd Enamel - Int'l Harvester Red	22
K00479007	Rust Tough® Acrylic Alkyd Enamel - Industrial Yellow	5	K00780117-20	Tough Coat® Quik-Dry™ Alkyd Enamel - Int'l Harvester Red	22
K00481	Rust Tough® Acrylic Alkyd Enamel - Equipment Yellow	20	K00780404-16	Tough Coat® Quik-Dry™ Alkyd Enamel - Machine White	22
K00489007	Rust Tough® Acrylic Alkyd Enamel - Equipment Yellow	5	K00780404-20	Tough Coat® Quik-Dry™ Alkyd Enamel - Machine White	22
K00530101-16	Tough Coat® Alkyd Enamel - Safety Red	22	K00780464-16	Tough Coat® Quik-Dry™ Alkyd Enamel - Flat Black	22
K00530113-16	Tough Coat® Alkyd Enamel - Gloss Black	22	K00780464-20	Tough Coat® Quik-Dry™ Alkyd Enamel - Flat Black	22
K00530113-20	Tough Coat® Alkyd Enamel - Gloss Black	22	K00781	Rust Tough® Acrylic Alkyd Enamel - Flat Black	20
K00530499-16	Tough Coat® Alkyd Enamel - Safety Orange	22	K00787250-16	Tough Coat® Quik-Dry™ Alkyd Enamel - White Base	22
K00532500-16	Tough Coat® Alkyd Enamel - Aluminum	22	K00787250-20	Tough Coat® Quik-Dry™ Alkyd Enamel - White Base	22
K00532500-20	Tough Coat® Alkyd Enamel - Aluminum	22	K00787253-16	Tough Coat® Quik-Dry™ Alkyd Enamel - Clear Base	22

PRODUCT #	PRODUCT DESCRIPTION	PAGE #	PRODUCT #	PRODUCT DESCRIPTION	PAGE #
K00787253-20	Tough Coat® Quik-Dry™ Alkyd Enamel - Clear Base	22	K01505777	High-Heat Paints - High-Heat White	47
K00789007	Rust Tough® Acrylic Alkyd Enamel - Flat Black	5	K01506A07	Acryli-Quik™ Acrylic Lacquer - Almond	7
K00791	Rust Tough® Acrylic Alkyd Enamel - Gloss Black	20	K01508A07	Acryli-Quik™ Acrylic Lacquer - Semi-Gloss White	7
K00799007	Rust Tough® Acrylic Alkyd Enamel - Gloss Black	5	K01601A07	Acryli-Quik™ Acrylic Lacquer - Gloss Black	7
K00821	Rust Tough® Acrylic Alkyd Enamel - Gray Primer	20	K01602A07	Acryli-Quik™ Acrylic Lacquer - Ultra-Flat Black	7
K00829007	Rust Tough® Acrylic Alkyd Enamel - Gray Primer	5	K01604A07	Acryli-Quik™ Acrylic Lacquer - Shadow Gray	7
K00831	Rust Tough® Acrylic Alkyd Enamel - Lt. Machinery Gray (ANSI-61)	20	K01605A07	Acryli-Quik™ Acrylic Lacquer - Stone Gray	7
K00839007	Rust Tough® Acrylic Alkyd Enamel - Lt. Machinery Gray (ANSI-61)	5	K01606A07	Acryli-Quik™ Acrylic Lacquer - Pewter Gray	7
K00859007	Rust Tough® Acrylic Alkyd Enamel - Cold Galvanizing Primer	5	K01608A07	Acryli-Quik™ Acrylic Lacquer - Smoke Gray	7
K00871	Rust Tough® Acrylic Alkyd Enamel - Dk. Machinery Gray (ANSI-49)	20	K01613A07	Acryli-Quik™ Acrylic Lacquer - Semi-Flat Black	7
K00874000	Rust Tough® Acrylic Alkyd Enamel - Dk. Machinery Gray (ANSI-49)	20	K01618777	High-Heat Paints - High-Heat Black	47
K00879007	Rust Tough® Acrylic Alkyd Enamel - Dk. Machinery Gray (ANSI-49)	5	K01661300-16	Thinner and Reducers - MEK	30
K00909007	Rust Tough® Acrylic Alkyd Enamel - Flat White	5	K01661300-20	Thinner and Reducers - MEK	30
K00919007	Rust Tough® Acrylic Alkyd Enamel - Semi-Gloss White	5	K01661524-16	Thinner and Reducers - Toluene	30
K00921	Rust Tough® Acrylic Alkyd Enamel - Gloss White	20	K01661530-16	Thinner and Reducers - Xylene	30
K00929007	Rust Tough® Acrylic Alkyd Enamel - Gloss White	5	K01661530-20	Thinner and Reducers - Xylene	30
K00E34111-20	Alkyd Dry Fall - Flat White	31	K01661600-16	Thinner and Reducers - Mineral Spirits	30
K00E34111-27	Alkyd Dry Fall - Flat White	31	K01661600-20	Thinner and Reducers - Mineral Spirits	30
K00VS3491-16	Palgard® Polyamide Epoxy - White Base 1	25	K01661714-16	Thinner and Reducers - VM&P Naphtha	30
K00VS3492-16	Palgard® Polyamide Epoxy - Deep Base 2	25	K01661714-20	Thinner and Reducers - VM&P Naphtha	30
K00VS3493-16	Palgard® Polyamide Epoxy - Neutral Base 3	25	K01661800-16	Thinner and Reducers - Lacquer Thinner	30
K01011	Rust Tough® Acrylic Alkyd Enamel - White Base	20	K01661800-20	Thinner and Reducers - Lacquer Thinner	30
K01041	Rust Tough® Acrylic Alkyd Enamel - Clear Base	20	K01663000-16	Thinner and Reducers - Acetone	30
K01301A07	Acryli-Quik™ Acrylic Lacquer - Crystal Clear	7	K01663000-20	Thinner and Reducers - Acetone	30
K01303007	Maintenance Clear Coatings - Crystal Clear Graphic Arts (MIL-TT-L-50)	48	K01663000-27	Thinner and Reducers - Acetone	30
K01305007	Maintenance Clear Coatings - Crystal Clear U.V. Gloss	48	K01701A77	Metallic Paints - Bright Gold	47
K01306	Maintenance Clear Coatings - Workable Fixatif	48	K01706007	Metallic Paints - Gold Metallic	47
K01311007	Maintenance Clear Coatings - Matte Finish	48	K01707077	High-Heat Paints - High-Heat Flat Black	47
K01314A07	Acryli-Quik™ Acrylic Lacquer - Platinum Primer	7	K01708077	High-Heat Paints - High-Heat Flat White	47
K01315A07	Acryli-Quik™ Acrylic Lacquer - White Primer	7	K01709077	High-Heat Paints - High-Heat Flat Brown	47
K01316A07	Acryli-Quik™ Acrylic Lacquer - Charcoal Black Primer	7	K01732007	Tough Coat® Acrylic Alkyd Enamel - Rebar Green Epoxy	4
K01317A07	Acryli-Quik™ Acrylic Lacquer - Ruddy Brown Primer	7	K01806A07	Acryli-Quik™ Acrylic Lacquer - Sun Yellow	7
K01318A07	Acryli-Quik™ Acrylic Lacquer - Gray Primer	7	K01813777	OSHA Paints - Safety Yellow	45
K01401777	Metallic Paints - Bright Silver	47	K01813A07	Acryli-Quik™ Acrylic Lacquer - Daisy Yellow	7
K01403777	Metallic Paints - Dull Aluminum	47	K01901A07	Acryli-Quik™ Acrylic Lacquer - Regal Blue	7
K01404777	Metallic Paints - Chrome Aluminum	47	K01910A07	Acryli-Quik™ Acrylic Lacquer - True Blue (OSHA Safety Blue)	7
K01406	Metallic Paints - Silver Metallic	47	K01913A07	Acryli-Quik™ Acrylic Lacquer - Purple	7
K01407777	High-Heat Paints - High-Heat Aluminum	47	K01929777	OSHA Paints - Safety Purple	45
K01408777	High-Heat Paints - High-Heat Beige	47	K01931007	Farm & Implement Paints - Gloss Black	46
K01501A07	Acryli-Quik™ Acrylic Lacquer - Gloss White	7	K01932000	Farm & Implement Paints - John Deere Green	46
K01502A07	Acryli-Quik™ Acrylic Lacquer - Flat White	7	K01933000	Farm & Implement Paints - International Harvester Red	46

PRODUCT #	PRODUCT DESCRIPTION	PAGE #	PRODUCT #	PRODUCT DESCRIPTION	PAGE #
K01934000	Farm & Implement Paints - John Deere Yellow	46	K01981000	Farm & Implement Paints - Sandable Gray Primer	46
K01935007	Farm & Implement Paints - Low Gloss Black	46	K01982000	Farm & Implement Paints - Sandable Red Oxide Primer	46
K01936000	Farm & Implement Paints - Ford Blue	46	K01985000	Farm & Implement Paints - Old Equipment Cat Yellow	46
K01937007	Farm & Implement Paints - Gloss White	46	K01986000	Farm & Implement Paints - New Kubota Orange	46
K01938000	Farm & Implement Paints - Massey Ferguson Gray	46	K02001A07	Acryli-Quik™ Acrylic Lacquer - Hunter Green	7
K01939000	Farm & Implement Paints - Massey Ferguson Red	46	K02012777	OSHA Paints - Safety Green	45
K01940000	Farm & Implement Paints - Allis Chalmers Orange	46	K02016A07	Acryli-Quik™ Acrylic Lacquer - Emerald Green	7
K01941000	Farm & Implement Paints - Ford Red	46	K02020000	Farm & Implement Paints - Gloss Black	46
K01942000	Farm & Implement Paints - Ford Gray	46	K02021000	Farm & Implement Paints - Gloss White	46
K01943000	Farm & Implement Paints - Oliver Green	46	K02022000	Farm & Implement Paints - Low Gloss Black	46
K01944000	Farm & Implement Paints - New Equipment Yellow	46	K02023000	Farm & Implement Paints - John Deere Green	46
K01945000	Farm & Implement Paints - International Harvester White	46	K02024000	Farm & Implement Paints - International Harvester Red	46
K01946000	Farm & Implement Paints - Old Kubota Orange	46	K02025000	Farm & Implement Paints - John Deere Yellow	46
K01947000	Farm & Implement Paints - New Holland Red	46	K02026000	Farm & Implement Paints - Massey Ferguson Red	46
K01949000	Farm & Implement Paints - New Holland Yellow	46	K02027000	Farm & Implement Paints - Ford Blue	46
K01950007	Farm & Implement Paints - Sandable Gray Primer	46	K02028000	Farm & Implement Paints - Ford Gray	46
K01951007	Farm & Implement Paints - Sandable Red Oxide Primer	46	K02029000	Farm & Implement Paints - Ford Red	46
K01953000	Farm & Implement Paints - Old Equipment Cat Yellow	46	K02030000	Farm & Implement Paints - Allis Chalmers Orange	46
K01954000	Farm & Implement Paints - New Kubota Orange	46	K02031000	Farm & Implement Paints - Massey Ferguson Gray	46
K01957000	Farm & Implement Paints - School Bus Yellow (Transport Yellow)	46	K02032000	Farm & Implement Paints - New Holland Yellow	46
K01960777	Farm & Implement Paints - Troy Bilt Red	46	K02033000	Farm & Implement Paints - Old Kubota Orange	46
K01961777	Farm & Implement Paints - Husqvarna Orange	46	K02034000	Farm & Implement Paints - International Harvester White	46
K01962000	Farm & Implement Paints - Gloss Black	46	K02035000	Farm & Implement Paints - New Holland Red	46
K01963000	Farm & Implement Paints - Gloss White	46	K02036000	Farm & Implement Paints - Oliver Green	46
K01964000	Farm & Implement Paints - International Harvester Red	46	K02037000	Farm & Implement Paints - New Equipment Yellow	46
K01965000	Farm & Implement Paints - Low Gloss Black	46	K02038000	Farm & Implement Paints - School Bus Yellow (Transport Yellow)	46
K01966000	Farm & Implement Paints - John Deere Green	46	K02039000	Farm & Implement Paints - Sandable Gray Primer	46
K01967000	Farm & Implement Paints - Ford Blue	46	K02040000	Farm & Implement Paints - Sandable Red Oxide Primer	46
K01968000	Farm & Implement Paints - Massey Ferguson Red	46	K02042000	Farm & Implement Paints - Old Equipment Cat Yellow	46
K01969000	Farm & Implement Paints - Massey Ferguson Gray	46	K02043000	Farm & Implement Paints - New Kubota Orange	46
K01970000	Farm & Implement Paints - John Deere Yellow	46	K02045000	Farm & Implement Paints - Reducer	46
K01971000	Farm & Implement Paints - Allis Chalmers Orange	46	K02046000	Farm & Implement Paints - Catalyst Hardener	46
K01972000	Farm & Implement Paints - Ford Red	46	K02101A07	Acryli-Quik™ Acrylic Lacquer - Cherry Red*	7
K01973000	Farm & Implement Paints - Ford Gray	46	K02108A07	Acryli-Quik™ Acrylic Lacquer - Banner Red*	7
K01974000	Farm & Implement Paints - New Equipment Yellow	46	K02116777	OSHA Paints - Safety Red	45
K01975000	Farm & Implement Paints - New Holland Yellow	46	K02203007	Metallic Paints - Copper Metallic	47
K01976000	Farm & Implement Paints - School Bus Yellow (Transport Yellow)	46	K02204007	Metallic Paints - Brass Metallic	47
K01977000	Farm & Implement Paints - New Holland Red	46	K02410777	OSHA Paints - Safety Orange	45
K01978000	Farm & Implement Paints - Old Kubota Orange	46	K02411A07	Acryli-Quik™ Acrylic Lacquer - Safety Orange (Pumpkin)	7
K01979000	Farm & Implement Paints - Oliver Green	46	K02416777	OSHA Paints - Safety Blue	45
K01980000	Farm & Implement Paints - International Harvester White	46	K02501A07	Acryli-Quik™ Acrylic Lacquer - Leather Brown	7

PRODUCT #	PRODUCT DESCRIPTION	PAGE #	PRODUCT #	PRODUCT DESCRIPTION	PAGE #
K02504A07	Acryli-Quik™ Acrylic Lacquer - Khaki	7	K02752007	Krylon® Fusion All-in-One Acrylic Aerosol™ - Satin Terracotta	44
K02703007	Krylon® Fusion All-in-One Acrylic Aerosol™ - Gloss Blue Hyacinth	44	K02755007	Krylon® Fusion All-in-One Acrylic Aerosol™ - Matte Desert Orange	44
K02704007	Krylon® Fusion All-in-One Acrylic Aerosol™ - Gloss Burgundy	44	K02756007	Krylon® Fusion All-in-One Acrylic Aerosol™ - Matte Fire Red	44
K02706007	Krylon® Fusion All-in-One Acrylic Aerosol™ - Gloss Dover White	44	K02757007	Krylon® Fusion All-in-One Acrylic Aerosol™ - Matte Glacier Gray	44
K02707007	Krylon® Fusion All-in-One Acrylic Aerosol™ - Gloss Espresso	44	K02758007	Krylon® Fusion All-in-One Acrylic Aerosol™ - Matte Ink Blue	44
K02708007	Krylon® Fusion All-in-One Acrylic Aerosol™ - Gloss Hot Pink	44	K02759007	Krylon® Fusion All-in-One Acrylic Aerosol™ - Matte Light Lilac	44
K02709007	Krylon® Fusion All-in-One Acrylic Aerosol™ - Gloss Icy Grape	44	K02760007	Krylon® Fusion All-in-One Acrylic Aerosol™ - Matte Merlot	44
K02711007	Krylon® Fusion All-in-One Acrylic Aerosol™ - Gloss Ivory	44	K02761007	Krylon® Fusion All-in-One Acrylic Aerosol™ - Matte Pale Sage	44
K02712007	Krylon® Fusion All-in-One Acrylic Aerosol™ - Gloss Jungle Green	44	K02762007	Krylon® Fusion All-in-One Acrylic Aerosol™ - Matte Sea Green	44
K02713007	Krylon® Fusion All-in-One Acrylic Aerosol™ - Gloss Khaki	44	K02763007	Krylon® Fusion All-in-One Acrylic Aerosol™ - Matte Spring Shower	44
K02714007	Krylon® Fusion All-in-One Acrylic Aerosol™ - Gloss Navy	44	K02765007	Krylon® Fusion All-in-One Acrylic Aerosol™ - Matte Wild Honey	44
K02715007	Krylon® Fusion All-in-One Acrylic Aerosol™ - Gloss Ocean Blue	44	K02789007	Krylon® Fusion All-in-One Acrylic Aerosol™ - Gloss Hunter Green	44
K02716007	Krylon® Fusion All-in-One Acrylic Aerosol™ - Gloss Patriotic Blue	44	K02791007	Krylon® Fusion All-in-One Acrylic Aerosol™ - Gloss Honeycomb	44
K02717007	Krylon® Fusion All-in-One Acrylic Aerosol™ - Gloss Pink Blush	44	K02792007	Krylon® Fusion All-in-One Acrylic Aerosol™ - Satin Peacock Blue	44
K02718007	Krylon® Fusion All-in-One Acrylic Aerosol™ - Gloss Popsicle Orange	44	K02793007	Krylon® Fusion All-in-One Acrylic Aerosol™ - Satin Key Lime	44
K02719007	Krylon® Fusion All-in-One Acrylic Aerosol™ - Gloss Purple	44	K02794007	Krylon® Fusion All-in-One Acrylic Aerosol™ - Matte River Rock	44
K02720007	Krylon® Fusion All-in-One Acrylic Aerosol™ - Gloss Red Pepper	44	K02795007	Krylon® Fusion All-in-One Acrylic Aerosol™ - Satin Otter Brown	44
K02721007	Krylon® Fusion All-in-One Acrylic Aerosol™ - Gloss River Rock	44	K02796007	Krylon® Fusion All-in-One Acrylic Aerosol™ - Matte Spanish Moss	44
K02722007	Krylon® Fusion All-in-One Acrylic Aerosol™ - Gloss Rolling Surf	44	K02797007	Krylon® Fusion All-in-One Acrylic Aerosol™ - Matte Vintage Blue	44
K02723007	Krylon® Fusion All-in-One Acrylic Aerosol™ - Gloss Smoke Gray	44	K02798007	Krylon® Fusion All-in-One Acrylic Aerosol™ - Matte Sweet Fig	44
K02724007	Krylon® Fusion All-in-One Acrylic Aerosol™ - Gloss Spring Grass	44	K02799007	Krylon® Fusion All-in-One Acrylic Aerosol™ - Matte Clamshell	44
K02725007	Krylon® Fusion All-in-One Acrylic Aerosol™ - Gloss Sunbeam	44	K03101777	Fluorescent Paints - Red/Orange	45
K02726007	Krylon® Fusion All-in-One Acrylic Aerosol™ - Gloss Vintage Gray	44	K03102777	Fluorescent Paints - Yellow/Orange	45
K02731007	Krylon® Fusion All-in-One Acrylic Aerosol™ - Satin Beach Glass	44	K03104777	Fluorescent Paints - Lemon Yellow	45
K02733007	Krylon® Fusion All-in-One Acrylic Aerosol™ - Satin Brick	44	K03105777	Fluorescent Paints - Cerise	45
K02734007	Krylon® Fusion All-in-One Acrylic Aerosol™ - Satin Bright White	44	K03106777	Fluorescent Paints - Green	45
K02736007	Krylon® Fusion All-in-One Acrylic Aerosol™ - Satin Daisy Yellow	44	K03107777	Fluorescent Paints - Blue	45
K02737007	Krylon® Fusion All-in-One Acrylic Aerosol™ - Satin Dover White	44	K03201777	Appliance Epoxy Paints - White	47
K02738007	Krylon® Fusion All-in-One Acrylic Aerosol™ - Satin Espresso	44	K03203777	Appliance Epoxy Paints - Almond	47
K02739007	Krylon® Fusion All-in-One Acrylic Aerosol™ - Satin Ivory	44	K03206777	Appliance Epoxy Paints - Black	47
K02740007	Krylon® Fusion All-in-One Acrylic Aerosol™ - Satin Khaki	44	K03207777	Appliance Epoxy Paints - Bisque	47
K02741007	Krylon® Fusion All-in-One Acrylic Aerosol™ - Satin Lagoon Blue	44	K04001004	Quik-Mark® Overhead Marking Chalk - Fluorescent Red	12
K02742007	Krylon® Fusion All-in-One Acrylic Aerosol™ - Satin Lavender	44	K04002004	Quik-Mark® Overhead Marking Chalk - Fluorescent Red-Orange	12
K02743007	Krylon® Fusion All-in-One Acrylic Aerosol™ - Satin Light Peach	44	K04003004	Quik-Mark® Overhead Marking Chalk - Fluorescent Orange	12
K02744007	Krylon® Fusion All-in-One Acrylic Aerosol™ - Satin Pewter Gray	44	K04005004	Quik-Mark® Overhead Marking Chalk - Fluorescent Green	12
K02745007	Krylon® Fusion All-in-One Acrylic Aerosol™ - Satin Pink Blush	44	K042393777	Camouflage Paints - Olive	48
K02747007	Krylon® Fusion All-in-One Acrylic Aerosol™ - Satin Rolling Surf	44	K04290777	Camouflage Paints - Black	48
K02748007	Krylon® Fusion All-in-One Acrylic Aerosol™ - Satin Sangria	44	K04291777	Camouflage Paints - Khaki	48
K02749007	Krylon® Fusion All-in-One Acrylic Aerosol™ - Satin Shadow Gray	44	K04292777	Camouflage Paints - Brown	48
K02750007	Krylon® Fusion All-in-One Acrylic Aerosol™ - Satin Spiced Amber	44	K04295777	Camouflage Paints - Sand	48
K02751007	Krylon® Fusion All-in-One Acrylic Aerosol™ - Satin Spring Grass	44	K04296077	Camouflage Paints - Woodland Light Green	48

PRODUCT #	PRODUCT DESCRIPTION	PAGE #	PRODUCT #	PRODUCT DESCRIPTION	PAGE #
K05000100-16	Dura-Top® Epoxy Floor Coating - Haze Gray	27	K08314000	Line-Up® Athletic Field Striping - Athletic Fluorescent Orange	16
K05000100-20	Dura-Top® Epoxy Floor Coating - Haze Gray	27	K08315000	Line-Up® Athletic Field Striping - Athletic Fluorescent Green	16
K05400105-30	Dura-Top® Epoxy Floor Coating - Haze Gray	27	K08316007	Line-Up® Athletic Field Striping - Old Gold	16
K05400125-30	Dura-Top® Epoxy Floor Coating - Deck Gray	27	K08317007	Line-Up® Athletic Field Striping - Turf Green	16
K05409005-16	Dura-Top® Epoxy Floor Coating - Hardener	27	K08340	Striping Machines Pavement - Holds 8 Cans	18
K07001777	Clear Polyurethane/Varnish Coatings - Gloss Varnish	45	K08350	Striping Machines Athletic - Holds 12 Cans	18
K07002777	Clear Polyurethane/Varnish Coatings - Satin Varnish	45	K08360000	Marking Wands - Line-Up Striping Wand (34" Length)	17
K07005777	Clear Polyurethane/Varnish Coatings - Polyurethane Gloss	45	K08370000	Striping Machines Athletic - Holds 8 Cans	18
K07006777	Clear Polyurethane/Varnish Coatings - Polyurethane Satin	45	K09700000-16	Versashield™ WB Polyurethane - Part A Base	26
K07094000	Marking Wands - Handheld Wand with Flag Holder (34" Length)	17	K09700000-30	Versashield™ WB Polyurethane - Part A Base	26
K07095	Marking Wands - Spotter Handheld Wand (12" Length)	17	K09701000-14	Versashield™ WB Polyurethane - Part B Hardener	26
K07096	Marking Wands - Wheeler Handheld Wand (34" Length)	17	K09701000-16	Versashield™ WB Polyurethane - Part B Hardener	26
K07900000	Iron Guard® Latex Enamel - Clear Gloss	6	K10339007	Rust Tough® Acrylic Alkyd Enamel - Fluorescent Green	5
K07901000	Iron Guard® Latex Enamel - Cherry Red	6	K10429007	Rust Tough® Acrylic Alkyd Enamel - Fluorescent Yellow	5
K07902000	Iron Guard® Latex Enamel - OSHA Red	6	K10559007	Rust Tough® Acrylic Alkyd Enamel - Fluorescent Orange	5
K07903000	Iron Guard® Latex Enamel - OSHA Orange	6	K10649007	Rust Tough® Acrylic Alkyd Enamel - Fluorescent Red	5
K07904000	Iron Guard® Latex Enamel - OSHA Yellow	6	K11001011	Iron Guard® Water-Based Acrylic Enamel - Safety Red (OSHA)	23
K07905000	Iron Guard® Latex Enamel - OSHA Green	6	K11001131	Iron Guard® Water-Based Acrylic Enamel - Gloss Black	23
K07906000	Iron Guard® Latex Enamel - Island Green	6	K11001135	Iron Guard® Water-Based Acrylic Enamel - Gloss Black	23
K07907000	Iron Guard® Latex Enamel - OSHA Blue	6	K11001201	Iron Guard® Water-Based Acrylic Enamel - Flat Black	23
K07908000	Iron Guard® Latex Enamel - Gloss Black	6	K11001801-16	Iron Guard® Water-Based Acrylic Enamel - Red Oxide Primer	23
K07909000	Iron Guard® Latex Enamel - Gloss White	6	K11001801-20	Iron Guard® Water-Based Acrylic Enamel - Red Oxide Primer	23
K07910000	Iron Guard® Latex Enamel - Flat White	6	K11001802-16	Iron Guard® Water-Based Acrylic Enamel - Gray Primer	23
K07911000	Iron Guard® Latex Enamel - Max Flat Black	6	K11001802-20	Iron Guard® Water-Based Acrylic Enamel - Gray Primer	23
K07912000	Iron Guard® Latex Enamel - Satin White	6	K11001803-16	Iron Guard® Water-Based Acrylic Enamel - White Primer	23
K07913000	Iron Guard® Latex Enamel - Satin Black	6	K11001803-20	Iron Guard® Water-Based Acrylic Enamel - White Primer	23
K07914000	Iron Guard® Latex Enamel - Satin Gray	6	K11003271	Iron Guard® Water-Based Acrylic Enamel - Lt. Machinery Gray (ANSI-61)	23
K07915000	Iron Guard® Latex Enamel - Gray Primer	6	K11004041	Iron Guard® Water-Based Acrylic Enamel - Gloss White	23
K08300007	Line-Up® Pavement Striping Paints - Highway White	17	K11004045	Iron Guard® Water-Based Acrylic Enamel - Gloss White	23
K08301007	Line-Up® Pavement Striping Paints - Highway Yellow	17	K11004711	Iron Guard® Water-Based Acrylic Enamel - New Cat Yellow	23
K08302007	Line-Up® Pavement Striping Paints - Handicap Blue	17	K11004991	Iron Guard® Water-Based Acrylic Enamel - Safety Orange (OSHA)	23
K08303	Line-Up® Pavement Striping Paints - Firelane Red	17	K11006631	Iron Guard® Water-Based Acrylic Enamel - Dk. Machinery Gray (ANSI-49)	23
K08304007	Line-Up® Pavement Striping Paints - Cover-Up Black	17	K11007751	Iron Guard® Water-Based Acrylic Enamel - Semi-Gloss Black	23
K08305	Line-Up® Athletic Field Striping - Athletic White	16	K11018001	Iron Guard® Water-Based Acrylic Enamel - Safety Blue (OSHA)	23
K08306007	Line-Up® Athletic Field Striping - Athletic Yellow	16	K11029101	Iron Guard® Water-Based Acrylic Enamel - Safety Yellow (OSHA)	23
K08307007	Line-Up® Athletic Field Striping - Athletic Orange	16	K11044001	Iron Guard® Water-Based Acrylic Enamel - Safety Green (OSHA)	23
K08308007	Line-Up® Athletic Field Striping - Athletic Scarlet	16	K11072501	Iron Guard® Water-Based Acrylic Enamel - White Base	23
K08309007	Line-Up® Athletic Field Striping - Athletic Royal	16	K11072505	Iron Guard® Water-Based Acrylic Enamel - White Base	23
K08310007	Line-Up® Athletic Field Striping - Athletic Black	16	K11072521	Iron Guard® Water-Based Acrylic Enamel - Deep Base	23
K08311007	Line-Up® Athletic Field Striping - Athletic Maroon	16	K11072525	Iron Guard® Water-Based Acrylic Enamel - Deep Base	23
K08313007	Line-Up® Athletic Field Striping - Athletic Navy	16	K11072531	Iron Guard® Water-Based Acrylic Enamel - Clear Base	23

PRODUCT #	PRODUCT DESCRIPTION	PAGE #	PRODUCT #	PRODUCT DESCRIPTION	PAGE #
K11072535	Iron Guard® Water-Based Acrylic Enamel - Clear Base	23	QT0362100	Quik-Tap™ for Quik-Mark® - APWA Blue Solvent Based	10
K20719007	Rust Tough® Utili-Coat™ Enamel - Utility Tan	6	QT0362200	Quik-Tap™ for Quik-Mark® - Fluorescent Pink Solvent Based	10
K20829007	Rust Tough® Utili-Coat™ Enamel - Gray Primer	6	QT0363000	Quik-Tap™ for Quik-Mark® - Fluorescent Green Water Based	10
K20879007	Rust Tough® Utili-Coat™ Enamel - Utility Meter Gray (ANSI-49)	6	QT0363100	Quik-Tap™ for Quik-Mark® - APWA Green Solvent Based	10
K41130113-20	Line-Up® Pavement Striping Paints - Parking Lot Black	17	QT0365000	Quik-Tap™ for Quik-Mark® - Fluorescent Red/Orange Water Based	10
K41130404-16	Line-Up® Pavement Striping Paints - Parking Lot White	17	QT0370000	Quik-Tap™ for Quik-Mark® - Fluorescent Orange Water Based	10
K41130404-20	Line-Up® Pavement Striping Paints - Parking Lot White	17	QT0370200	Quik-Tap™ for Quik-Mark® - Fluorescent Orange Solvent Based	10
K41131881-16	Line-Up® Pavement Striping Paints - Parking Lot Blue	17	QT0371500	Quik-Tap™ for Quik-Mark® - Fluorescent Purple Water Based	10
K41131881-20	Line-Up® Pavement Striping Paints - Parking Lot Blue	17	QT0372200	Quik-Tap™ for Quik-Mark® - Fluorescent Blue Solvent Based	10
K41132920-16	Line-Up® Pavement Striping Paints - Parking Lot Yellow	17	QT0373100	Quik-Tap™ for Quik-Mark® - APWA Orange Solvent Based	10
K41132920-20	Line-Up® Pavement Striping Paints - Parking Lot Yellow	17	QT0380100	Quik-Tap™ for Quik-Mark® - APWA Utility Yellow Water Based	8
K42130110-20	Line-Up® Pavement Striping Paints - Parking Lot Red	17	QT0382100	Quik-Tap™ for Quik-Mark® - APWA Hi-Vis Yellow Solvent Based	10
K42130113-20	Line-Up® Pavement Striping Paints - Parking Lot Black	17	QT0382300	Quik-Tap™ for Quik-Mark® - APWA Utility Yellow Solvent Based	10
K42130404-20	Line-Up® Pavement Striping Paints - Parking Lot White	17	QT0390000	Quik-Tap™ for Quik-Mark® - APWA White Solvent Based	10
K42132920-16	Line-Up® Pavement Striping Paints - Parking Lot Yellow	17	QT0390100	Quik-Tap™ for Quik-Mark® - APWA White Water Based	8
K42132920-20	Line-Up® Pavement Striping Paints - Parking Lot Yellow	17	QT0390300	Quik-Tap™ for Quik-Mark® - APWA Blue Water Based	8
K51130404-20	Line-Up® Athletic Field Striping - Athletic White	16	QT0390400	Quik-Tap™ for Quik-Mark® - APWA Green Water Based	8
K52130101-20	Line-Up® Athletic Field Striping - Red	16	QT0390500	Quik-Tap™ for Quik-Mark® - APWA Orange Water Based	8
K52130113-20	Line-Up® Athletic Field Striping - Black	16	QT0391100	Quik-Tap™ for Quik-Mark® - APWA Red Water Based	8
K52130404-20	Line-Up® Athletic Field Striping - White	16	QT0392100	Quik-Tap™ for Quik-Mark® - APWA Hi-Vis Yellow Water Based	8
K52130499-20	Line-Up® Athletic Field Striping - Orange	16	QT0392300	Quik-Tap™ for Quik-Mark® - APWA Black Water Based	8
K52131800-20	Line-Up® Athletic Field Striping - NFL Blue	16	QTT370100	Quik-Tap™ for Quik-Mark® - Fluorescent Red/Orange Solvent Based	10
K52133000-20	Line-Up® Athletic Field Striping - Yellow	16	T03611007	Quik-Mark® Inverted Solvent Based Marking Paints - APWA Red	11
K52137249-20	Line-Up® Athletic Field Striping - Bright White	16	T03612004	Quik-Mark® Inverted Water Based Marking Paints - Fluorescent Pink	11
K52137253-20	Line-Up® Athletic Field Striping - Neutral	16	T03700004	Quik-Mark® Inverted Water Based Marking Paints - Fluorescent Orange	11
KWBC3501A	Quik-Mark® Inverted Marking Chalk - Orange	12	T03702007	Quik-Mark® Inverted Solvent Based Marking Paints - Fluorescent Orange	11
KWBC3502A	Quik-Mark® Inverted Marking Chalk - Yellow	12	T03801004	Quik-Mark® Inverted Water Based Marking Paints - APWA Utility Yellow	11
KWBC3503A	Quik-Mark® Inverted Marking Chalk - Red	12	T03821007	Quik-Mark® Inverted Solvent Based Marking Paints - APWA High-Vis Yellow	11
KWBC3504A	Quik-Mark® Inverted Marking Chalk - Blue	12	T03900007	Quik-Mark® Inverted Solvent Based Marking Paints - APWA White	11
KWBC3505A	Quik-Mark® Inverted Marking Chalk - White	12	T03901004	Quik-Mark® Inverted Water Based Marking Paints - APWA White	11
KWBC3506A	Quik-Mark® Inverted Marking Chalk - Green	12	T03903004	Quik-Mark® Inverted Water Based Marking Paints - APWA Blue	11
QT0350000	Quik-Tap™ for Quik-Mark® - APWA Clear	8	T03911004	Quik-Mark® Inverted Water Based Marking Paints - APWA Red	11
QT0355000	Quik-Tap™ for Quik-Mark® - APWA Black Solvent Based	10	T03921004	Quik-Mark® Inverted Water Based Marking Paints - APWA High-Vis Yellow	11
QT0360000	Quik-Tap™ for Quik-Mark® - APWA Clear Solvent Based	10	TT3701007	Quik-Mark® Inverted Solvent Based Marking Paints - Fluorescent Red/Orange	11
QT0361000	Quik-Tap™ for Quik-Mark® - Fluorescent Red Water Based	10			
QT0361100	Quik-Tap™ for Quik-Mark® - APWA Red Solvent Based	10			
QT0361200	Quik-Tap™ for Quik-Mark® - Fluorescent Pink Water Based	10			
QT0361300	Quik-Tap™ for Quik-Mark® - Fluorescent Red Solvent Based	10			
QT0361400	Quik-Tap™ for Quik-Mark® - Fluorescent Green Solvent Based	10			
QT0361500	Quik-Tap™ for Quik-Mark® - Fluorescent Purple Solvent Based	10			
QT0362000	Quik-Tap™ for Quik-Mark® - Fluorescent Blue Water Based	10			



101 W. Prospect Ave.
Cleveland, OH 44115

Tel. U.S.: 800-777-2966
Tel. Can.: 866-736-1486
Fax: 800-243-3075

www.krylonindustrial.com

©2019 Krylon Products Group
300-CAT-2019 -KI 2019 Printed in USA
KRYI 933-18