

Primitive Registry Ladder and Frame-Imposition Synthesis v0.4

Canon-adjacent protocol module for Primitive Semantic Registry / METALABE / DST landscape use

Status: ACTIVE-PROVISIONAL / HELD-TOWARD-LOAD-BEARING

Claim type: Semantic registry protocol, primitive construction grammar, and PvNP modeling specification

Formal status: Not a proof of P vs NP or a replacement for formal mathematics; a translation and audit layer for registry-dependent legibility, search, compression, and residue.

Revision note v0.4: adds formal registry update rules expressed in hybrid paralogic gate language. The goal is to make registry updates auditable, versioned, and operational without treating the gate grammar as a completed proof system.

Abstract

This document formalizes the primitive registry synthesis reached after revising the square, triangle, and circle grid framings, and adds a gate-level registry update protocol for operational use. Its central claim is that a primitive registry system is a map-making choice that determines what kinds of relation, resonance, closure, transfer, evidence, and residue become legible. A registry does not merely relabel content. It changes the grammar of admissible evidence and therefore changes what appears locally compressible, globally stable, or difficult to derive.

The framing of consideration is imposed by an observer, instrument, organism, culture, or formal system as a registry choice. If a registry is constructed, it is still constructed from an imposed frame of consideration. This creates an infinite regress if treated as final ontology. DST therefore treats each registry as a fidelity contract within a declared frame, not as universal accounting with global fidelity.

The protocol begins from one marked referent and one degree of freedom. Mature structures such as horizontal/vertical, x/y, positive/negative, inside/outside, quadrants, and coordinate grids are downstream constructions, not primitives. The ladder builds through expression, trace, return, chirality, closure, bifurcation, perpendicularity, grid formation, polygonal expansion, overlapping circle construction, solids, and higher-dimensional nesting.

1. Core Correction: Do Not Start With the Completed Grid

A mature registry must not be mistaken for a primitive. The square grid, Cartesian axes, sign symmetry, quadrants, and inside/outside partition are powerful but downstream products of construction.

The primitive beginning is simpler:

- one marked referent,

- one possible expression,
- one degree of freedom.

At the root, there is no x/y, no horizontal/vertical, no positive/negative, no square, no triangle, no circle lattice, and no global inside/outside. There is only a distinguishable mark with a possible expression. Every later registry is either imposed directly or constructed from an imposed frame of consideration.

Protocol rule: do not smuggle a mature coordinate system into the primitive.

2. Root Primitive

The root condition is:

MARK + ONE DEGREE OF FREEDOM

A mark is a distinguishable referent. A degree of freedom is the possibility of expression from that referent. Expression produces trace. Repeated or stabilized trace produces axial relation.

Primitive notation:

R0 = marked referent

D1 = one admissible degree of freedom

E1 = expression along D1

$R0 \rightarrow E1 \rightarrow R1$

The axis is not prior to expression. It is inferred from expression.

3. Primitive Ladder of Construction

The ladder should be represented as constructed, not assumed:

1. Mark: a distinguishable referent appears.
2. One degree of freedom: the mark may express.
3. Trace: expression leaves a path.
4. Axis: repeated expression stabilizes as axial relation.
5. Reciprocity: the trace can be traversed outward and inward.
6. Doubling/halving: outward enumeration and inward division appear as a harmonic ladder.
7. Chirality: expression can turn.
8. Closure: turning permits return.
9. Triangle: stepwise closure produces minimal enclosure.
10. Circle: continuous turning produces smooth return.
11. Bifurcation: a second expression distinguishes itself from the first.
12. Perpendicularity: the second expression stabilizes as orthogonal contrast.
13. Square grid: equalized perpendicular axes produce coordinate registry.
14. Polygonal expansion: repeated stepwise turns produce higher polygons.
15. Overlapping circle lattice: radius transfer produces neighbor-node resonance.
16. Solid: lifted closure produces volumetric registry.

17. Higher-dimensional nesting: additional independent degrees, fibers, phases, or lifted relations extend the registry ladder.

Compact maxim:

One degree of freedom first. Axis second. Turn third. Closure fourth. Grid later.

The square does not found the ladder. The ladder constructs the square.

4. L-Frame and C-Frame

The primitive complement is not square versus circle. The more basic distinction is linear expression versus chiral turning.

L-frame: linear extension, axial registry, displacement, count, step, distinction.

C-frame: chiral turning, return, curvature, phase, closure, resonance.

Line gives distance. Chirality gives return.

If linear expression and chiral turning occur simultaneously, the trace becomes spiral or helical. If they occur stepwise, the trace becomes polygonal. If turning continues without stopping, the trace becomes curved or circular.

No chirality, no closure. No closure, no enclosure. No enclosure, no inside/outside.

5. Euclidean / Square Registry With Axis Mundi

The Euclidean or square grid should be treated as an axis-mundi registry constructed from primitive expression.

Construction path:

mark -> one degree of freedom -> axial expression -> reciprocal traversal -> bifurcation -> perpendicular stabilization -> balanced extension -> square / Cartesian registry

Only after this construction do the familiar terms become available:

- horizontal / vertical,
- x / y ,
- positive / negative,
- quadrants,
- coordinate address,
- rectangular containment,
- inside / outside by coordinate partition.

These are not primitive terms. They are mature affordances of the square registry.

The square registry is best described as:

axial expression + perpendicular bifurcation + equalized bilateral measure

It excels at coordinate checking, orthogonal projection, sign symmetry, rectangular containment, and Boolean-style partition. It risks flattening curvature, phase, and spectral relation into binary or coordinate forms before those frames have been declared.

6. Triangle Registry and Triangular-Number Progression

The triangle registry should not be treated as a square grid with diagonals added. It encodes a different construction.

The triangle is the first stepwise polygonal closure. A line cannot enclose. Two lines do not enclose. Three segments can produce the first enclosure.

Triangle = minimal closure / triadic support / first simplex relation

The triangular grid progresses through triangular numbers. Its center is not the static Euclidean center of a square grid. Its center can appear occupied and vacant intermittently as the triangular-number construction advances. The construction re-centers or redistributes relation as the triangular field grows.

This gives the triangle registry distinct affordances:

- triadic relation,
- 60-degree adjacency,
- 120-degree recurrence,
- minimal enclosure,
- recursive subdivision,
- local mesh stability,
- intermittent center occupancy,
- simplex-style support.

The triangle stores relation as mutual support among three anchors, not primarily as bilateral opposition.

7. Circle Registry as Sacred-Geometry / Neighbor-Circle Lattice

The circle registry intended here is not a set of concentric rings. It is a compass construction.

Construction path:

18. Draw a circle around origin at any chosen scale. The chosen radius functions as an invariant unit for that construction.
19. Choose a point on the circumference.
20. Draw the next circle from that surface point using the same radius.
21. Let centers, intersections, and overlap lenses become new construction points.
22. Continue by same-radius neighbor-circle expansion.

Thus the circle grid is an overlapping neighbor-circle lattice, like sacred-geometry or flower-of-life construction. It grows by radius steps and local overlap, not by nested shells circumscribing one another.

Circle registry affordances:

- radius preservation,
- chiral return,
- phase relation,
- vesica / overlap lens,

- intersection nodes,
- neighbor transfer,
- inscription and circumscription,
- scale translation,
- polygon and solid projection from centers and overlap points.

This C-frame registry translates line measure into curved return without claiming that line has captured the circle. It gives a constructive lattice where resonance nodes can be mapped between linear standard and spectral continuum.

8. Hybrid Registry: Square Checks, Triangle Closes, Circle Returns

A useful primitive map does not marry one registry. It uses the differences between registries and records transfer cost.

Square checks: coordinate evidence, perpendicularity, bilateral measure, orthogonal verification.

Triangle closes: minimal enclosure, triadic support, simplex propagation.

Circle returns: phase, chirality, radius transfer, continuous closure, overlap-node resonance.

The hybrid registry becomes powerful where these registries agree without being collapsed into literal sameness. Agreement nodes may include:

- circle intersections that land on grid points,
- polygon vertices aligned with circle-overlap nodes,
- triangle subdivisions sharing square-coordinate addresses,
- radii that constructively inscribe or circumscribe polygonal forms,
- modular cycles that complete shared-factor or coprime return paths.

Such nodes act as registry-transfer points. They are not universal truth points. They are low-residue transfer channels between declared registries.

9. Registry Choice as Evidence Grammar

A stimulus field does not arrive with one universal accounting attached. An observer, sensor, culture, or formal system stores it through a registry. The registry decides what counts as evidence.

Square evidence:

coordinate agreement, orthogonal closure, signed extension, rectangular containment.

Triangle evidence:

minimal closure, triadic support, recursive subdivision, local mesh stability.

Circle evidence:

phase relation, overlap node, radius transfer, return, harmonic resonance.

Hybrid evidence:

a relation survives transfer between registries with declared residue.

Therefore:

Different registry. Different admissible evidence. Different search landscape. Different compression. Different residue.

10. Framing, Construction, and Infinite Regress

All framings are either imposed or constructed. If constructed, they are constructed from a prior imposed frame of consideration. This exposes an infinite regress if any one frame is treated as final ontology.

The DST correction is not to deny frames. It is to declare them.

A registry is a fidelity contract:

- this is what this registry can mark,
- this is what it can compare,
- this is what it can compress,
- this is what it can transfer,
- this is what it leaves as residue.

A registry should not be released as global fidelity. It should be released as scoped fidelity under declared construction.

11. Registry Update Rules (Formal Gate-Level Definition)

The Primitive Registry maintains an auditable, versioned record of active primitives, registry frames, scale/grain settings, evidence grammars, transfer costs, and accumulated residue. Registry updates should therefore behave like a constructive circuit rather than a loose editorial judgment.

The gate language below is operational and semantic. It may reuse names from quantum logic, topology, and hybrid paralogic grammar, but its release status here is protocol-level unless a separate formal bridge is supplied. A gate name means: "this kind of operation must be checked, logged, and assigned residue." It does not mean the registry update has become a quantum computation or a proof of a mathematical conjecture.

11.1 Registry State Object

Every active registry state should contain at least these fields:

```
REGISTRY_STATE {  
  state_id  
  parent_state_id  
  declared_holder  
  active_registry: square / triangle / circle-overlap / hybrid / other  
  primitive_unit  
  axis_or_trace_state  
  chiral_return_state  
  scale_or_grain  
  evidence_grammar  
  transfer_channels  
  residue_register  
  odome_register  
  update_history  
  release_status
```

}

The state object does not claim global fidelity. It records the current frame of consideration and how the system stores relation at this step.

11.2 Core Update Circuit

A registry update passes through the following gate sequence:

INPUT

- > Straightedge Validation Gate
- > Compass / Superposition Intake Gate
- > Tension Detection Gate
- > Threshold Crossing Gate
- > Coalescence or Cleaving Path
- > 1/f Cascade Propagation Gate
- > Non-Orientable Transfer Gate when needed
- > Residue Commit and Versioning Gate

OUTPUT: updated REGISTRY_STATE + audit record

This sequence prevents a mature registry from silently absorbing an incoming primitive without declaring frame, scale, transfer cost, and residue.

11.3 Gate 1: Input Validation Gate (Straightedge Check)

Purpose:

Verify that the incoming primitive, frame imposition, or relation claim has a declared shared unit referent.

Minimum requirements:

- What is the mark?
- What is the first degree of freedom?
- What trace, line, radius, circle, or unit anchors the construction?
- Which registry is receiving the update?

Pass condition:

The primitive can be traced to a declared unit, mark, radius, line segment, or frame anchor.

Fail condition:

The update imports a mature term such as x/y, inside/outside, positive/negative, prime, color, force, phase, or proof without declaring the registry that makes the term legible.

Failure output:

HIGH-RESIDUE FLAG:

undeclared primitive unit or hidden frame imposition

11.4 Gate 2: Superposition Intake Gate (Compass / Hadamard Correspondence)

Purpose:

Register the incoming primitive before premature collapse into a single mature registry.

Operation:

Hold the primitive in provisional relation to both L-frame and C-frame encodings:

L-frame possibility:

line, axis, count, step, distinction, coordinate check

C-frame possibility:

turn, return, radius, phase, overlap, resonance, closure

Pass condition:

The update preserves both possible readings until a gate determines which one, or which hybrid relation, carries the least residue.

Failure condition:

The update forces a chiral/phase relation into a line-only account, or forces a line/count relation into a circle-only account, before transfer cost has been evaluated.

Output:

```
SUPERPOSED_INTAKE_RECORD {  
  L_encoding  
  C_encoding  
  unresolved_terms  
  provisional_status: HELD  
}
```

11.5 Gate 3: Tension Detection Gate (Controlled-Perpendicular / 90-Degree Resolver)

Purpose:

Measure the cost of imposing the incoming primitive on the current registry.

Tension types:

axis tension: incoming relation does not align with current axis or trace
closure tension: incoming relation requires closure not available in current frame
scale tension: incoming grain conflicts with current scale
orientation tension: handedness, phase, or direction conflicts
translation tension: relation visible in one registry fails in another
semantic tension: term carries different evidence grammar across domains

Compute a Lambda tension scalar:

lambda_tension in [0, 1]

0 = no observed clash / clean resonance

1 = maximal clash / destructive frame imposition

Suggested qualitative scoring:

0.00-0.20 = low residue / direct coalescence likely
0.21-0.50 = mild tension / coalescence with notes
0.51-0.75 = material tension / HELD or split recommended
0.76-1.00 = high tension / cleaving path or odome required

Output:

```
TENSION_RECORD {  
  lambda_tension  
  tension_types  
  evidence  
  recommended_path  
}
```

11.6 Gate 4: Threshold Crossing Decision

Purpose:

Determine whether the update joins the existing registry or splits into a parallel residue path.

Decision rule:

```

if lambda_tension <= local_threshold:
    follow COALESCENCE UPDATE
else:
    follow CLEAVING PATH

```

The local threshold is registry-dependent. A square registry may tolerate coordinate tension poorly but accept orthogonal tension well. A circle-overlap registry may tolerate phase drift well but require radius/overlap continuity. A triangle registry may tolerate local branching but require closure support.

11.7 Coalescence Update Path

Purpose:

Merge the incoming primitive into the active registry with minimum residue.

Required actions:

- update active primitive list
- update scale/grain metadata
- update evidence grammar if necessary
- add cross-reference to prior state
- record why coalescence did not overclaim

Output:

```

COALESCED_STATE {
    merged_primitive
    updated_registry_state
    residual_notes
    release_status: FORMAL / MODEL / SEMANTIC / HELD-TOWARD-LOAD-BEARING
}

```

11.8 Cleaving Path and Odome Register

Purpose:

Preserve unresolved but meaningful tension rather than forcing premature absorption.

Trigger:

```
lambda_tension > local_threshold
```

Actions:

- create ODOMES entry
- split incoming relation into parallel registry interpretations
- name what survives in each frame
- name what fails transfer
- assign bridge direction

ODOME definition:

ODOME = persistent irreducible residue generated when a transfer between frames cannot be completed without destructive conflation.

Output:

```

ODOME_ENTRY {
    source_update
    affected_registry
    unresolved_relation
    L_frame_reading
    C_frame_reading
    transfer_failure
    bridge_direction
    release_status: HELD / PARADOX-CONTAINED / AUDIT-REQUIRED
}

```

```
}
```

11.9 Gate 5: 1/f Cascade Propagation Gate

Purpose:

Propagate update effects across scale without flattening high-frequency residue into low-frequency stability.

Operational interpretation:

low-frequency components = stable, load-bearing, broad-scale relation
high-frequency components = local detail, unresolved residue, finer nesting

Update rule:

- stable components remain at current registry level
- unstable or high-resolution residue propagates to finer registry levels
- repeated broad resonance may propagate upward as a candidate load-bearing pattern

This gate implements scale humility. It prevents the system from treating local noise as global structure or global pattern as local proof.

Output:

```
CASCADE_RECORD {  
  stable_component  
  high_frequency_residue  
  propagated_levels  
  updated_grain  
  scale_notes  
}
```

11.10 Gate 6: Non-Orientable Transfer Gate (Klein / Clifford Correspondence)

Purpose:

Handle cases where a relation must invert frame dominance, pass between nested levels, or preserve superposition across a registry boundary.

Use this gate when:

- inside/outside reverses under transfer
- L-frame and C-frame swap dominance
- local orientation cannot be preserved globally
- the relation requires lift, twist, and reattachment
- a registry transition changes what counts as evidence

Output:

```
TRANSFER_RECORD {  
  source_registry  
  target_registry  
  orientation_change  
  preserved_relation  
  lost_relation  
  residue  
  odome_links  
}
```

This gate does not erase contradiction. It records how the contradiction changes when the frame is lifted, twisted, or reattached.

11.11 Gate 7: Residue Commit and Versioning

Purpose:

Commit the update to an auditable state history.

Required fields:

- version_id
- previous_version_id
- timestamp_or_sequence_id
- operator_or_system_actor
- incoming_update
- gate_path_taken
- lambda_tension
- threshold_used
- coalescence_or_cleaving_result
- odome_count
- residue_summary
- release_status
- reopen_condition

No update is complete until its residue has been committed. A clean coalescence still records residue as zero or minimal.

11.12 Efficiency Rule: Least Cumulative Residue

When multiple update paths are possible, prefer the path with the least cumulative residue, not the path that makes the result sound most decisive.

- least_residue_path = path that preserves the primitive relation,
declares frame and scale,
minimizes odome generation,
and avoids false global closure

This is the operational embodiment of frame humility.

11.13 Minimal Pseudocode

```
function update_registry(registry_state, incoming_primitive):
  validation = straightedge_check(incoming_primitive)
  if validation.fail:
    return high_residue_flag(validation)

  intake = superposition_intake(incoming_primitive, registry_state)
  tension = detect_lambda_tension(intake, registry_state)

  if tension.value <= registry_state.local_threshold:
    update = coalesce(intake, registry_state, tension)
  else:
    odome = create_odome(intake, registry_state, tension)
    update = cleave(intake, registry_state, odome)

  cascade = propagate_1f(update)

  if requires_nonorientable_transfer(update):
    transfer = nonorientable_transfer(update)
    update = attach_transfer(update, transfer)

  return commit_version(update, cascade, residue_summary(update))
```

11.14 Audit Checklist for Registry Updates

- [] Shared unit referent declared?
- [] One-degree primitive path preserved?
- [] Mature registry terms avoided until constructed?

- ☐ L-frame and C-frame readings both considered?
- ☐ Lambda tension recorded?
- ☐ Threshold stated?
- ☐ Coalescence or cleaving path justified?
- ☐ Odome entry created where transfer fails?
- ☐ 1/f scale propagation recorded?
- ☐ Non-orientable transfer used only when needed?
- ☐ Version record committed?
- ☐ Release status assigned without overclaim?

11.15 Registry Update Release Statement

Every completed update should end with a scoped release statement:

This update modifies [registry_state] by adding or revising [primitive/relation].
 The update passed through [gate path].
 Lambda tension was [value] under [threshold].
 Residue was committed as [residue summary / odome id].
 The release status is [status].
 This update does not claim global fidelity beyond the declared registry frame.

12. Prime / Base / P-Adic Bridge

Prime artifacts provide a mathematical foothold for the registry principle.

Primality is not created by a register. It is an irreducibility relation under factor reproduction. But prime artifacts appear differently depending on the registry through which divisibility is measured and displayed.

The p-adic frame helps explain this for a mathematically trained reader. In an ordinary metric, numbers are close when their difference is small in magnitude. In a p-adic metric, numbers are close when their difference is deeply divisible by a chosen prime p. This proves that divisibility-depth can function as a metric of nearness, depth, and scale.

A base is not only notation. A base can act as a divided measuring whole. Its primitive divisors define native resonance paths. Its residues define visible artifacts.

Counting can be read reciprocally:

- outward enumeration,
- inward division,
- doubling,
- halving,
- modular return,
- residue display.

Primality appears as the irreducible residue of the counting ladder when outward enumeration is continually tested against inward divisibility.

13. Color, Metrology, and Sensing Registries

Color gives an everyday example of registry-dependent legibility.

A continuous spectrum does not arrive already divided into universal color names. It becomes color through sensor bands, neural compression, cultural naming, instrument standards, display gamuts, and measurement conventions.

Color is light registered through a sensing taxonomy.

Likewise, prime artifacts are divisibility registered through base/modular measuring wholes.

Harmonic nodes are resonance registered through grids, chambers, and sampling frames.

This does not make color, number, or measurement unreal. It makes them registry-real: real as stored, compared, named, measured, and reused inside a declared observer/instrument frame.

14. PvNP Application

The PvNP game should model the primitive experience of search/verification asymmetry rather than claim to solve the formal P vs NP problem.

P-like condition:

a proposed relation can be checked efficiently inside the selected registry once the certificate and frame are declared.

NP-like condition:

a relation may be globally witnessable or verifiable once found, while finding the correct registry path, closure node, or transfer point may require high search cost.

The game question becomes:

- What registry makes the relation visible?
- What registry makes the certificate checkable?
- What transfer path connects the search frame to the verification frame?
- What residue appears when the wrong registry is used?

The game should therefore model:

- primitive expression,
- registry construction,
- search through possible registry paths,
- certificate checking once a path is declared,
- transfer residue between registries.

15. Implementation Specification for PvNP Simulation

Registry selection should affect dynamics, not merely visual background.

Square mode should alter:

movement snap tendency, orthogonal resistance, axis-aligned verification bonus, perpendicular tension gate, rectangular containment checks.

Triangle mode should alter:

60-degree turn preference, triadic propagation, simplex closure detection, local cluster resonance, recursive subdivision paths, center occupancy/vacancy state.

Circle-overlap mode should alter:

phase accumulation, same-radius neighbor-circle construction, overlap-node attraction, radius-scaled transfer, chiral memory, resonance-node detection.

Hybrid mode should detect:

coincidence between square nodes, triangle nodes, circle centers, and circle-intersection nodes.

Those coincidence points become high-value registry-transfer nodes.

16. Protocol Block: Primitive Registry Analysis

Use this whenever applying the primitive registry ladder.

23. Mark: What is the first distinguishable referent?
24. Degree of freedom: What is the first possible expression?
25. Trace: What axis or path is produced by expression?
26. Return: Can the expression reverse, recur, or close?
27. Chirality: Where does turning enter?
28. Closure: Does closure occur as triangle, circle, polygon, spiral, or lifted form?
29. Bifurcation: What second expression appears?
30. Orthogonality: Is perpendicularity constructed or merely assumed?
31. Registry: Which mature registry is being used: square, triangle, circle-overlap, or hybrid?
32. Evidence: What counts as evidence inside that registry?
33. Transfer: Can the relation transfer to another registry?
34. Residue: What does not survive transfer?
35. Release status: formal / model / heuristic / analogical / semantic / speculative / HELD.

17. DST Release Hygiene

This protocol should preserve the primitive without overstating the bridge.

Do not say: this shape literally is the same structure everywhere.

Say: this primitive relation-function leaves a recognizable signature across registries.

Do not say: one registry proves global truth.

Say: one registry makes certain relations legible and leaves others as residue.

Do not say: P vs NP is solved by grid choice.

Say: the PvNP game models search/verification asymmetry as registry-dependent legibility and transfer cost.

Do not say: primes are created by base.

Say: primality is a factor-reproduction irreducibility relation; base/modular registries reveal different prime artifacts.

Do not say: color is merely subjective illusion.

Say: color is spectrum registered through a sensing and naming taxonomy.

18. Formal Synthesis Statement

A primitive registry system begins with one mark and one possible expression. Repeated expression produces trace and then axis. Return introduces reciprocity. Turning introduces chirality. Stepwise turning produces polygonal closure; continuous turning produces circular closure. Bifurcation introduces a second expression, and only after that expression stabilizes as perpendicular does square-grid logic become available. Thus horizontal/vertical, positive/negative, x/y, inside/outside, and quadrants are not primitive givens; they are downstream products of a constructed registry.

The triangle grid arises from minimal closure and triangular-number progression, with center occupancy shifting as the construction advances. The circle grid arises from sacred-geometry compass construction: same-radius neighbor circles drawn from surface points, producing overlap lenses, centers, and intersections from which polygons and solids can be projected. These registries do not simply relabel the same content. They change the grammar of admissible evidence and therefore alter what appears compressible, stable, searchable, or verifiable.

All framings are imposed or constructed from prior impositions. A high-fidelity semantic protocol does not deny this regress; it records it. Each registry is released as a scoped fidelity contract, not universal accounting. The task is to keep the primitive marker visible, trace the operation, watch the invariant, record residue, and transfer only what survives.

19. Compact Maxims

One degree of freedom first.

Axis second.

Turn third.

Closure fourth.

Grid later.

The square does not found the ladder.

The ladder constructs the square.

Square checks.

Triangle closes.

Circle returns.

The stimulus does not dictate one universal map.

The observer stores stimulus through a registry.

The registry determines legibility.

Legibility determines evidence.

Evidence determines what can be checked.

What cannot transfer without loss becomes residue.

Same primitive question.

Different registry.

Different artifact.

No forced literal sameness.

No loss of semantic continuity.

20. Landscape Cartographer Compatibility

This module should be treated as canon-adjacent unless formally absorbed. Its proper Landscape Cartographer status is HELD-TOWARD-LOAD-BEARING.

Holder declaration:

The holder is the Primitive Semantic Registry / METALABE / DST ecosystem, using the Landscape Cartographer distinction between LOAD-BEARING, HELD, REDUNDANT, CONCLUDED, and DISCARDED.

Purpose:

To provide a system-readable grammar for translating external structures into primitive registry terms without erasing frame, evidence grammar, or residue.

Bridge toward LOAD-BEARING:

The module becomes load-bearing when it consistently improves DST intake, semantic mapping, PvNP simulation design, and cross-domain translation without increasing overclaim or category conflation.

Current HELD residue:

Exact formalization of transfer cost between square, triangle, and circle-overlap registries remains open. Simulation rules for center occupancy in triangular-number progression and circle-lattice node transfer require implementation and testing.

Document status: ACTIVE-PROVISIONAL / HELD-TOWARD-LOAD-BEARING.

Version: v0.3.

Prepared for DST / METALABE primitive registry application.