DRAWING LIST

ITEM	QTY	DRAWING NUMBER	DESCRIPTION
1	1	S1101EFA0300	DOWNSTREAM RELAY BOARD ASSEMBLY
2	1	S1101EFA0303	PMT/TC TO UPSTREAM RELAY CONNECTOR BOARD HARNESS ASSEMBLY
3	1	S1101EFA0304	CUBE TO UPSTREAM RELAY CONNECTOR BOARD HARNESS ASSEMBLY
4	1	S1101EFA0305	CUBE TO DOWNSTREAM RELAY BOARD HARNESS ASSEMBLY
5	1	S1101EFA0306	IRR TO BRACKET SIGNAL HARNESS ASSEMBLY
6	1	S1101EFA0307	IRR TO BRACKET POWER HARNESS ASSEMBLY
7	1	S1101EFA0308	CIA POWER HARNESS ASSEMBLY
8	1	S1101EFA0309	CIA SIGNAL HARNESS ASSEMBLY
9	1	S1101EFA0310	E-FIELD POWER SUPPLY TO RELAY BOARD AND BURNER HARNESS ASSEMBLY
10	1	S1101EFA0311	E-FIELD POWER SUPPY TO MESH HARNESS ASSEMBLY
11	1	S1101EFA1330	IGNITER TO STEPPER DRIVER HARNESS ASSEMBLY
12	1	S1101EFA1413	ANALOG CAMERA TO DOWNSTREAM RELAY HARNESS ASSEMBLY
13	1	S1101MFA0200	CUBE ASSEMBLY
14	1	S1101MFA0314	UPSTREAM RELAY BOARD STACK ASSEMBLY
15	1	S1101MFA0400	FUEL HOSE ASSEMBLY
16	1	S1101MFA0401	OXYGEN HOSE ASSEMBLY
17	1	S1101MFA0402	INERT HOSE ASSEMBLY
18	1	S1101MFA0403	GREEN WATER COOLING HOSE ASSEMBLY
19	1	S1101MFA0404	GRAY WATER COOLING HOSE ASSEMBLY
20	1	S1101MFA1000	EXPERIMENT MOUNTING STRUCTURE ASSEMBLY
21	1	S1101MFA1100	INPUT MANIFOLD ASSEMBLY
22	1	S1101MFA1104	SWITCHING MANIFOLD ASSEMBLY
23	1	S1101MFA1120	OXYGEN MASS FLOW CONTROLLER ASSEMBLY, 0.5 SLPM
24	1	S1101MFA1121	OXYGEN MASS FLOW CONTROLLER ASSEMBLY, 20 SLPM
25	1	S1101MFA1122	FUEL MASS FLOW CONTROLLER ASSEMBLY, 0.1 SLPM
26	1	S1101MFA1123	FUEL MASS FLOW CONTROLLER ASSEMBLY, 0.5 SLPM
27	1	S1101MFA1124	INERT MASS FLOW CONTROLLER ASSEMBLY, 0.1 SLPM
28	1	S1101MFA1125	INERT MASS FLOW CONTROLLER ASSEMBLY, 5 SLPM
29	1	S1101MFA1126	INERT MASS FLOW CONTROLLER ASSEMBLY, 0.5 SLPM
30	1	S1101MFA1132	FUEL MASS FLOW CONTROLLER ASSEMBLY, 0.05 SLPM
31	1	S1101MFA1133	FUEL MASS FLOW CONTROLLER ASSEMBLY, 0.2 SLPM
32	1	S1101MFA1134	FUEL MASS FLOW CONTROLLER ASSEMBLY, 1 SLPM
33	1	S1101MFA1135	INERT MASS FLOW CONTROLLER ASSEMBLY, 0.01 SLPM
34	1	S1101MFA1136	INERT MASS FLOW CONTROLLER ASSEMBLY, 0.02 SLPM
35	1	S1101MFA1137	INERT MASS FLOW CONTROLLER ASSEMBLY, 0.05 SLPM
36	1	S1101MFA1138	INERT MASS FLOW CONTROLLER ASSEMBLY, 2 SLPM
37	1	S1101MFA1139	INERT MASS FLOW CONTROLLER ASSEMBLY, 1 SLPM
38	1	S1101MFA1207	1.3 MM ID GAS JET BURNER ASSEMBLY, 10 MM POSITION
39	1	S1101MFA1211	2.1 MM ID GAS JET BURNER ASSEMBLY, 10 MM POSITION
40	1	S1101MFA1216	1/4" SPHERICAL BURNER ASSEMBLY
41	1	S1101MFA1220	3/8" SPHERICAL BURNER ASSEMBLY
42	1	S1101MFA1225	1/2" SPHERICAL BURNER ASSEMBLY
43	1	S1101MFA1230	BRE 50 MM BURNER ASSEMBLY
44	1	S1101MFA1245	BRE 25 MM BURNER ASSEMBLY
45	1	S1101MFA1258	COFLOW BURNER ASSEMBLY
46	1	S1101MFA1300	IGNITER ASSEMBLY
47	1	S1101MFA1313	IGNITER UPPER ARM ASSEMBLY, 0 MM POSITION
48	1	S1101MFA1315	IGNITER UPPER ARM ASSEMBLY, 10 MM POSITION
49	1	S1101MFA1317	IGNITER UPPER ARM ASSEMBLY, 30 MM POSITION
50	1	S1101MFA1319	IGNITER TIP ASSEMBLY
51	1	S1101MFA1322	STEPPER DRIVER ASSEMBLY
52	1	S1101MFA1400	ANALOG CAMERA
53	1	S1101MFA1500	PMT ASSEMBLY
54	1	S1101MFA1520	RADIOMETER ASSEMBLY
55	1	S1101MFA1529	TFP ASSEMBLY
56	1	S1101MFA1537	TFP ARRAY ASSEMBLY
57	1	S1101MFA1546	TFP CALIBRATION ARRAY ASSEMBLY
58	1	S1101MFA1550	BRE RADIOMETER ASSEMBLY
59	1	S1101MFA1601	COLD JUNCTION COMPENSATION ASSEMBLY
60	1	S1101MFA1605	THERMOCOUPLE NEAR ARRAY ASSEMBLY
61	1	S1101MFA1609	THERMOCOUPLE FAR ARRAY ASSEMBLY
62	1	S1101MFA1623	200mm THERMOCOUPLE ASSEMBLY, IGNITER SIDE
63	1	S1101MFA1627	200mm THERMOCOUPLE ASSEMBLY, RELAY SIDE
64	1	S1101MFA1700	E-FIELD MESH ASSEMBLY
65	1	S1101MFA1732	E-FIELD NEGATIVE POWER SUPPLY ASSEMBLY
66	1	S1101MFA1730	E-FIELD COVER ASSEMBLY
67	2	S1101MFA1800	COLD PLATE ASSEMBLY
68	1	S1101MFA1802	COOLING TUBE ASSEMBLY, SUPPLY TO DOWNSTREAM COOLING PLATE
69	1	S1101MFA1803	COOLING TUBE ASSEMBLY, RETURN TO UPSTREAM COOLING PLATE
70	1	S1101MFD0301	DOWNSTREAM RELAY BOARD COVER
71	1	S1101MFD0312	UPSTREAM RELAY BOARD COVER
72	1	S1101MFD1103	INPUT MANIFOLD COLD PLATE SPACER PAD
73	1	S1101MFD1603	COLD JUNCTION COMPENSATION BOARD INSULATOR
74	1	S1101MFD1604	COLD JUNCTION COMPENSATION BOARD COVER
75	1	S1101MFD1804	COOLING TUBE, UPSTREAM COOLING PLATE TO DOWNSTREAM COOLING PLATE
76	2	S1101MFD1809	COOLING TUBE BRACKET CLAMP
77	12	S1101MFP1025	MODIFIED SOCKET HEAD CAP SCREW, .190-32 UNRF-3A X .750
78	1	S1101MFA0316	LOW PRESSURE SWITCH ASSEMBLY
79	1	S1101MFA0317	HIGH PRESSURE SWITCH ASSEMBLY
80	4	S1101MFP0320	PRESSURE SWITCH FASTENER
81	1	S1101MFA1142	INERT MASS FLOW CONTROLLER ASSEMBLY, 0.2 SLPM
82	1	S1101MFA1143	FUEL MASS FLOW CONTROLLER ASSEMBLY, 2.0 SLPM

DRAWING LIST


ITEM	QTY	DRAWING NUMBER	DESCRIPTION
83	1	S1101MFA1548	35 MICRON TFP ARRAY ASSEMBLY
84	1	S1101MFA1549	140 MICRON TFP ARRAY ASSEMBLY
85	1	S1101MFA1557	35 MICRON TFP CALIBRATION ARRAY ASSEMBLY
86	1	S1101MFA1558	140 MICRON TFP CALIBRATION ARRAY ASSEMBLY
87	1	S1101MFT0100-300	COMBO LABEL
88	1	S1101MFT0100-01	SPECIAL LABEL - MAP
89	1	S1101MFT0100-02	MESH LOCATION LABEL
90	1	S1101MFT0100-03	JCIA104 LABEL
91	1	S1101MFT0100-04	JCIA12 LABEL
92	1	S1101MFT0100-05	JCIA7 FLAG LABEL
93	1	S1101MFT0100-06	JCIA45 LABEL
94	1	S1101MFT0100-07	JCIA70 LABEL
95	1	S1101MFT0100-08	JCIA17 LABEL
96	1	S1101MFT0100-09	JCIA15 LABEL
97	1	S1101MFT0100-10	JCIA102 LABEL
98	1	S1101MFT0100-11	JCIA101 LABEL
99	1	S1101MFT0100-12	JCIA32 LABEL
100	1	S1101MFT0100-13	JCIA84 LABEL
101	1	S1101MFT0100-14	PCIA40 LABEL
102	1	S1101MFT0100-15	PCIA41 LABEL
103	1	S1101MFT0100-16	PCIA42 LABEL
104	1	S1101MFT0100-17	PCIA103 LABEL
105	1	S1101MFT0100-18	PCIA77 LABEL
106	1	S1101MFT0100-19	PCIA11 LABEL
107	1	S1101MFT0100-20	PCIA44 FLAG LABEL
108	1	S1101MFT0100-21	PCIA25 LABEL
109	1	S1101MFT0100-22	PCIA26 LABEL
110	1	S1101MFT0100-23	PCIA27 LABEL
111	1	S1101MFT0100-24	PCIA29 LABEL
112	1	S1101MFT0100-25	PCIA97 LABEL
113	1	S1101MFT0100-26	PCIA98 LABEL
114	1	S1101MFT0100-27	WATER SUPPLY LABEL
115	1	S1101MFT0100-28	WATER RETURN LABEL
116	1	S1101MFT0100-29	FUEL SUPPLY LABEL
117	1	S1101MFT0100-30	BYPASS SUPPLY LABEL
118	1	S1101MFT0100-31	STATIC MIXER SUPPLY LABEL
119	1	S1101MFT0100-32	TOP LABEL
120	1	S1101MFT0100-33	FRONT LABEL
121	1	S1101MFT0100-34	BACK LABEL
122	1	S1101MFT0100-35	LOCKING MECHANISM LABEL
123	1	S1101MFT0100-36	OPENING 1 LABEL
124	1	S1101MFT0100-37	OPENING 3 LABEL
125	1	S1101MFT0100-38	OPENING 4 LABEL
126	1	S1101MFT0100-39	OPENING 2 LABEL
127	1	S1101MFT0100-40	PCIA15 LABEL
128	1	S1101MFT0100-41	BOTTOM LABEL
129	1	S1101MFA1733	E-FIELD POSITIVE POWER SUPPLY ASSEMBLY
130	1	S1101MFA0406	ACCUMULATOR ASSEMBLY
131	-3	S1101MFA0100-101	QD CAP


COMMERCIAL PARTS LIST

ITEM	QTY	PART NUMBER	DESCRIPTION
C1	1	809-199-10	MOUNTING FLANGE, 3/4 PERIMETER 800 SERIES CONNECTORS, GLENAIR
C2	1	809-199-3	MOUNTING FLANGE, 3/4 PERIMETER 800 SERIES CONNECTORS, GLENAIR
C3	1	MS5049/95-18A	NUT PLATE, 3/4 PERIMETER, FLANGE MOUNT RECEPTACLE, SHELL SIZE E
C4	1	MS5049/95-22A	NUT PLATE, 3/4 PERIMETER, FLANGE MOUNT RECEPTACLE, SHELL SIZE G
C5	3	MS3248/1-010	O-RING, 75 DUROMETER FLUOROCARBON, .239 ID X .070 W
C6	1	EPRB-2-VR33-10B-/CM1/ATR	PRESSURE TRANSDUCER, .190-32 UNF-2A, 5 VDC, 10 BAR, MEASUREMENT SPECIALTIES
C7	1	20265	THERMAL INTERFACE PAD, THERMATE, MICRO (VICOR)
C8	1	167-7904-1	BAYONET BULKHEAD CONNECTOR, MALE-MALE , SERIES 311, 10 AMP, TELEDYNE REYNOLDS
C9	8	NAS1101E02-6	SCREW, MACHINE-FLAT FILLISTER HEAD .086-56 UNJC-3A X .375 LENGTH
C10	8	NAS1101E04-6	SCREW, MACHINE-FLAT FILLISTER HEAD .112-40 UNJC-3A X .375 LENGTH
C11	6	NAS1101E06-12	SCREW, MACHINE-FLAT FILLISTER HEAD .138-32 UNJC-3A X .750 LENGTH
C12	4	NAS1351N4-14	.250-28 UNRF-3A X .875 SOCKET HEAD CAP SCREW
C13	4	NAS620C10L	#10 REDUCED THICKNESS FLAT WASHER REDUCED O.D.
C14	12	NAS620C2	#2 FLAT WASHER REDUCED OUTER DIAMETER
C15	30	NAS620C4L	#4 REDUCED THICKNESS FLAT WASHER REDUCED O.D.
C16	4	NAS620C6	#6 FLAT WASHER REDUCED OUTER DIAMETER
C17	19	NAS620C6L	#6 REDUCED THICKNESS FLAT WASHER REDUCED O.D.
C18	12	NAS1102E06-10	.138-32 UNJC-3A X .625 FLAT 100 DEG HEAD MACHINE SCREW
C19	4	NAS1351N3-20	.190-32 UNRF-3A X 1.250 SOCKET HEAD CAP SCREW
C20	4	NAS1352N02-6	#2-56(.086) UNRC-3A X .375 SOCKET HEAD CAP SCREW
C21	10	NAS1352N04-6	#4-40(.112) UNRC-3A X .375 SOCKET HEAD CAP SCREW
C22	6	NAS1352N04-8	#4-40(.112) UNRC-3A X .500 SOCKET HEAD CAP SCREW
C23	2	NAS1352N04-10	#4-40(.112) UNRC-3A X .625 SOCKET HEAD CAP SCREW
C24	4	NAS1352N04-12	#4-40(.112) UNRC-3A X .750 SOCKET HEAD CAP SCREW
C25	9	NAS1352N06-6	#6-32 (.138) UNRC-3A X .375 SOCKET HEAD CAP SCREW
C26	4	NAS1352N06-8	#6-32 (.138) UNRC-3A X .500 SOCKET HEAD CAP SCREW
C27	4	NAS1352N06-10	#6-32 (.138) UNRC-3A X .625 SOCKET HEAD CAP SCREW
C28	3	NAS1352N06-12	#6-32 (.138) UNRC-3A X .750 SOCKET HEAD CAP SCREW
C29	7	NAS1149EN632R	NO. 6 FLAT WASHER .149" ID X .375" OD X .032" THK

COMMERCIAL PARTS LIST

ITEM	QTY	PART NUMBER	DESCRIPTION
C30	8	NAS1149E0332R	NO. 10 FLAT WASHER .203" ID X .438" OD X .032" THK
C31	1	51410-3-06-1-V-L06-C-G	QUICK DISCONNECT, NIPPLE HALF PREECE INC.
C32	1	51410-3-06-1-V-L06-C-GY	QUICK DISCONNECT, NIPPLE HALF PREECE, INC.
C33	6	1126-6-SS-20	SPACER, .25 OD. X .140 ID. X .38 LG. RAF
C34	A/R	TC105	CABLE TIE MOUNTING BASE, ALUMINUM, THOMAS & BETTS
C35	A/R	2216 B/A	2216 B/A GRAY EPOXY 3M SCOTCH WELD EPOXY
C36	A/R	MIL-PRF-27617	DUPONT KRYTOX 240AC TYPE III LUBRICANT
C37	A/R	222MS	THREADLOCKER, LOCTITE
C38	A/R	242	THREADLOCKER, LOCTITE
C39	A/R	PLT1M-702Y	CABLE TIE, HALAR FLUOROPOLYMER, PANDUIT CORP., 3.9 INCH
C40	A/R	PLT2S-702Y	CABLE TIE, HALAR FLUOROPOLYMER, PANDUIT CORP., 7.4 INCH
C41	A/R	3145 GRAY	RTV ADHESIVE/SEALANT, GRAY, DOW CORNING
C42	1	SDG32104805-008	ESD LABEL
C43	1	BRE.OS.200.NAV	CONNECTOR COVER (LEMO)
C44	1	667-262-M-N8	CONNECTOR COVER (GLENAIR)
C45	1	167-7864-1	CONNECTOR COVER (TELEDYNE REYNOLDS)
C46	1	PSK633-9FGN	CONNECTOR COVER (POSITRONIC)
C47	3	660-023M13N	PROTECTIVE COVER/PLUG (GLENAIR)
C48	A/R	S768A0BLA	BLACK POLYAMIDE/ACRYLIC TAPE, 1"





NOTES:

1. MATERIAL AND PROCESS CERTIFICATION REQUIRED PER QUALITY LEVEL SPECIFIED IN WORK ORDER/SOW.
2. ESD HANDLING AND CONTROL PER ESTABLISHED PROCEDURES.
3. ASSEMBLY AND SOLDERING SHALL BE IN ACCORDANCE WITH NASA-STD-8739.3.
4. APPLY THREAD LOCKING COMPOUND PER ESTABLISHED PROCEDURES.
5. TORQUE VALUES NOTED ON THE DRAWING ARE EFFECTIVE TORQUE ONLY. RUNNING TORQUE IS REQUIRED FOR SELF LOCKING DEVICES AND BOLT FRICTION. RUNNING TORQUE MUST BE MEASURED AND ADDED TO THE EFFECTIVE TORQUE. RECORD RUNNING TORQUE AND FINAL TORQUE ON DRAWING OR ASSEMBLY PROCEDURE.
6. TIGHTEN ALL FLUID FITTINGS PER MANUFACTURER'S SPECIFICATIONS.
7. APPLY O-RING LUBRICANT PER ESTABLISHED PROCEDURES.
8. REFER TO CONNECTION DIAGRAM S1101EFC0315 FOR ALL HARNESS CONNECTIONS.
9. SNUG TIGHT PER ESTABLISHED PROCEDURES.
10. CHEMICAL CONVERSION COAT ANY DAMAGED OR MACHINED AREAS ON ALUMINUM PARTS PER MIL-DTL-5541, TYPE I, CLASS 3.
11. CLEAN ALL SURFACES WITH ISOPROPYL ALCOHOL AND LET AIR DRY. WIPE WITH CLEAN COTTON SWABS AND/OR LINT-FREE CLOTH.
12. HANDLE ALL PARTS AND ASSEMBLIES WITH CLEAN, LINT-FREE, ANTI-STATIC GLOVES OR FINGER COTS.
13. BEFORE STORAGE, PROTECT WITH CONTAMINATION BARRIER. USE CLEAN, NEW, ESD BAG, TOTES OR APPROVED ESD PACKAGING. MARK PART NUMBER, A DASH, AND A SERIAL/LOT NUMBER AS SPECIFIED IN WORK ORDER/SOW, BY TAGGING PER SAE-AS478-35D.
14. DISCARD TOOTHED WASHER SUPPLIED WITH ITEM C8 AND 11.
15. STAKING, BONDING AND INSPECTION SHALL BE IN ACCORDANCE WITH NASA-STD-8739.1.
16. STAKE CONNECTORS USING ITEM C41 RTV.
17. IF PRESENT, REMOVE AND DISCARD LANYARD FROM ALL CAPS.
18. ADJUST, LOCTITE AND EPOXY ARM OF ITEM S5 TFP ASSEMBLY USING C35 EPOXY AND C38 LOCTITE PER PROCESS PLAN. REFERENCE S1101MFA1529 DRAWING FOR DETAILS.
19. ASSEMBLE USING S1101MGA4559 EMS STAND.
20. APPLY LABEL TO CLEAN, DRY SURFACE IN LOCATION SHOWN.
21. TEST COMPLETED ASSEMBLY PER ACME-TST-036.
22. IF PRESENT, REMOVE INDICATED QD CAPS FROM SUBASSEMBLY AND RETURN TO STORES

REV	DESCRIPTION	APPROVED
C	INCORPORATED ACME-ECO-554 AND ACME-ECO-643.	K.BURNS 10/20/16 A.DRAKE 10/20/16 A.KARAICHNOAI 10/20/16
B	INCORPORATED ACME-ECO-552.	J.OGRIN 12/10/15 A.DRAKE 12/10/15 K.RHODES12/10/15
A	INCORPORATED ACME-ECO-383.	J.OGRIN 10/13/15 A.DRAKE 10/13/15 J.BRUEWER 10/14/15

REVISION HISTORY

DWG NO S1101MFA0100 REV C SH 1

NEXT ASSEMBLY

UNLESS OTHERWISE SPECIFIED:
1. ALL DIMENSIONS ARE IN INCHES
2. BREAK EDGES .010-.020
3. INSIDE CORNERS R.02 MAX
4. LINEAR TOLERANCES:
.X ± .1
.XX ± .01
.XXX ± .005
5. ANGULAR TOLERANCE ± .5°

THIRD ANGLE PROJECTION

THIS DRAWING IS UNDER CONFIGURATION CONTROL. DO NOT REVISE WITHOUT AN APPROVED ECO.
APPROVED: E.McCLOSKEY 10/20/16
PRIOR TO USE, CHECK WITH CONFIGURATION MANAGEMENT FOR ANY OUTSTANDING ECOS.

DESIGNER	K.RHODES 8/17/16	QUALITY	D.SEELEY 8/8/16
REVIEWER	D.VACHON 8/4/16	MATERIALS	M.WILKINSON 8/17/16
MECHANICAL	A.DRAKE 8/5/16	PROJ LEAD	B.BOROWSKI 8/6/16
ELECTRICAL	T.ODELL 8/4/16		
STRUCTURAL	C.WERNER 8/4/16		
SAFETY	M.BORRELLI 8/4/16		

DIMENSIONS AND TOLERANCING PER ASME Y14.5M-1994

ZIN TECHNOLOGIES
6745 ENGLE ROAD
AIRPORT EXECUTIVE PARK
CLEVELAND, OHIO 44130
(440) 625-2200
www.zin-tech.com

CONTRACT NUMBER: NNC14A02C
PROJECT CODE: S2-BT3

NATIONAL AERONAUTICS AND SPACE ADMINISTRATION
JOHN H. GLENN RESEARCH CENTER
LEWIS FIELD
CLEVELAND, OHIO

TITLE: ACME CHAMBER INSERT ASSEMBLY

SIZE	CAGE CODE	DWG NO	REV
E	0SG68	S1101MFA0100	C

SCALE 1/2 | INITIAL REL DATE 8/7/16 | SHEET 1 OF 5


RELEASE LEVEL: WORKING
MODEL: S1101MFA0100

PRO/E VERSION: Wildfire 2.0

ZIN_E_2012.frm


NOTES:

1. SEE SHEET 1 FOR ADDITIONAL INFORMATION, GENERAL NOTES AND TOLERANCES.




INPUT MANIFOLD HARNESS, COLD JUNCTION COMPENSATION & BRE BURNER (LOCATION 6) ASSEMBLIES PARTIAL VIEWS

NOTE: SOME ITEMS REMOVED FOR CLARITY



BURNER (LOCATION 6), TFP ARRAY (LOCATION 5) & COLD JUNCTION COMPENSATION ASSEMBLIES

NOTE: SOME ITEMS REMOVED FOR CLARITY



COOLING LOOP, MANIFOLDS & MASS FLOW CONTROLLERS (LOCATIONS 1, 2 & 3)

NOTE: SOME ITEMS REMOVED FOR CLARITY

BURNER OPTIONS		
ITEM	LOCATION 6	DESCRIPTION
38	S1101MFA1207	1.3mm ID GAS JET BURNER ASSEMBLY, 10mm POSITION
39	S1101MFA1211	2.1mm ID GAS JET BURNER ASSEMBLY, 10mm POSITION
40	S1101MFA1216	1/4" SPHERICAL BURNER ASSEMBLY
41	S1101MFA1220	3/8" SPHERICAL BURNER ASSEMBLY
42	S1101MFA1225	1/2" SPHERICAL BURNER ASSEMBLY
43	S1101MFA1230	BRE 50mm BURNER ASSEMBLY
44	S1101MFA1245	BRE 25mm BURNER ASSEMBLY
45	S1101MFA1258	COFLOW BURNER ASSEMBLY

TFP OPTIONS		
ITEM	LOCATION 5	DESCRIPTION
56	S1101MFA1537	TFP ARRAY ASSEMBLY
57	S1101MFA1546	TFP CALIBRATION ARRAY ASSEMBLY
83	S1101MFA1548	35 MICRON TFP ARRAY ASSEMBLY
84	S1101MFA1549	140 MICRON TFP ARRAY ASSEMBLY
85	S1101MFA1557	35 MICRON TFP CALIBRATION ARRAY ASSEMBLY
86	S1101MFA1558	140 MICRON TFP CALIBRATION ARRAY ASSEMBLY

E-FIELD POWER SUPPLY OPTIONS		
ITEM	LOCATION 4	DESCRIPTION
65	S1101MFA1732	E-FIELD NEGATIVE POWER SUPPLY ASSEMBLY
66	S1101MFA1730	E-FIELD COVER ASSEMBLY
129	S1101MFA1733	E-FIELD POSITIVE POWER SUPPLY ASSEMBLY

MASS FLOW CONTROLLER OPTIONS				
ITEM	LOCATION 1 "INERT"	LOCATION 2 "OXYGEN"	LOCATION 3 "FUEL"	DESCRIPTION
23		S1101MFA1120		OXYGEN MASS FLOW CONTROLLER, 0.5 SLPM
24		S1101MFA1121		OXYGEN MASS FLOW CONTROLLER, 20 SLPM
25			S1101MFA1122	FUEL MASS FLOW CONTROLLER, 0.1 SLPM
26			S1101MFA1123	FUEL MASS FLOW CONTROLLER, 0.5 SLPM
27	S1101MFA1124			INERT MASS FLOW CONTROLLER, 0.1 SLPM
28	S1101MFA1125			INERT MASS FLOW CONTROLLER, 5 SLPM
29	S1101MFA1126			INERT MASS FLOW CONTROLLER, 0.5 SLPM
30			S1101MFA1132	FUEL MASS FLOW CONTOLLER, 0.05 SLPM
31			S1101MFA1133	FUEL MASS FLOW CONTOLLER, 0.2 SLPM
32			S1101MFA1134	FUEL MASS FLOW CONTOLLER, 1 SLPM
33	S1101MFA1135			INERT MASS FLOW CONTROLLER, 0.01 SLPM
34	S1101MFA1136			INERT MASS FLOW CONTROLLER, 0.02 SLPM
35	S1101MFA1137			INERT MASS FLOW CONTROLLER, 0.05 SLPM
36	S1101MFA1138			INERT MASS FLOW CONTROLLER, 2 SLPM
37	S1101MFA1139			INERT MASS FLOW CONTROLLER, 1 SLPM
81	S1101MFA1142			INERT MASS FLOW CONTROLLER, 0.2 SLPM
82			S1101MFA1143	FUEL MASS FLOW CONTOLLER, 2.0 SLPM

SIZE	CAGE CODE	DWG NO	REV
E	0SG68	S1101MFA0100	C
SCALE 1/2	INITIAL REL DATE 8/7/14	SHEET 2 OF 5	

PRO/E VERSION: Wildfire 2.0


ZIN_E_2012.frm

THERMOCOUPLE ARRAY OPTIONS		
ITEM	LOCATION 9	DESCRIPTION
C46	PSK633-9FGN	CAP
60	S1101MFA1605	THERMOCOUPLE NEAR ARRAY ASSEMBLY
61	S1101MFA1609	THERMOCOUPLE FAR ARRAY ASSEMBLY

RADIOMETER OPTIONS		
ITEM	LOCATION 8	DESCRIPTION
54	S1101MFA1520	RADIOMETER ASSEMBLY
58	S1101MFA1550	BRE RADIOMETER ASSEMBLY


NOTES:

1. SEE SHEET 1 FOR ADDITIONAL INFORMATION, GENERAL NOTES AND TOLERANCES.




THERMOCOUPLE RAKE (LOCATION 9), RADIOMETER (LOCATION 8) & E-FIELD MESH ASSEMBLIES

NOTE: SOME ITEMS NOT SHOWN FOR CLARITY




DOWNSTREAM PARTIAL ASSEMBLY VIEW

NOTE: SOME ITEMS REMOVED FOR CLARITY




SWITCHING MANIFOLD HARNESS ASSEMBLY PARTIAL VIEW

NOTE: SOME ITEMS REMOVED FOR CLARITY



UPSTREAM ENDCAP VIEW
FLUID HOSES AND IRR HARNESS ASSEMBLIES

NOTE: SOME ITEMS REMOVED FOR CLARITY



IGNITER UPPER ARM OPTIONS		
ITEM	LOCATION 7	DESCRIPTION
47	S1101MFA1313	IGNITER UPPER ARM ASSEMBLY, 0mm POSITION
48	S1101MFA1315	IGNITER UPPER ARM ASSEMBLY, 10mm POSITION
49	S1101MFA1317	IGNITER UPPER ARM ASSEMBLY, 30mm POSITION
C43	BRE.05.200.NAV	CAP

IGNITER, UPPER IGNITER ARM (LOCATION 7), CAMERA, CUBE & PMT ASSEMBLIES

NOTE: SOME ITEMS REMOVED FOR CLARITY


SIZE	CAGE CODE	DWG NO	REV
E	0SG68	S1101MFA0100	C
SCALE 1/2		INITIAL REL DATE 8/7/14	SHEET 3 OF 5


PRO/E VERSION: Wildfire 2.0

Z:\N_E_2012.frm

NOTES:


1. SEE SHEET 1 FOR ADDITIONAL INFORMATION, GENERAL NOTES AND TOLERANCES.






8 WIRE HARNESS ROUTING S1101EFA0308

NOTE: SOME ITEMS REMOVED FOR CLARITY





5 WIRE HARNESS ROUTING S1101EFA0304 & S1101EFA0305

NOTE: SOME ITEMS REMOVED FOR CLARITY


SIZE	CAGE CODE	DWG NO	REV
E	0SG68	S1101MFA0100	C
SCALE 1/2	INITIAL REL DATE 8/7/15	SHEET 4 OF 5	


Z1N_E_2012.frm

PRO/E VERSION: Wildfire 2.0

NOTES:


1. SEE SHEET 1 FOR ADDITIONAL INFORMATION, GENERAL NOTES AND TOLERANCES.






8 WIRE HARNESS ROUTING S1101EFA0303 & S1101EFA0309

NOTE: SOME ITEMS REMOVED FOR CLARITY





8 WIRE HARNESS ROUTING S1101EFA0310

NOTE: SOME ITEMS REMOVED FOR CLARITY

SIZE	CAGE CODE	DWG NO	REV
E	0SG68	S1101MFA0100	C
SCALE 1/2	INITIAL REL DATE 8/7/16	SHEET 5 OF 5	

PRO/E VERSION: Wildfire 2.0

ZIN_E_2012.frm