DRAWING LIST


ITEM	QTY	DRAWING NUMBER	DESCRIPTION
1	1	S1101EFA1257	BRE 25 MM HARNESS ASSEMBLY
2	1	S1101MFA1246	BRE 25 MM BASE ASSEMBLY
3	2	S1101MFD1202	BURNER INSULATOR
4	1	S1101MFD1203	BURNER BOTTOM PLATE
5	4	S1101MFD1204	BURNER MOUNTING SCREW WASHER
6	4	S1101MFD1205	BURNER MOUNTING SCREW BUSHING
7	4	S1101MFD1206	BURNER ASSEMBLY BUSHING
8	1	S1101MFD1233	BRE FLOW TUBE
9	2	S1101MFD1242	BRE THERMOCOUPLE PLUG
10	1	S1101MFD1248	BRE 25 MM BOTTOM HOUSING
11	1	S1101MFD1249	BRE 25 MM SENSOR MOUNTING PLATE
12	1	S1101MFD1250	BRE 25 MM TOP HOUSING
13	1	S1101MFD1251	BRE 25 MM BURNER OUTLET
14	2	S1101MFD1252	BRE 25 MM FLOW SCREEN
15	1	S1101MFD1253	BRE 25 MM FLOW STRAIGHTENER
16	2	S1101MFD1254	BRE 25 MM TOP SPACER
17	1	S1101MFD1255	BRE 25 MM BAFFLE
18	4	S1101MFP1025	MODIFIED SOCKET HEAD CAP SCREW. .190-32 UNRF-3A X .750
19	1	S1101MFT1245-01	NAME LABEL
20	1	S1101MFT1245-02	PART NUMBER LABEL
21	1	S1101MFT1245-XX	SERIAL NUMBER LABEL
22	1	S1101MFT1245-09	CABLE LABEL
23	1	S1101MFT1245-10	CONNECTOR LABEL
24	1	S1101MFT1245-11	CABLE LABEL
25	1	S1101MFT1245-XXX	IMS LABEL

COMMERCIAL PARTS LIST

ITEM	QTY	PART NUMBER	DESCRIPTION
C1	1	AS3209-008	O-RING, 75 DUROMETER FLUOROCARBON, .176 ID X .070 W
C2	1	AS3208-02	O-RING, 75 DUROMETER FLUOROCARBON, .239 ID X .064 W
C3	2	AS3209-013	O-RING, 75 DUROMETER FLUOROCARBON, .426 ID X .070 W
C4	2	PLT1M-M702Y	CABLE TIE, HALAR FLUOROPOLYMER, PANDUIT CORP.
C5	1	1260-K	MINI 2-POLE PLUG, MARLIN MFG. CORP.
C6	2	92420321	.010 DIA. TYPE "K" THERMOCOUPLE, MARLIN MFG. CORP.
C7	2	4-10SB-2.688-0.43-0-36-22066KSA	HEAT FLUX TRANSDUCER, 1/16 OD SENSOR, MEDTHERM
C8	A/R	242	THREADLOCKER, LOCTITE
C9	9	NAS620C4L	#4 REDUCED THICKNESS FLAT WASHER REDUCED O.D.
C10	1	NAS1102E02-7	.086-56 UNJC-3A X .438 FLAT 100 DEG HEAD MACHINE SCREW
C11	4	NAS1102E04-6	.112-40 UNJC-3A X .375 FLAT 100 DEG HEAD MACHINE SCREW
C12	1	NAS1352N04-4	#4-40(.112) UNRC-3A X .250 SOCKET HEAD CAP SCREW
C13	4	NAS1352N04-6	#4-40(.112) UNRC-3A X .375 SOCKET HEAD CAP SCREW
C14	4	NAS1352N04-10	#4-40(.112) UNRC-3A X .625 SOCKET HEAD CAP SCREW
C15	4	NAS1149CN632R	NO. 6 FLAT WASHER .149" ID X .375" OD X .032" THK
C16	4	NAS1149C0332R	NO. 10 FLAT WASHER .203" ID X .438" OD X .032" THK
C17	4	NAS1352N06-8	#6-32 (.138) UNRC-3A X .500 SOCKET HEAD CAP SCREW
C18	A/R	390.22	ALUMINA OXIDE BASED CERAMIC PAPER, COTRONICS CORP.
C19	A/R	MIL-PRF-27617	DUPONT KRYTOX 240AC TYPE III LUBRICANT
C20	A/R	RESBOND 989F-1	HIGH TEMPERATURE ALUMINA ADHESIVE, COTRONICS CORP.
C21	1	AS3209-220	O-RING, 75 DUROMETER FLUOROCARBON, .1.359 ID X .139 W
C22	A/R	222MS	THREADLOCKER, LOCTITE
C23	A/R	RESBOND 901A	CERAMIC HARDENER, COTRONICS CORP.
C24	-	REMOVED	REMOVED
C25	A/R	248903	HIGH HEAT ENAMEL FLAT BLACK SPRAY PAINT, RUSTOLEUM
C26	1	SDG32104805-009	DECAL, ELECTROSTATIC SYMBOL .5 IN X .5 IN, METAL PHOTO AND ADHESIVE (JSC)
C27	1	667-261-M-N8	PROTECTIVE COVER, PLUG, SHELL SIZE 8 (GLENAIR)
C28	1	1210-K	MINI 2-POLE JACK (MARLIN MFG.)
C29	1	PSK633-9MG	PROTECTIVE COVER, RECEPTACLE, SHELL SIZE 13 (POSITRONIC)

NOTES:

1. MATERIAL CERTIFICATION REQUIRED PER QUALITY LEVEL SPECIFIED IN WORK ORDER/SOW.
2. ASSEMBLE PER APPROVED PROCESS PLAN FOR INITIAL BUILD.
3. APPLY O-RING LUBRICANT PER ESTABLISHED PROCEDURES.
4. APPLY THREAD LOCKING COMPOUND PER ESTABLISHED PROCEDURES.
5. STAKING, BONDING AND INSPECTION SHALL BE IN ACCORDANCE WITH NASA-STD-8739.1.
6. REAM ID OF THERMOCOUPLE MOUNTING HOLES ON BURNER OUTLET (ITEM 13) AS NECESSARY FOR INSTALLATION.
7. CLEAN ALL SURFACES WITH ISOPROPYL ALCOHOL AND LET AIR DRY. WIPE WITH CLEAN COTTON SWABS AND/OR LINT-FREE CLOTH.
8. HANDLE WITH CLEAN, LINT-FREE GLOVES.
9. BEFORE STORAGE, PROTECT WITH CONTAMINATION BARRIER. USE CLEAN, NEW, TRANSPARENT POLYETHYLENE BAG FOR SMALL ITEMS OR 4 MIL THICK MINIMUM POLYETHYLENE SHEET AND SEAL. MARK PART NUMBER, A DASH, AND A SERIAL/LOT NUMBER AS SPECIFIED IN WORK ORDER/SOW, BY TAGGING PER SAE-AS478-35D.
10. REMOVED
11. PAINT INDICATED SURFACES WITH PAINT (ITEM C25) PER PROCESS PLAN.
12. APPLY LABEL TO CLEAN, DRY SURFACE IN LOCATION SHOWN.
13. TEST ASSEMBLY PER ACME-TST-045.



AUXILIARY VIEW SHOWING PLACEMENT OF ITEMS, C27, C28 AND C29.

ACME-ECO-656 In Process

REV	DESCRIPTION	APPROVED
C	INCORPORATED ACME-ECO-549	KB 9/13/16 AD 9/13/16 AR 9/14/16
B	INCORPORATED ACME -ECO-482 & ACME-ECO-513	J.OGRIN 11/02/15 A.DRAKE 11/02/15 M.AYNIK 11/10/15
A	INCORPORATED ACME -ECO-399 & ACME-ECO-404	KR 12/22/14 AD 12/22/14 GF 12/22/14

REVISION HISTORY


S1101MFA0100	THIS DRAWING IS UNDER CONFIGURATION CONTROL. DO NOT REVISE WITHOUT AN APPROVED ECO.	ZIN TECHNOLOGIES 8745 ENGLE ROAD AIRPORT EXECUTIVE PARK CLEVELAND, OHIO 44130 (440) 625-2200 www.zin-tech.com	NATIONAL AERONAUTICS AND SPACE ADMINISTRATION JOHN H. GLENN RESEARCH CENTER LEWIS FIELD CLEVELAND, OHIO
NEXT ASSEMBLY	APPROVED: C.McCLOSKEY 9/13/16 PRIOR TO USE, CHECK WITH CONFIGURATION MANAGEMENT FOR ANY OUTSTANDING ECOS.		
UNLESS OTHERWISE SPECIFIED: 1. ALL DIMENSIONS ARE IN INCHES 2. BREAK EDGES .010-.020 3. INSIDE CORNERS R.02 MAX 4. LINEAR TOLERANCES: .X ± .03 .XX ± .01 .XXX ± .005 5. ANGULAR TOLERANCE ± .5°	DESIGNER G.FEDEVICH 06/26/14 REVIEWER K.RHODES 06/30/14 MECHANICAL A.DRAKE 07/11/14 ELECTRICAL T.GOBELI 07/01/14 STRUCTURAL C.WERNER 07/09/14 SAFETY W.BORRELLI 06/26/14	QUALITY D.SEELEY 07/01/14 MATERIALS M.WILKINSON 06/26/14 PROJ LEAD B.BORDWSKI 07/11/14	TITLE: BRE 25 MM BURNER ASSEMBLY
THIRD ANGLE PROJECTION	DIMENSIONS AND TOLERANCING PER ASME Y14.5M-1994	CONTRACT NUMBER: NNC14CA02C PROJECT CODE: S2-BT3	SIZE D · CAGE CODE 0SG68 · DWG NO S1101MFA1245 · REV B SCALE 1/1 · INITIAL REL DATE 07/11/2014 · SHEET 1 OF 3
			RELEASE LEVEL: WORKING MODEL: S1101MFA1245 PRO/E VERSION: Wildfire 5.0


DWG NO S1101MFA1245 · SH 1 · REV B

ZIN_D_2012.frm

NOTES:

1. SEE SHEET 1 FOR ADDITIONAL INFORMATION. GENERAL NOTES AND TOLERANCES.





SIZE	CAGE CODE	DWG NO	REV
D	0SG68	S1101MFA1245	B
SCALE 1/1	INITIAL REL DATE 07/11/2014	SHEET 2 OF 3	


PRO/E VERSION: Wildfire 5.0

ZIN_D_2012.frm


REV B | SH 2 | DWG NO S1101MFA1245


NOTES:


1. SEE SHEET 1 FOR ADDITIONAL INFORMATION. GENERAL NOTES AND TOLERANCES.




DETAIL E
SCALE 6/1









SECTION A-A




SECTION B-B






SECTION C-C



SECTION D-D



SIZE	CAGE CODE	DWG NO	REV
D	0SG68	S1101MFA1245	B
SCALE 1/1 & NOTED	INITIAL REL DATE 07/11/2014	SHEET 3 OF 3	

PRO/E VERSION: Wildfire 5.0

ZIN_D_2012.frm

DWG NO S1101MFA1245 | SH 3 | REV B