## SDN for the Cloud

Yousef Khalidi @ Microsoft

This presentation is the work of a large team



## Acknowledgements

This presentation describes work done by Microsoft Azure Networking team, that builds on many ideas from Academia, Azure, Microsoft Research, Bell Labs, etc.

The results are a full Software-defined Network system that runs one of the biggest public clouds on the face of the earth.



## Cloud provided the killer scenario for SDN


- Cloud has the right scenarios
  - Economic and scale pressure → huge leverage
  - Control → huge degree of control to make changes in the right places
  - Virtualized Data Center for each customer → prior art fell short
- Cloud had the right developers and the right systems
  - High scale fault tolerant distributed systems and data management


At Azure we changed everything because we had to, from optics to host to NIC to physical fabric to WAN to Edge/CDN to ExpressRoute (last mile)



## Hyperscale Cloud








## Microsoft Cloud Network





#### Microsoft Cloud Network

#### ExpressRoute Sites and Partners



## 2010

## 2015

Compute Instances

100K






Azure Storage 10's of PB

Exabytes

Datacenter Network

10's of Tbps







>85%

Fortune 500 using Microsoft Cloud

>93,000

New Azure customers a month

425 MILLION
Azure Active
Directory users

>18 BILLION
Azure Active Directory authentications/week

1 TRILLION

Azure Event Hubs events/month

#### Scale

1 out of 4

>60

**TRILLION** 

Azure storage objects


Azure VVS are Linux VMs

1,400,000

SQL databases in Azure

**MILLION** 

requests/sec



## Agenda

Consistent cloud design principles for SDN

Physical and Virtual networks, NFV

Integration of enterprise & cloud, physical & virtual

Future: reconfigurable network hardware

Career Advice



## Cloud Design Principles

Scale-out multi active path data plane

Embrace and Isolate failures

Centralized control plane: drive network to target state

Resource managers service requests, while meeting system wide objectives Controllers drive each component relentlessly to the target state Stateless agents plumb the policies dictated by the controllers


These principles are built into every component



# Hyperscale Physical Networks




## VL2 -> Azure Clos Fabrics with 40G NICs



Outcome of >10 years of history, with major revisions every six months





## Challenges of Scale

- Clos network management problem
  - Huge number of paths, ASICs, switches to examine, with a dynamic set of gray failure modes, when chasing app latency issues at 99.995% levels


#### Solution

- Infrastructure for graph and state tracking to provide an app platform
- Monitoring to drive out gray failures
- Azure Cloud Switch OS to manage the switches as we do servers

Capex \$/Tbps and Opex are 100X smaller than counterparts for prior networks



## Azure State Management System Architecture





Centralized control plane: drive network to target state


Abstract network graph and state model: the basic programming paradigm

High scale infrastructure is complex: multiple vendors, designs, software versions, failures

## App I: Automatic Failure Mitigation








Parity Error in ASIC

## App II: Traffic Engineering Towards High Utilization




**Microsof** 


## Azure Scale Monitoring – Pingmesh

- Problem: Is it the app or the net explaining app latency issues?
- Solution: Measure the network latency between any two servers
- Full coverage, always-on, brute force
- Running in Microsoft DCs for near 5 years, generating 200+B probes every day


Use high scale cloud computing to monitor cloud network













Podset down



Spine failure


## EverFlow: Packet-level Telemetry + Cloud Analytics






#### Azure Cloud Switch – Open Way to Build Switch OS

- SAI collaboration is industry wide
  - SAI simplifies bringing up Azure Cloud Switch (Azure's switch OS) on new ASICS





SAI is on github

## Hyperscale Virtual Networks




## Network Virtualization (VNet)

#### **Microsoft Azure Virtual Networks**

VNet is the right abstraction, the counterpart of the VM for compute


Efficient and scalable communication within and across VNets

Green





## Hyperscale SDN: All Policy is in the Host





# Key Challenges for Hyperscale SDN Controllers

Must scale to 500k+ Hosts in a region


Needs to scale down to small deployments too

Must handle millions of updates per day

Must support frequent updates without downtime



#### Regional Network Manager Microservices






# Hyperscale Network Function Virtualization




## Azure SLB: Scaling Virtual Network Functions

- Key Idea: Decompose Load Balancing into Tiers to achieve scale-out data plane and centralized control plane
- Tier 1: Distribute packets (Layer 3)
  - Routers ECMP
- Tier 2: Distribute connections (Layer 3-4)
  - Multiplexer or Mux
  - Enable high availability and scale-out
- Tier 3: Virtualized Network Functions (Layer 3-7)
  - Example: Azure VPN, Azure Application Gateway, third-party firewall






## Express Route: Direct Connectivity to the Cloud



# Building a Hyperscale Host SDN



## Virtual Filtering Platform (VFP)



Acts as a virtual switch inside Hyper-V VMSwitch

Provides core SDN functionality for Azure networking services, including:

Address Virtualization for VNET

VIP -> DIP Translation for SLB

ACLs, Metering, and Security Guards


## Uses programmable rule/flow tables to perform per-packet actions

Supports all Azure data plane policy at 40GbE+ with offloads

Coming to private cloud in Windows Server 2016




### Flow Tables: the Right Abstraction for the Host




#### Table Typing/Flow Caching are Critical to Performance

- COGS in the cloud is driven by VM density: 40GbE is here
- First-packet actions can be complex
- Established-flow matches must be typed, predictable, and simple hash lookups

#### First Packet



### RDMA/RoCEv2 at Scale in Azure



- RDMA addresses high CPU cost and long latency tail of TCP
  - Zero CPU Utilization at 40Gbps
  - μs level E2E latency
- Running RDMA at scale
  - RoCEv2 for RDMA over commodity IP/Ethernet switches
  - Cluster-level RDMA
  - DCQCN for end-to-end congestion control



## Host SDN Scale Challenges

- Host network is Scaling Up: 1G → 10G → 40G → 50G → 100G
  - The driver is VM density (more VMs per host), reducing COGs
  - Need the performance of hardware to implement policy without CPU
- Need to support new scenarios: BYO IP, BYO Topology, BYO Appliance
  - We are always pushing richer semantics to virtual networks
  - Need the programmability of software to be agile and future-proof


How do we get the performance of hardware with programmability of software?




### Azure SmartNIC

- Use an FPGA for reconfigurable functions
  - FPGAs are already used in Bing (Catapult)
  - Roll out Hardware as we do software
- Programmed using Generic Flow Tables (GFT)
  - Language for programming SDN to hardware
  - Uses connections and structured actions as primitives

• SmartNIC can also do Crypto, QoS, storage acceleration, and more...







## Azure SmartNIC



### Career Advice

Cloud

Software → enables leverage and agility

Even for hardware people

Time -> Hard systems problems take time

With the right team and right project, its worth it

Usage and its measurement  $\rightarrow$  oxygen for ideas

Foundation and proof that the innovation matters

Ship & iterate quickly → continuous improvements

Make mistakes early, iterate, and ship often

