📖 SCAFFOLDED WORKBOOK · YEAR 9–10

ADVANCED WATER SAFETY

Health & Physical Education · Year 9–10 · Victorian Curriculum F–10 Version 2.0

This workbook has **word banks**, **sentence starters**, and **structured frameworks** to help you. The questions are the same as the standard workbook — the scaffolds just make it easier to get started.

STUDENT NAME

CLASS

TEACHER

© 2026 Emilie Harrison · CC BY 4.0 · emilie-harrison.github.io/swim-water-safety · Third-party content excluded

Victorian Curriculum 2.0 · HPE Year 9–10 · VC2HP10P02 · VC2HP10P08 · VC2HP10P09 · VC2HP10M01

📌 **How the scaffolds work**

- **Word banks** — give you the key terms to choose from so you don't have to think of them yourself
- **Sentence starters** — begin the sentence for you; just finish it in your own words
- **Argument frameworks** — break an argument into parts (claim, evidence, explanation) so you can build it step by step
- **Calculation guides** — show you the formula and what to substitute in

1 Advanced Data Analysis — Victorian & Global Drowning Trends

📋 **KEY DATA — KEEP THIS HANDY**

📊 **52 people** drowned fatally in Victoria in 2024–25 — 9% above the ten-year average of 48.

🧮 Victoria's population ≈ **6.9 million**. Rate formula: deaths ÷ (population ÷ 100,000). So: 52 ÷ 69 = **0.75 per 100,000**.

🇦🇺 Australia's national drowning rate = **1.13 per 100,000** in 2025/26 (RLSSA). Victoria at 0.75 is BELOW the national rate.

🌏 People from multicultural backgrounds = **37%** of Victorian drowning deaths since 2015–16 (185 deaths). Country of birth was unknown in a further **22%** of cases, so 37% is a lower bound.

👨 **73%** of Victorian drowning deaths (38 of 52) were male.

© 2026 Emilie Harrison · CC BY 4.0 · emilie-harrison.github.io/swim-water-safety · Third-party content excluded

🚫 **Zero deaths** in Victorian public swimming pools — the first time since 2019–20. But 25% of deaths were in home environments.

Activity 1.1 — Calculations & Interpretation

~15 min

Question 1.1a — Calculation

2 marks

Calculate the percentage of Victorian drowning deaths that were male.

Show your working using the formula below.

CALCULATION FORMULA

Percentage = (number of males ÷ total deaths) × 100

= (_____ ÷ 54) × 100 = _____%

My answer: _____% of Victorian drowning deaths were male.

Now compare to the global figure of ~80%. Is Victoria higher or lower?

Victoria's rate is higher / lower (circle one) than the global figure of 80%.

This suggests that _____

Question 1.1b — Rate Comparison 3 marks

Calculate: if Victoria drowned at the national rate of 1.13 per 100,000 (2025/26), how many deaths would be expected? Compare with the 52 actually recorded. Show working.

CALCULATION GUIDE

Expected deaths = rate × (population ÷ 100,000)

= 1.2 × _____ (units of 100,000 in 6.9M) = _____ deaths

At the national rate, Victoria would expect approximately _____ deaths per year.

This is more / fewer (circle) than the actual figure of 52 deaths.

What this tells us about Victoria's performance: _____

© 2026 Emilie Harrison · CC BY 4.0 · emilie-harrison.github.io/swim-water-safety · Third-party content excluded

Question 1.1c — CALD Analysis

3 marks

People from multicultural backgrounds account for 37% of Victorian drowning deaths since 2015–16, and 58% of fishing-related drowning deaths. Are they over-represented? Explain TWO structural reasons.

WORD BANK

over-represented | structural | swim lessons | language barriers | fishing risk | 40% > 28%

CALD Victorians are _____ in drowning deaths because 37% of deaths since 2015–16 were people from multicultural backgrounds.

Reason 1 — Use this argument framework:

REASON: _____

BECAUSE: _____

THIS MEANS: _____

Reason 2 — Use this argument framework:

REASON: _____

BECAUSE: _____

THIS MEANS: _____

© 2026 Emilie Harrison · CC BY 4.0 · emilie-harrison.github.io/swim-water-safety · Third-party content excluded

2 Physiology of Drowning — What Happens in the Body

📋 KEY FACTS — PHYSIOLOGY

🧠 **4–6 minutes** — after this long without oxygenated blood, brain cells start dying irreversibly. This is called **cerebral hypoxia**.

💓 CPR generates about **25–30%** of normal cardiac output — enough to keep the brain alive until the heart can restart.

🥶 **1-10-1 Cold Water Rule:** ~1 minute to control breathing · ~10 minutes of useful swimming · up to 1 hour before hypothermia.

💧 **Secondary drowning** — fluid in the lungs can develop HOURS after a near-drowning. Always get a medical check after any submersion, even if the person feels fine.

Activity 2.1 — Physiology Research Tasks

~15 min

Question 2.1a — Physiological Sequence

3 marks

Put the following events in the correct order from 1 (first) to 5 (last):

EVENTS TO ORDER

cardiac arrest | submersion | laryngospasm | hypoxia | cerebral hypoxia

Order	Event	What it means
1 (first)	_____	Person goes underwater
2	_____	Airway closes involuntarily
3	_____	Oxygen levels in blood drop
4	_____	Heart stops pumping effectively
5 (last)	_____	Brain cells start dying — time-critical!

© 2026 Emilie Harrison · CC BY 4.0 · emilie-harrison.github.io/swim-water-safety · Third-party content excluded

Question 2.1b — Why Start CPR Quickly?

3 marks

Use the sentence starters below to explain the 4-minute window in plain language.

When the heart stops, the brain stops getting _____ blood.

After about _____ minutes without oxygen, brain cells start _____ .

CPR generates about ___% of normal cardiac output, which is _____ to keep the brain alive.

This is why starting CPR within 4 minutes is so important:

_____

Question 2.1c — Secondary Drowning

2 marks

Explain secondary drowning and why it matters. Use the word bank.

WORD BANK

hours later | fluid in the lungs | coughing | medical review | near-drowning | rare but serious

Secondary drowning is when _____ develops _____ a near-drowning incident.

It is clinically important because _____

After any submersion incident, even if the person seems fine, they should _____ .

Source URL:

_____

3 Social Determinants of Drowning Risk

Activity 3.1 — Social Determinants Analysis

Pairs · ~18 min

Social determinants are **non-medical factors** that influence health outcomes — things like where you grew up, your income, and cultural norms.

Question 3.1a

4 marks

Choose TWO social determinants from the list below. For each, complete the argument framework.

SOCIAL DETERMINANTS — CHOOSE 2

- Gender norms (masculinity)
- CALD background
- Socioeconomic status
- Rural / regional location
- Alcohol use

Social Determinant 1: _____

HOW IT INCREASES RISK: _____

EVIDENCE / EXAMPLE: _____

PREVENTION STRATEGY: _____

Social Determinant 2: _____

HOW IT INCREASES RISK: _____

EVIDENCE / EXAMPLE: _____

PREVENTION STRATEGY: _____

Question 3.1b — Individual vs Structural

2 marks

What is the difference between an **individual** explanation and a **structural** explanation for a health problem? Give one example of each using the CALD drowning data.

DEFINITION BANK

personal choice | system-level | lack of swim access | didn't learn to swim

An individual explanation blames _____ choices.
Example: "They _____ ."

A structural explanation focuses on _____ factors.
Example: "In many countries of origin, _____ ."

Structural explanations are more useful for prevention because _____

Question 3.1c — School Actions

3 marks

Propose THREE specific, practical actions a Victorian school could take to reduce CALD drowning disproportionality.

Tip: be SPECIFIC — not just "raise awareness." Think: who, what, where, when, how?

Action 1: The school could _____

Action 2: The school could _____

Action 3: The school could _____

© 2026 Emilie Harrison · CC BY 4.0 · emilie-harrison.github.io/swim-water-safety · Third-party content excluded

4 Evaluating Drowning Prevention Strategies

Activity 4.1 — Prevention Strategy Evaluation

~15 min

For each strategy, decide if the evidence is Strong, Moderate, or Limited, and explain a limitation.

EVIDENCE STRENGTH – CHOOSE ONE

Strong — backed by solid research **Moderate — some research, some gaps**

Limited — little evidence, or limited reach

Strategy	Evidence strength	Key limitation (write in your own words)
4-sided pool fencing		
Mandatory swim lessons for primary school students		
Expanding patrolled beach patrols		
Warning signs at unpatrolled beaches		
Targeted CALD community swim programs		

© 2026 Emilie Harrison · CC BY 4.0 · emilie-harrison.github.io/swim-water-safety · Third-party content excluded

Question 4.1a — Justify Your Priorities

4 marks

If you had $5 million to spend on drowning prevention, which TWO strategies would you choose? Use the argument framework.

Strategy 1: _____

I WOULD CHOOSE THIS BECAUSE: _____

THE EVIDENCE SHOWS: _____

THE TRADE-OFF IS: _____

Strategy 2: _____

I WOULD CHOOSE THIS BECAUSE: _____

THE EVIDENCE SHOWS: _____

THE TRADE-OFF IS: _____

© 2026 Emilie Harrison · CC BY 4.0 · emilie-harrison.github.io/swim-water-safety · Third-party content excluded

5 International Comparison

Activity 5.1 — Research Comparison

~20 min · Devices needed

Visit each website and complete the table. Look for: program name, key safety message, and what makes them different.

WEBSITES TO VISIT

- 🇦🇺 **royallifesaving.com.au**
- 🇬🇧 **rlss.org.uk/education**
- 🇺🇸 **redcross.org/take-a-class/water-safety**

Question	🇦🇺 RLSSA (Australia)	🇬🇧 RLSS UK	🇺🇸 Red Cross (USA)
Main program name			
Key safety message / slogan			
One thing unique about their approach			

Question 5.1a — Should Victoria Adopt It? 3 marks

Choose ONE element from an international approach that is NOT currently used in Victoria. Should Victoria adopt it? Use the argument framework.

The element I chose: _____ From: _____ (country/organisation)

WHAT IT IS: _____

WHY IT COULD HELP IN VICTORIA: _____

I THINK VICTORIA SHOULD / SHOULD NOT (CIRCLE) ADOPT IT BECAUSE: _____

SOURCE URL: _____

6 Diving, Spinal Injuries & High-Risk Teenage Behaviour

📋 KEY FACTS — KEEP THESE HANDY FOR YOUR ANSWERS

Word Bank: cervical spine · quadriplegia · spinal cord · sandbank · tidal · sediment · false confidence · masculinity norms · peer pressure · AIHW · RLSSA · feet first · permanent disability · inland waterway

- Unsafe diving = **10%** of all spinal cord injuries and **20%** of quadriplegia cases in Australia (AIHW)
- **95%** of aquatic spinal injury patients are male — **75%+** are under 30 — **66%** suffer permanent disability
- Highest incidence of diving spinal injury: children aged **10–14**

© 2026 Emilie Harrison · CC BY 4.0 · emilie-harrison.github.io/swim-water-safety · Third-party content excluded

- RLSSA: **"More people drown in inland waterways than any other location in Australia."**
- Core prevention message: **"Feet first, first time, every time."** Never dive into unknown water.
- +34% increase in drowning among 15–20 year olds post-COVID vs pre-COVID (RLSSA)

Sources: Royal Life Saving Australia (royallifesaving.com.au) · AIHW Diving Injury Report (aihw.gov.au) · Royal Perth Hospital spinal injury study

Activity 6.1 — Case Study Analysis

~18 min

CASE STUDY 1 · NSW 2025

Terrigal Wharf

Teenage boy dived from a wharf into shallow water. Helicopter evacuation to hospital. He didn't know how shallow it was under the structure.

CASE STUDY 2 · VICTORIA 2025

Torquay Front Beach

Teenage boy suffered suspected spinal injury diving at a surf beach. Airlifted to hospital. Sandbanks at surf beaches shift with every tide.

CASE STUDY 3 · NSW 2024

Bawley Beach Jetty

Young man seriously injured diving from a jetty. A sandbank had recently formed beneath the jumping spot. He had jumped there safely before.

Question 6.1a — Common Factors

3 marks

Identify two common factors across all three case studies. For each, use the framework below.

Factor 1 — Use this framework:

FACTOR: _____

HOW IT CAUSED THE INJURY (NOT JUST THAT IT WAS THERE): _____

WHICH CASE STUDY SHOWS THIS MOST CLEARLY: _____

Factor 2 — Use this framework:

FACTOR: _____

HOW IT CAUSED THE INJURY: _____

WHICH CASE STUDY SHOWS THIS: _____

© 2026 Emilie Harrison · CC BY 4.0 · emilie-harrison.github.io/swim-water-safety · Third-party content excluded

Question 6.1b — Why 95% of Patients Are Male

4 marks

Use the social determinants framework from Section 3. Don't just say "males take more risks." Explain WHY they take more risks using social factors.

Argument framework:

SOCIAL NORM / EXPECTATION THAT DRIVES RISK-TAKING: _____

HOW THIS LEADS SPECIFICALLY TO DIVING BEHAVIOUR: _____

WHY TELLING INDIVIDUALS TO "BE CAREFUL" IS NOT ENOUGH: _____

WHAT STRUCTURAL CHANGE WOULD ADDRESS THE ROOT CAUSE: _____

© 2026 Emilie Harrison · CC BY 4.0 · emilie-harrison.github.io/swim-water-safety · Third-party content excluded

Question 6.1c — Why Neck Injuries Cause Permanent Disability

3 marks

Use the physiology content from Section 2 to explain why a cervical (neck) spine injury from diving often causes permanent quadriplegia.

Sentence starters:

"The cervical spine is responsible for _____. When a diver hits the bottom head-first, the vertebrae _____. This is different from other spine levels because _____. The result is often permanent because _____."

Activity 6.2 — Myth vs Evidence

~15 min

Use the sentence starters below. Replace the blanks with your own words using facts from the key data section above.

Myth: "If other people are jumping there, it must be safe."

Starter: "This is a myth because depth can change due to _____ and _____. The Bawley Beach case shows that a _____ had formed between visits, making a safe spot suddenly dangerous."

Myth: "I've jumped here before — I know this spot."

Starter: "Prior experience creates false confidence because _____ changes between visits. The correct approach is to _____."

Myth: "Good swimmers are safe from diving injuries."

Starter: "Swimming ability is irrelevant to diving injuries because the injury happens _____ before swimming matters. Australian data shows _____% of patients were healthy young males."

Myth: "Jumping feet-first is safe — you won't hit your head."

Starter: "Feet-first jumping into shallow water can still cause _____ and _____. The key prevention message is _____."

Activity 6.3 — Prevention Strategy Design

~15 min

My Prevention Strategy

Step 1 — Identify your target group:

TARGET GROUP (BE SPECIFIC — AGE, GENDER, LOCATION):

STATISTIC SHOWING THIS GROUP IS AT HIGHER RISK (CITE SOURCE):

SECOND STATISTIC:

Step 2 — Describe your strategy:

WHAT WILL YOU DO: _____

WHERE / THROUGH WHAT CHANNEL: _____

WHO DELIVERS IT: _____

SMART METRIC — HOW WILL YOU KNOW IF IT WORKED: _____

Step 3 — Limitation:

THE BIGGEST WEAKNESS OF MY STRATEGY IS: _____

A MORE COMPLETE RESPONSE WOULD INCLUDE: _____

© 2026 Emilie Harrison · CC BY 4.0 · emilie-harrison.github.io/swim-water-safety · Third-party content excluded

7 Assessment Task Planning

Activity 6.1 — Plan Your Assessment Task

Assessment preparation

Choose your option and use the planning scaffold to get started. Remember: all options need at least THREE sources with URLs and at least ONE statistic.

Option A — Policy Brief
600–800 words to Victorian Minister. Two recommendations + evidence + success metrics.

Option B — Campaign
Target ONE high-risk group. Campaign name, message, visual, platform, 100-word justification.

Option C — School Audit ★
Audit your school. Benchmark against Curriculum 2.0. Priority matrix + recommendations.

My Planning Notes

OPTION CHOSEN: _____

WHO AM I WRITING FOR (AUDIENCE / ADDRESSEE)? _____

MY KEY ARGUMENT / CENTRAL CLAIM: _____

STATISTIC I WILL USE: _____

SOURCE 1 URL: _____

SOURCE 2 URL: _____

SOURCE 3 URL: _____

My draft — write here or attach on a separate page:

© 2026 Emilie Harrison · CC BY 4.0 · emilie-harrison.github.io/swim-water-safety · Third-party content excluded

✏️ How Did I Go? Circle: 😕 Not yet / 🙂 Getting there / 😊 Got it!

I can calculate Victorian drowning rates and compare them to other benchmarks	😕	🙂	😊
I can explain the physiological sequence of drowning and why CPR timing matters	😕	🙂	😊
I can identify social determinants of drowning risk and explain how they work	😕	🙂	😊
I can evaluate prevention strategies and justify my priorities with evidence	😕	🙂	😊
I can compare at least two international water safety approaches	😕	🙂	😊
I have a clear plan for my assessment task with at least 3 sources	😕	🙂	😊

One thing I still want help with:

Advanced Water Safety — Scaffolded Workbook · Victorian Curriculum F–10 Version 2.0 · HPE Year 9–10 · VC2HP10P02, VC2HP10P08, VC2HP10P09, VC2HP10M01

`lsv.com.au · royallifesaving.com.au · victoriancurriculum.vcaa.vic.edu.au`

© 2026 Emilie Harrison. This resource is licensed under Creative Commons Attribution 4.0 International (CC BY 4.0). You are free to copy, share, adapt and build on it — including for commercial purposes — provided you give appropriate credit and indicate any changes.

Suggested attribution: "Swim & Water Safety Teaching Hub" by Emilie Harrison, licensed CC BY 4.0. Source: emilie-harrison.github.io/swim-water-safety

Third-party material is not covered. Content owned by Life Saving Victoria, Royal Life Saving Australia, Surf Life Saving Australia, VCAA, ACARA, AIATSIS, the Australian Resuscitation Council and other organisations — including data, guidelines, logos and program names — remains the property of those owners and is used here for educational purposes. Check directly with the owner before reproducing it elsewhere.

Data sources cited in this resource. Drowning statistics are reproduced with attribution from: Life Saving Victoria. (2025). *Victorian Drowning Report 2024–25*. Life Saving Victoria: Melbourne. Royal Life Saving Australia (2026). *National Drowning Report 2026*. RLSSA: Sydney. World Health Organization (2024). *Drowning — fact sheet*. WHO: Geneva. Surf Life Saving Australia (2026). *Summer Coastal Drowning Report 2025/26*. SLSA: Sydney. These figures remain the property of the publishing organisations. If you adapt this resource, retain these citations.